

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
27 December 2002 (27.12.2002)

PCT

(10) International Publication Number
WO 02/102984 A2

- (51) International Patent Classification⁷: C12N (74) Agents: **BROOK, David, E.** et al.; Hamilton, Brook, Smith & Reynolds, P.C., 530 Virginia Road, P.O. Box 9133, Concord, MA 01742-9133 (US).
- (21) International Application Number: PCT/US02/19051
- (22) International Filing Date: 14 June 2002 (14.06.2002) (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/298,173 14 June 2001 (14.06.2001) US
60/311,686 10 August 2001 (10.08.2001) US
60/316,995 4 September 2001 (04.09.2001) US
- (71) Applicant (*for all designated States except US*): **SLOAN-KETTERING INSTITUTE FOR CANCER RESEARCH** [US/US]; 1275 York Avenue, New York, NY 10021 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **RICHON, Victoria** [US/US]; 160 Theodore Fremd Street, #A11, Rye, NY 10580 (US). **ZHOU, Xianbo** [CN/US]; 43 Bradley Street, Dobbs Ferry, NY 10522 (US). **RIFKIND, Richard, A.** [US/US]; 425 East 58th Street, #48A, New York, NY 10022 (US). **MARKS, Paul, A.** [US/US]; 7 Rossiter Road, Washington, CT 06793 (US).
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 02/102984 A2

(54) Title: HDAC9 POLYPEPTIDES AND POLYNUCLEOTIDES AND USES THEREOF

(57) Abstract: The present invention features substantially pure HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), an HDRP(Δ NLS) polypeptides, and isolated nucleic acid molecules encoding those polypeptides. The present invention also features vectors containing HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), and HDRP(Δ NLS) nucleic acid sequences, and cells containing those vectors.

HDAC9 POLYPEPTIDES AND POLYNUCLEOTIDES AND USES THEREOF

RELATED APPLICATIONS

This application claims the benefit of U.S. Provisional Application No. 5 60/298,173 filed on June 14, 2001, U.S. Provisional Application No. 60/311,686 filed on August 10, 2001, and U.S. Provisional Application No. 60/316,995, filed on September 4, 2001. The entire teachings of the above applications are incorporated herein by reference.

10 GOVERNMENT SUPPORT

The invention was supported, in whole or in part, by grant CA-0974823 from the National Cancer Institute. The Government has certain rights in the invention.

BACKGROUND OF THE INVENTION

15 The N-terminal tails of core histones are covalently modified by post-translational modifications, including acetylation and phosphorylation. Evidence suggests that these covalent modifications play important roles in several biological activities involving chromatin, *e.g.*, transcription and replication. Histone deacetylases (HDACs) catalyze the removal of the acetyl group from the lysine 20 residues in the N-terminal tails of nucleosomal core histones resulting in a more compact chromatin structure, a configuration that is generally associated with repression of transcription.

Five proteins and/or open reading frames in yeast (RPD3, HDA1, HOS1, HOS2 and HOS3) that share significant homology in the catalytic domain have been 25 identified as HDACs based upon their sequence homology to human HDAC1. To date, eight HDACs have been identified in mammalian cells, and classified into two classes based on their structure and similarity to yeast RPD3 or HDA1 proteins. Recently, Sir2 family proteins that are structurally unrelated to the five proteins aforementioned have been identified as NAD-dependent HDACs. Class I HDACs 30 are the yeast RPD3 homologs HDAC1, 2, 3, and 8, and are composed primarily of a catalytic domain. Class II HDACs are the yeast HDA1 homologs HDAC4, 5, 6; and

7. HDAC4, 5, and 7 contain a long non-catalytic N-terminal end and a C-terminal HDAC catalytic domain while HDAC6 has two HDAC catalytic domains.

It has also been determined that histone deacetylases can be sensitive to small molecules, including trichostatin A (TSA), trapoxin, and butyrate. For
5 example, the yeast RPD3 and HDA1 and mammalian HDAC1, 2, 3, 4, 5, 6, 7 and 8 are sensitive to inhibition by trichostatin A (TSA). The Sir2 family HDACs, yeast HOS3 and *Drosophila melanogaster* dHDAC6, however, appear to be relatively insensitive to TSA. A class of hybrid bipolar compounds, such as suberoylanilide hydroxamic acid (SAHA) have also been shown to inhibit histone deacetylases and
10 induce terminal differentiation and/or apoptosis in various transformed cells. Examples of such compounds can be found in U.S. Patent Nos. 5,369,108, issued on November 29, 1994, 5,700,811, issued on December 23, 1997, and 5,773,474, issued on June 30, 1998 to Breslow *et al.*, as well as U.S. Patent Nos. 5,055,608, issued on October 8, 1991, and 5,175,191, issued on December 29, 1992 to Marks *et al.*, the
15 entire content of all of which are hereby incorporated by reference.

The identification of the mechanisms by which histones are deacetylated, and the characterization of histone deacetylase function would be of great benefit in understanding how gene transcription is controlled, how the cell cycle is regulated, and how cells are signaled to undergo terminal differentiation and/or apoptosis.
20 Elucidation of such mechanisms can lead to improved therapeutics for many diseases, in particular those characterized by cell proliferation or a lack of cell differentiation or apoptosis, for example, cancer.

SUMMARY OF THE INVENTION

25 The present invention relates to isolated or recombinant histone deacetylase polypeptides, and isolated histone deacetylase nucleic acid molecules encoding those polypeptides, as well as vectors and cells containing those isolated nucleic acid molecules.

In one aspect of the invention, the isolated or recombinant histone
30 deacetylase polypeptide is selected from a) an isolated or recombinant polypeptide comprising SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10; and b) a polypeptide having at least 60% sequence identity with any one

of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO:
10. In one embodiment, the isolated or recombinant histone deacetylase polypeptide
consists of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ
ID NO: 10. In another embodiment, the isolated or recombinant histone
5 polypeptide is mammalian; preferably, the isolated or recombinant histone
deacetylase polypeptide is human.

In another aspect, the invention features an isolated nucleic acid molecule
selected from a) an isolated nucleic acid comprising SEQ ID NO: 1, SEQ ID NO: 3,
SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9; b) a complement of an isolated
10 nucleic acid comprising SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID
NO: 7, or SEQ ID NO: 9; c) an isolated nucleic acid encoding a histone deacetylase
polypeptide of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or
SEQ ID NO: 10; d) a complement of an isolated nucleic acid encoding a histone
deacetylase polypeptide of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID
15 NO: 8, or SEQ ID NO: 10; e) a nucleic acid that is hybridizable under high
stringency conditions to a nucleic acid molecule that encodes any of SEQ ID NO: 2,
SEQ ID NO: 4, SEQ ID NO: 6, or SEQ ID NO: 8, or a complement thereof; or f) a
nucleic acid molecule that is hybridizable under high stringency conditions to a
nucleic acid comprising SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, or SEQ ID
20 NO: 7; and g) an isolated nucleic acid molecule that has at least 55% sequence
identity with any one of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID
NO: 7, SEQ ID NO: 9, or a complement thereof. In one embodiment, the isolated
nucleic acid molecule consists of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5,
SEQ ID NO: 7, or SEQ ID NO: 9. In another embodiment, the isolated nucleic acid
25 molecule is mammalian; preferably, the isolated nucleic acid molecule is human.

In other aspects, the invention features a vector comprising the isolated
histone deacetylase nucleic acid molecule described above, a cell comprising the
vector, and a cell comprising the isolated histone deacetylase nucleic acid molecule
described above.

30 In another aspect, the invention features a purified antibody that selectively
binds a histone deacetylase polypeptide described above.

In yet another aspect, the invention features a method of identifying a compound that modulates expression of a histone deacetylase nucleic acid molecule described above. The method comprises the steps of a) contacting the nucleic acid molecule with a candidate compound under conditions suitable for expression; and
5 b) assessing the level of expression of the nucleic acid molecule. A candidate compound that increases or decreases expression of the nucleic acid molecule relative to a control is a compound that modulates expression of the nucleic acid molecule. In one embodiment, the method is carried out in a cell or animal. In another embodiment, the method is carried out in a cell free system.

10 The invention also features a method of treating a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, for example, cancers such as lymphoma, leukemia, melanoma, ovarian cancer, breast cancer, pancreatic cancer, prostate cancer, colon cancer, and lung cancer and myeloproliferative disorders, including polycythemia vera, essential thrombocythemia, agnogenic myeloid
15 metaplasia, and chronic myelogenous leukemia in an individual, comprising administering a compound identified by the above method.

In still another aspect, the invention features a method of identifying a compound that modulates the enzymatic activity of the histone deacetylase polypeptide described above. The method comprises the steps of a) contacting the
20 polypeptide with a candidate compound under conditions suitable for enzymatic reaction; and b) assessing the activity level of the polypeptide. A candidate compound that increases or decreases the activity level of the polypeptide relative to a control is a compound that modulates the enzymatic activity of the polypeptide. In one embodiment, the method is carried out in a cell or animal. In another
25 embodiment, the method is carried out in a cell free system.

In yet another embodiment, the polypeptide is further contacted with a substrate for the polypeptide, wherein the substrate is selected from the group consisting of a cell proliferation disease binding agent, an apoptotic disease binding agent, and a cell differentiation disease binding agent. In one embodiment, the
30 candidate compound is an inhibitor. In another embodiment, candidate compound is an activator.

In another aspect, the invention features a method of identifying a compound that modulates the transcriptional repression activity of the histone deacetylase polypeptide described above. The method comprises the steps of a) contacting the polypeptide with a candidate compound under conditions suitable for a
5 transcriptional repression reaction; and b) assessing the transcriptional repression activity level of the polypeptide. A candidate compound that increases or decreases the transcriptional repression activity level of the polypeptide relative to a control is a compound that modulates the transcriptional repression activity of the polypeptide. In one embodiment, the method is carried out in a cell or animal. In another
10 embodiment, the method is carried out in a cell free system.

In yet another embodiment, the polypeptide is further contacted with a substrate for the polypeptide, wherein the substrate is selected from the group consisting of a cell proliferation disease binding agent, an apoptotic disease binding agent, and a cell differentiation disease binding agent. In one embodiment, the
15 candidate compound is an inhibitor. In another embodiment, candidate compound is an activator.

In another aspect, the invention features a method of identifying a compound that modulates expression of a histone deacetylase nucleic acid molecule described above. The method comprises the steps of a) providing a nucleic acid molecule
20 comprising a promoter region of the histone deacetylase nucleic acid molecule described above, or part of such a promoter region, operably linked to a reporter gene; b) contacting the nucleic acid molecule or with a candidate compound; and c) assessing the level of the reporter gene. A candidate compound that increases or decreases expression of the reporter gene relative to a control is a compound that
25 modulates expression of the histone deacetylase nucleic acid molecule described above. In one embodiment, the method is carried out in a cell.

In still another aspect, the invention features a method of identifying a polypeptide that interacts with a histone deacetylase polypeptide described above in a yeast two-hybrid system. The method comprises the steps of a) providing a first
30 nucleic acid vector comprising a nucleic acid molecule encoding a DNA binding domain and the histone deacetylase polypeptide described above; b) providing a second nucleic acid vector comprising a nucleic acid encoding a transcription

activation domain and a nucleic acid encoding a test polypeptide; c) contacting the first nucleic acid vector with the second nucleic acid vector in a yeast two-hybrid system; and d) assessing transcriptional activation in the yeast two-hybrid system. An increase in transcriptional activation relative to a control indicates that the test
5 polypeptide is a polypeptide that interacts with the histone deacetylase polypeptide described above.

The invention also features a pharmaceutical composition comprising a histone deacetylase polypeptide described above.

In addition, the present invention features a method of diagnosing a cell
10 proliferation disease, an apoptotic disease, or a cell differentiation disease in a subject. The method comprises the steps of a) obtaining a sample from the subject; and b) assessing the level of activity or expression of the histone deacetylase polypeptide described above or the level of the nucleic acid molecule described above in the sample. If the level is increased relative to a control, then the subject
15 has an increased likelihood of having a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, and if the level is decreased relative to a control, then the subject has a decreased likelihood of having a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. In one embodiment, the polypeptide level is assayed using immunohistochemistry techniques. In another
20 embodiment, the nucleic acid molecule level is assayed using *in situ* hybridization techniques.

Compounds and/or polypeptides identified in the above-described screening methods are also part of the present invention.

25 DESCRIPTION OF THE FIGURES

FIG. 1 is a schematic representation of the order in which FIGS. 1A-1O should be viewed.

FIGS. 1A-1C show the cDNA sequence of *HDAC9* (SEQ ID NO: 1). The arrows and numbers in the *HDAC9* sequence indicate exons. The boxed portion of
30 the sequence indicates the HDAC domain.

FIGS. 1D-1G show the cDNA sequence of *HDAC9a* (SEQ ID NO: 3). The arrows and numbers in the *HDAC9a* sequence indicate exons. The boxed portion of the sequence indicates the HDAC domain.

FIGS. 1H-1I show the cDNA sequence of *HDRP(ΔNLS)* (SEQ ID NO:9).

5 FIGS. 1J-1L show the cDNA sequence of *HDAC9(ΔNLS)* (SEQ ID NO:5).

FIGS. 1M-1O show the cDNA sequence of *HDAC9a(ΔNLS)* (SEQ ID NO:7).

FIG. 2 is a schematic representation of the order in which FIGS. 2A-2E should be viewed.

10 FIG. 2A shows the amino acid sequence of HDAC9 (SEQ ID NO: 2).

FIG. 2B shows the amino acid sequence of HDAC9a (SEQ ID NO: 4).

FIG. 2C shows the amino acid sequence of HDAC9(ΔNLS) (SEQ ID NO: 6).

FIG. 2D shows the amino acid sequence of HDAC9a(ΔNLS) (SEQ ID NO: 8).

15 FIG. 2E shows the amino acid sequence of and HDRP(ΔNLS) (SEQ ID NO: 10).

FIG. 3 is a schematic representation of the order in which FIGS. 3A-3C should be viewed.

FIGS. 3A-3C show an amino acid sequence alignment of HDRP (SEQ ID NO: 11), HDAC9 (SEQ ID NO: 2), HDAC9a (SEQ ID NO: 4), and HDAC4 (SEQ ID NO: 12) polypeptides. Amino acid sequences of HDAC9 (GenBank Accession: AY032737; SEQ ID NO: 2) and HDAC9a (GenBank Accession: AY032738; SEQ ID NO: 4) are aligned with HDRP (GenBank Accession: BAA34464; SEQ ID NO: 11) and HDAC4 (GenBank Accession: NP_006028; SEQ ID NO: 12). The identical residues in all proteins are boxed with solid lines. The similar residues are boxed with dotted lines.

20

25

FIG. 4 shows a schematic representation of the human *HDAC9* gene structure. The striped boxes represent exons present in isoforms HDRP, HDAC9a, and HDAC9. The lines represent introns. Broken lines are used for larger introns (with size in base pair on top). The 5' untranslated region cDNA and coding region cDNA are represented here. Exons 1-12 encode a non-catalytic domain of the

30

polypeptides, and exons 14-21 encode the histone deacetylase catalytic domain of the polypeptides, which provide the polypeptides with deacetylase activity.

FIG. 5 is a schematic representation of the order in which FIGS. 5A-5D should be viewed.

5 FIGS. 5A-5D show the nucleic acid sequence of *HDAC9*, containing all exons expressed in the various isoforms of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, and *HDRP(ΔNLS)* of the present invention (SEQ ID NO:13).

FIG. 6A is a scanned image of a multiple human tissue Northern blot that was probed to determine mRNA expression of *HDAC9* using a cDNA probe that
10 recognizes both *HDAC9* and *HDAC9a*. The tissues examined are lane 1, heart; lane 2, brain; lane 3, placenta; lane 4, lung; lane 5, liver; lane 6, skeletal muscle; lane 7, kidney; and lane 8, pancreas. Positions of the RNA size marker in kilobases (kb) are indicated to the left of the blot.

FIG. 6B is a scanned image of an electrophoretic gel showing the results of
15 RT-PCR analyses of mRNA from the same tissues as examined in the Northern blot of FIG. 6A to determine the distribution of *HDAC9* and *HDAC9a* mRNA among these tissues. PCR products were resolved by agarose gel electrophoresis and visualized by ethidium bromide under UV light. A 1-kb DNA ladder was run on both sides of the gel with the size (in kb) indicated on the left. On the right side, the
20 expected products for *HDAC9* and *HDAC9a* are indicated as 9 and 9a, respectively.

FIG. 7 is a graph of HDAC enzymatic activity of HDAC anti-FLAG-immunoprecipitated proteins isolated from vector control, HDAC9-FLAG, and HDAC9a-FLAG transfected 293T cells, as measured in fluorescence units using *FLUOR DE LYS*[™] as a substrate in the presence or absence of 1 μM TSA. Results
25 are shown as the mean of three independent assays. The inset is a scanned image of an anti-FLAG Western blot showing the amount of proteins used in the assay. V, Vector control; 9, HDAC9-FLAG; and 9a, HDAC9a-FLAG.

FIG. 8 is a graph of HDAC enzymatic activity of HDAC anti-FLAG-immunoprecipitated proteins isolated from vector control, and HDAC9a-FLAG
30 (treated with 2 μM SAHA or left untreated) transfected 293T cells, as measured by ³H-acetic acid released from ³H-histones in the presence or absence of 2 μM SAHA.

Vector control; HDAC9a, HDAC9a-FLAG; and HDAC9a+, HDAC9a-FLAG + SAHA.

FIG. 9A shows a scanned image of a Western blot of 293T whole cell lysate and anti-FLAG immunoprecipitates from 293T cells transfected with vector,
5 HDAC9-FLAG or HDAC9a-FLAG using antibodies against MEF2 and FLAG. Top panel, anti-MEF2 Western; bottom panel, anti-FLAG Western. L, 293T whole cell lysate; V, vector control IP; 9, HDAC9-FLAG IP; 9a, HDAC9a-FLAG IP.

FIG. 9B is a graph showing the transcription level of p3XMEF2-*Luc* in the presence or absence of pcDNA3 empty vector (-), pCMV-MEF2C, and/or a vector
10 encoding pFLAG-HDAC9 or pFLAG-HDAC9a. p3XMEF2-*Luc* (100 ng) and pRL-TK (5 ng) were transfected into 293T cells with pcDNA3 empty vector (-) or with pCMV-MEF2C (100 ng) (+) along with the indicated amount of pFLAG-HDAC9 or pFLAG-HDAC9a. pFLAG empty vector was used to adjust the DNA to an equal amount in each transfection. The firefly luciferase activity was first normalized to
15 the co-transfected Renilla luciferase activity and the value for MEF2C alone was then set as 1. Results are shown as the mean of three independent transfections +/- standard deviation.

FIG. 10 shows a schematic representation of the HDAC domains of human non-Sir2 family HDACs and HDRP. The boxes represent histone deacetylase
20 (HDAC) domains.

FIG. 11 is a schematic representation of the order in which FIGS. 11A-11F should be viewed.

FIGS. 11A-11F show the nucleotide sequence of the vector pFLAG-CMV-5b-HDAC9 (VR1) (SEQ ID NO: 14). Lowercase letters are vector backbone,
25 uppercase letters are HDAC9 sequence. "Acc" was added at the beginning of the HDAC9 sequence for translation initiation.

FIG. 12 is a schematic representation of the order in which FIGS. 12-1 through 12-66 should be viewed.

FIGS. 12-1 through 12-66 show the nucleotide sequence of the vector
30 pFLAG-CMV-5b-HDAC9a (VR2), with restriction enzyme sites indicated (SEQ ID NO: 14).

FIG. 13 is a schematic representation of the order in which FIGS. 13A-13E should be viewed.

FIGS. 13A-13E show the nucleotide sequence of the vector pFLAG-CMV-5b-HDAC9a (VR2) (SEQ ID NO: 15). Lowercase letters are vector backbone, uppercase letters are HDAC9a sequence. "Acc" was added at the beginning of the HDAC9a sequence for translation initiation.

FIG. 14 is a schematic representation of the order in which FIGS. 14-1 through 14-61 should be viewed.

FIGS. 14-1 through 14-61 show the nucleotide sequence of the vector pFLAG-CMV-5b-HDAC9a (VR2), with restriction enzyme sites indicated (SEQ ID NO: 15).

DETAILED DESCRIPTION OF THE INVENTION

A protein designated HDRP (See Zhou *et al.*, Proc. Natl. Acad. Sci. USA, 97:1056-1061 (2000)) (also called MITR (See Sparrow *et al.*, EMBO J. 18:5085-5098(1999); Zhang *et al.*, J. Biol. Chem., 276:35-39 (2001); and Zhang *et al.*, Proc. Natl. Acad. Sci. USA, 98:7354-7359 (2001)) that is 50% identical to the N-terminal domains of histone deacetylase 4 (HDAC4) and histone deacetylase 5 (HDAC5) was recently identified. The cloning and characterization of a novel histone deacetylase, HDAC9, of which HDRP is an alternatively spliced isoform is described herein. The cDNA sequence of HDAC9 is shown in FIGS. 1A-1C (SEQ ID NO: 1), and the HDAC9 amino acid sequence is shown in FIG. 2A (SEQ ID NO: 2). In addition to cloning HDAC9, other alternatively spliced isoforms of HDAC9, designated as HDAC9a (a polypeptide that is 132 amino acids shorter at the C-terminal end than HDAC9), and isoforms of HDAC9, HDAC9a, and HDRP polypeptides that lack the nuclear localization signal (NLS) in the N-terminal non-catalytic end of HDAC9, termed HDAC9(Δ NLS), HDAC9a(Δ NLS), and HDRP(Δ NLS), respectively were also identified. The cDNA sequence of HDAC9a is shown in FIGS. 1D-1G (SEQ ID NO: 3), and the HDAC9a amino acid sequence is shown in FIG. 2B (SEQ ID NO: 4). The cDNA sequence of HDAC9 lacking amino acids encoding an NLS (HDAC9(Δ NLS)) is shown in FIGS. 1J-1L (SEQ ID NO: 5), and the HDAC9 lacking an NLS amino acid sequence is shown in FIG. 2C (SEQ ID NO: 6). The cDNA

sequence of *HDAC9a* encoding a polypeptide lacking an NLS (*HDAC9a(ΔNLS)*) is shown in FIGS. 1M-1O (SEQ ID NO: 7), and the *HDAC9a* lacking an NLS amino acid sequence is shown in FIG. 2D (SEQ ID NO: 8). The cDNA sequence of *HDRP* encoding a polypeptide lacking an NLS (*HDRP(ΔNLS)*) is shown in FIGS. 1H-1I
5 (SEQ ID NO: 9), and the *HDRP* lacking an NLS amino acid sequence is shown in FIG. 2E (SEQ ID NO: 10).

POLYPEPTIDES OF THE INVENTION

The present invention features isolated or recombinant HDAC9 polypeptides,
10 *HDAC9a* polypeptides, *HDAC9(ΔNLS)* polypeptides, *HDAC9a(ΔNLS)* polypeptides, and *HDRP(ΔNLS)* polypeptides, and fragments, derivatives, and variants thereof, as well as polypeptides encoded by nucleotide sequences described herein (*e.g.*, other variants). As used herein, the term “polypeptide” refers to a polymer of amino acids, and not to a specific length; thus, peptides, oligopeptides,
15 and proteins are included within the definition of a polypeptide.

As used herein, a polypeptide is said to be “isolated,” “substantially pure,” or “substantially pure and isolated” when it is substantially free of cellular material, when it is isolated from recombinant or non-recombinant cells, or free of chemical precursors or other chemicals when it is chemically synthesized. Typically, the
20 *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide is isolated, substantially pure, or substantially pure and isolated when it has a relative increased concentration or activity of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, in comparison to total HDAC concentration or activity. Preferably the increased activity or concentration of the
25 *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* is at least 2-fold, more preferably, at least 5-fold, and most preferably, at least 10 fold, in comparison to total HDAC concentration or activity. In addition, a polypeptide can be joined to another polypeptide with which it is not normally associated in a cell (*e.g.*, in a “fusion protein”) and still be “isolated,” “substantially pure,” or
30 “substantially pure and isolated.” An isolated, substantially pure, or substantially pure and isolated polypeptide may be obtained, for example, using affinity

purification techniques described herein, as well as other techniques described herein and known to those skilled in the art.

By a "histone deacetylase polypeptide" is meant a polypeptide having histone deacetylase activity, transcription repression activity, and/or the ability to deacetylate other substrates, for example, transcription factors, including p53, CoRest, E2F, GATA-1, TFIIE, and TFIIIF that normally have a nuclear or cytoplasmic location in a cell. A histone deacetylase polypeptide is also a polypeptide whose activity can be inhibited by molecules having HDAC inhibitory activity. These molecules fall into four general classes: 1) short-chain fatty acids (e.g., 4-phenylbutyrate and valproic acid); 2) hydroxamic acids (e.g. SAHA, Pyroxamide, trichostatin A (TSA), oxamflatin and CHAPs, such as, CHAP1 and CHAP 31); 3) cyclic tetrapeptides (Trapoxin A, Apicidin and Depsipeptide (FK-228, also known as FR9011228); 4) benzamides (e.g., MS-275); and other compounds such as Scriptaid. Examples of such compounds can be found in U.S. Patent Nos. 5,369,108, issued on November 29, 1994, 5,700,811, issued on December 23, 1997, and 5,773,474, issued on June 30, 1998 to Breslow *et al.*, U.S. Patent Nos. 5,055,608, issued on October 8, 1991, and 5,175,191, issued on December 29, 1992 to Marks *et al.*, as well as, Yoshida *et al.*, Bioessays 17, 423-430 (1995), Saito *et al.*, PNAS USA 96, 4592-4597, (1999), Furamai *et al.*, PNAS USA 98 (1), 87-92 (2001), Komatsu *et al.*, Cancer Res. 61(11), 4459-4466 (2001), Su *et al.*, Cancer Res. 60, 3137-3142 (2000), Lee *et al.*, Cancer Res. 61(3), 931-934 and Suzuki *et al.* J. Med. Chem. 42(15), 3001-3003 (1999) the entire content of all of which are hereby incorporated by reference. Examples of such histone deacetylase polypeptides include HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), HDRP(Δ NLS); a substantially pure polypeptide comprising SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10; and a polypeptide having preferably at least 60%, more preferably, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% sequence identity to any one of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10, as determined using the BLAST program and parameters described herein.

In one embodiment, the histone deacetylase polypeptide has histone deacetylase activity, transcription repression activity, the ability to deacetylate substrates, or is inhibited by trichostatin A or a hybrid polar compound such as

SAHA. In another embodiment, the HDAC9(Δ NLS) polypeptide has any two of the above biological activities. In still another embodiment, the HDAC9(Δ NLS) polypeptide has any three of the above biological activities. In yet another embodiment, the HDAC9(Δ NLS) polypeptide has all of the above biological activities.

An HDAC9 polypeptide is a histone deacetylase polypeptide as described above. An HDAC9 polypeptide preferably has at least 60%, more preferably, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% sequence identity to SEQ ID NO: 2, as determined using the BLAST program and parameters described herein.

10 An HDAC9 polypeptide is also a polypeptide that comprises the amino acids encoded by exons 23, 24, 25 and/or 26, and that does not comprise the amino acids encoded by exon 13 of the *HDAC9* nucleic acid sequence, as shown in FIGS. 1A-1C, FIG. 4, and FIGS. 5A-5D. Preferably, an HDAC9 polypeptide comprises the sequence of SEQ ID NO: 2. More preferably, an HDAC9 polypeptide consists of
15 the sequence of SEQ ID NO: 2. An HDAC polypeptide is also a polypeptide comprising the amino acid sequence of the polypeptide encoded by the nucleic acid sequence of SEQ ID NO: 1.

An HDAC9a polypeptide is a histone deacetylase polypeptide as described above. An HDAC9a polypeptide preferably has at least 60%, more preferably, 70%,
20 75%, 80%, 85%, or 90%, and most preferably, 95% sequence identity to SEQ ID NO: 4, as determined using the BLAST program and parameters described herein.

An HDAC9a polypeptide is also a polypeptide that comprises the amino acids encoded by exon 22, and that does not comprise the amino acids encoded by exons 13, 23, 24, 25, or 26 of the *HDAC9* nucleic acid sequence, as shown in FIGS. 1D-
25 1G, FIG. 4, and FIGS. 5A-5D. Preferably, an HDAC9a polypeptide comprises the sequence of SEQ ID NO: 4. More preferably, an HDAC9a polypeptide consists of the sequence of SEQ ID NO: 4. An HDAC9a polypeptide is also a polypeptide comprising the amino acid sequence of the polypeptide encoded by the nucleic acid sequence of SEQ ID NO: 3.

30 An HDAC9(Δ NLS) is a histone deacetylase polypeptide as described above. An HDAC9(Δ NLS) polypeptide does not comprise a nuclear localization signal (NLS). An HDAC9(Δ NLS) polypeptide preferably has at least 60%, more

preferably, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% sequence identity to SEQ ID NO: 6, as determined using the BLAST program and parameters described herein. An HDAC9(Δ NLS) polypeptide is also a polypeptide that comprises the amino acids encoded by exons 23, 24, 25, and/or 26, and that does not
5 comprise the amino acids encoded by exons 7 or 13 of the *HDAC9* nucleic acid sequence, as shown in FIGS. 1J-1L, and FIGS. 5A-5D. Preferably, an HDAC9(Δ NLS) polypeptide comprises the sequence of SEQ ID NO: 6. More preferably, an HDAC9(Δ NLS) polypeptide consists of the sequence of SEQ ID NO: 6. An HDAC9(Δ NLS) polypeptide is also a polypeptide comprising the amino acid
10 sequence of the polypeptide encoded by the nucleic acid sequence of SEQ ID NO: 5.

An HDAC9a(Δ NLS) polypeptide is a histone deacetylase polypeptide as described above. An HDAC9a(Δ NLS) does not comprise a nuclear localization signal (NLS). An HDAC9a(Δ NLS) polypeptide preferably has at least 60%, more preferably, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% sequence
15 identity to SEQ ID NO: 8, as determined using the BLAST program and parameters described herein. An HDAC9a(Δ NLS) polypeptide is also a polypeptide that comprises the amino acids encoded by exon 22, and that does not comprise the amino acids encoded by exons 7, 13, 23, 24, 25, or 26 of the *HDAC9* nucleic acid sequence, as shown in FIGS. 1M-1O, and FIGS. 5A-5D. Preferably, an
20 HDAC9a(Δ NLS) polypeptide comprises the sequence of SEQ ID NO: 8. More preferably, an HDAC9a(Δ NLS) polypeptide consists of the sequence of SEQ ID NO: 8. An HDAC9a(Δ NLS) polypeptide is also a polypeptide comprising the amino acid sequence of the polypeptide encoded by the nucleic acid sequence of SEQ ID NO: 7.

An HDRP(Δ NLS) polypeptide is a histone deacetylase polypeptide as
25 described above. An HDRP(Δ NLS) does not comprise a nuclear localization signal (NLS). An HDRP(Δ NLS) polypeptide preferably has at least 60%, more preferably, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% sequence identity to SEQ ID NO: 10, as determined using the BLAST program and parameters described herein. An HDRP(Δ NLS) polypeptide is also a polypeptide that does not comprise
30 the amino acids encoded by exons 7 or 13-26 of the *HDAC9* nucleic acid sequence, as shown in FIGS. 1H-1I and FIGS. 5A-5D. Preferably, an HDRP(Δ NLS) polypeptide comprises the sequence of SEQ ID NO: 10. More preferably, an

HDRP(Δ NLS) polypeptide consists of the sequence of SEQ ID NO: 10. An HDRP(Δ NLS) polypeptide is also a polypeptide comprising the amino acid sequence of the polypeptide encoded by the nucleic acid sequence of SEQ ID NO: 9.

The polypeptides of the invention can be purified to homogeneity. It is understood, however, that preparations in which the polypeptide is not purified to homogeneity are useful. The critical feature is that the preparation allows for the desired function of the polypeptide, even in the presence of considerable amounts of other components. Thus, the invention encompasses various degrees of purity. In one embodiment, the language "substantially free of cellular material" includes preparations of the polypeptide having less than about 30% (by dry weight) other proteins (*i.e.*, contaminating protein), less than about 20% other proteins, less than about 10% other proteins, or less than about 5% other proteins.

When a polypeptide is recombinantly produced, it can also be substantially free of culture medium, *i.e.*, culture medium represents less than about 20%, less than about 10%, or less than about 5% of the volume of the polypeptide preparation. The language "substantially free of chemical precursors or other chemicals" includes preparations of the polypeptide in which it is separated from chemical precursors or other chemicals that are involved in its synthesis. In one embodiment, the language "substantially free of chemical precursors or other chemicals" includes preparations of the polypeptide having less than about 30% (by dry weight) chemical precursors or other chemicals, less than about 20% chemical precursors or other chemicals, less than about 10% chemical precursors or other chemicals, or less than about 5% chemical precursors or other chemicals.

In one embodiment, a polypeptide of the invention comprises an amino acid sequence encoded by a nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, and complements and portions thereof, (*e.g.*, a complement of any one of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9 or a portion of any one of SEQ ID NO: 1 or SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9).

The polypeptides of the invention also encompass fragments and sequence variants. Variants include a substantially homologous polypeptide encoded by the

same genetic locus in an organism, *i.e.*, an allelic variant, as well as other variants. Variants also encompass polypeptides derived from other genetic loci in an organism, but having substantial homology to a polypeptide encoded by a nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, and complements and portions thereof, or having substantial homology to a polypeptide encoded by a nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of nucleotide sequences encoding any one of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10.

10 Variants also include polypeptides substantially homologous or identical to these polypeptides but derived from another organism, *i.e.*, an ortholog. Variants also include polypeptides that are substantially homologous or identical to these polypeptides that are produced by chemical synthesis. Variants also include polypeptides that are substantially homologous or identical to these polypeptides that are produced by recombinant methods.

As used herein, two polypeptides (or a region of the polypeptides) are substantially homologous or identical when the amino acid sequences are at least about 60-65%, typically at least about 70-75%, more typically at least about 80-85%, and most typically greater than about 90-95% or more homologous or identical. A substantially identical or homologous amino acid sequence, according to the present invention, will be encoded by a nucleic acid molecule hybridizing to SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, or a portion thereof, under stringent conditions as more particularly described herein, or will be encoded by a nucleic acid molecule hybridizing to a nucleic acid sequence encoding SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, or portion thereof, under stringent conditions as more particularly described herein.

The percent identity of two nucleotide or amino acid sequences can be determined by aligning the sequences for optimal comparison purposes (*e.g.*, gaps can be introduced in the sequence of a first sequence). The nucleotides or amino acids at corresponding positions are then compared, and the percent identity between the two sequences is a function of the number of identical positions shared by the sequences (*i.e.*, % identity = # of identical positions/total # of positions x 100). In

certain embodiments, the length of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), and HDRP(Δ NLS) amino acid or nucleotide sequence aligned for comparison purposes is at least 30%, preferably, at least 40%, more preferably, at least 60%, and even more preferably, at least 70%, 80%, 90%, or 100% of the length of the reference sequence, for example, those sequences provided in FIGS. 1A-1O and 2A-2E. The actual comparison of the two sequences can be accomplished by well-known methods, for example, using a mathematical algorithm. A preferred, non-limiting example of such a mathematical algorithm is described in Karlin *et al.*, Proc. Natl. Acad. Sci. USA, 90:5873-5877 (1993). Such an algorithm is incorporated into the BLASTN and BLASTX programs (version 2.2) as described in Schaffer *et al.*, Nucleic Acids Res., 29:2994-3005 (2001). When utilizing BLAST and Gapped BLAST programs, the default parameters of the respective programs (*e.g.*, BLASTN) can be used. See <http://www.ncbi.nlm.nih.gov>, as available on August 10, 2001. In one embodiment, the database searched is a non-redundant (NR) database, and parameters for sequence comparison can be set at: no filters; Expect value of 10; Word Size of 3; the Matrix is BLOSUM62; and Gap Costs have an Existence of 11 and an Extension of 1.

Another preferred, non-limiting example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Myers and Miller, CABIOS (1989). Such an algorithm is incorporated into the ALIGN program (version 2.0), which is part of the GCG (Accelrys) sequence alignment software package. When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used. Additional algorithms for sequence analysis are known in the art and include ADVANCE and ADAM as described in Torellis and Robotti, Comput. Appl. Biosci., 10: 3-5 (1994); and FASTA described in Pearson and Lipman, Proc. Natl. Acad. Sci USA, 85: 2444-8 (1988).

In another embodiment, the percent identity between two amino acid sequences can be accomplished using the GAP program in the GCG software package (available at <http://www.accelrys.com>, as available on August 31, 2001) using either a Blossom 63 matrix or a PAM250 matrix, and a gap weight of 12, 10, 8, 6, or 4 and a length weight of 2, 3, or 4. In yet another embodiment, the percent

identity between two nucleic acid sequences can be accomplished using the GAP program in the GCG software package (available at <http://www.cgc.com>), using a gap weight of 50 and a length weight of 3.

The invention also encompasses HDAC9, HDAC9a, HDAC9(Δ NLS),
5 HDAC9a Δ NLS, and HDRP(Δ NLS) polypeptides having a lower degree of identity but having sufficient similarity so as to perform one or more of the same functions performed by an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a Δ NLS, or HDRP(Δ NLS) polypeptide encoded by a nucleic acid molecule of the invention. Similarity is determined by conserved amino acid substitution. Such substitutions
10 are those that substitute a given amino acid in a polypeptide by another amino acid of like characteristics. Conservative substitutions are likely to be phenotypically silent. Typically seen as conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala, Val, Leu, and Ile; interchange of the hydroxyl residues Ser and Thr; exchange of the acidic residues Asp and Glu;
15 substitution between the amide residues Asn and Gln; exchange of the basic residues Lys and Arg; and replacements among the aromatic residues Phe and Tyr. Guidance concerning which amino acid changes are likely to be phenotypically silent are found in Bowie *et al.*, Science 247: 1306-1310 (1990).

A variant polypeptide can differ in amino acid sequence by one or more
20 substitutions, deletions, insertions, inversions, fusions, and truncations or a combination of any of these. Further, variant polypeptides can be fully functional or can lack function in one or more activities, for example, in histone deacetylase activity or transcription repression activity. Fully functional variants typically contain only conservative variation or variation in non-critical residues or in
25 non-critical regions. Functional variants can also contain substitution of similar amino acids that result in no change or an insignificant change in function. Alternatively, such substitutions may positively or negatively affect function to some degree. Non-functional variants typically contain one or more non-conservative amino acid substitutions, deletions, insertions, inversions, or truncations or a
30 substitution, insertion, inversion, or deletion in a critical residue or critical region, such critical regions include the HDAC domains, which provide the polypeptide

with deacetylase activity, as shown in the nucleic acid sequences of FIGS. 1A-1G, as well as in the schematic of FIG. 4.

Amino acids that are essential for function can be identified by methods known in the art, such as site-directed mutagenesis or alanine-scanning mutagenesis (Cunningham *et al.*, Science, 244: 1081-1085 (1989)). The latter procedure introduces a single alanine mutation at each of the residues in the molecule (one mutation per molecule). The resulting mutant molecules are then tested for biological activity *in vitro*. Sites that are critical for polypeptide activity can also be determined by structural analysis, such as crystallization, nuclear magnetic resonance, or photoaffinity labeling (See Smith *et al.*, J. Mol. Biol., 224: 899-904 (1992); and de Vos *et al.* Science, 255: 306-312 (1992)).

The invention also includes HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), and HDRP(Δ NLS) polypeptide fragments of the polypeptides of the invention. Fragments can be derived from a polypeptide comprising SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10, or from a polypeptide encoded by a nucleic acid molecule comprising SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9 or a portion thereof and the complements thereof or other variants. The present invention also encompasses fragments of the variants of the polypeptides described herein. Useful fragments include those that retain one or more of the biological activities of the polypeptide as well as fragments that can be used as an immunogen to generate polypeptide-specific antibodies.

Biologically active fragments (peptides that are, for example, 6, 9, 12, 15, 16, 20, 30, 35, 36, 37, 38, 39, 40, 50, 100, or more amino acids in length) can comprise a domain, segment, or motif, for example, an HDAC domain, that has been identified by analysis of the polypeptide sequence using well-known methods, *e.g.*, signal peptides, extracellular domains, one or more transmembrane segments or loops, ligand binding regions, zinc finger domains, DNA binding domains, acylation sites, glycosylation sites, or phosphorylation sites.

Fragments can be discrete (not fused to other amino acids or polypeptides) or can be within a larger polypeptide. Further, several fragments can be comprised within a single larger polypeptide. In one embodiment a fragment designed for

expression in a host can have heterologous pre- and pro-polypeptide regions fused to the amino terminus of the polypeptide fragment and an additional region fused to the carboxyl terminus of the fragment.

The invention thus provides chimeric or fusion polypeptides. These
5 comprise an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a Δ NLS, or HDRP(Δ NLS)
polypeptide of the invention operatively linked to a heterologous protein or
polypeptide having an amino acid sequence not substantially homologous to the
polypeptide. "Operatively linked" indicates that the polypeptide and the
heterologous protein are fused in-frame. The heterologous protein can be fused to
10 the N-terminus or C-terminus of the polypeptide. In one embodiment, the fusion
polypeptide does not affect the function of the polypeptide per se. For example, the
fusion polypeptide can be a GST-fusion polypeptide in which the polypeptide
sequences are fused to the C-terminus of the GST sequences. Other types of fusion
polypeptides include, but are not limited to, enzymatic fusion polypeptides, for
15 example, β -galactosidase fusions, yeast two-hybrid GAL fusions, poly-His fusions,
and Ig fusions. Such fusion polypeptides, particularly poly-His fusions, can
facilitate the purification of recombinant polypeptide. In certain host cells (*e.g.*,
mammalian host cells), expression and/or secretion of a polypeptide can be
increased by using a heterologous signal sequence. Therefore, in another
20 embodiment, the fusion polypeptide contains a heterologous signal sequence at its
N-terminus.

EP-A 0464 533 discloses fusion proteins comprising various portions of
immunoglobulin constant regions. The Fc is useful in therapy and diagnosis and
thus results, for example, in improved pharmacokinetic properties (EP-A 0232 262).
25 In drug discovery, for example, human proteins have been fused with Fc portions for
the purpose of high-throughput screening assays to identify antagonists. (See
Bennett *et al.*, *Journal of Molecular Recognition*, 8: 52-58 (1995) and Johanson *et al.*,
The Journal of Biological Chemistry, 270,16: 9459-9471 (1995)). Thus, this
invention also encompasses soluble fusion polypeptides containing a polypeptide of
30 the invention and various portions of the constant regions of heavy or light chains of
immunoglobulins of various subclass (IgG, IgM, IgA, IgE).

A chimeric or fusion polypeptide can be produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of nucleic acid fragments can be carried out using anchor primers that give rise to complementary overhangs between two consecutive nucleic acid fragments that can subsequently be annealed and re-amplified to generate a chimeric nucleic acid sequence (see Ausubel *et al.*, "Current Protocols in Molecular Biology," John Wiley & Sons, (1998), the entire teachings of which are incorporated by reference herein). Moreover, many expression vectors are commercially available that already encode a fusion moiety (*e.g.*, a GST protein). A nucleic acid molecule encoding a polypeptide of the invention can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the polypeptide.

The substantially pure, isolated, or substantially pure and isolated HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a Δ NLS, or HDRP(Δ NLS) polypeptide can be purified from cells that naturally express it, purified from cells that have been altered to express it (recombinant), or synthesized using known protein synthesis methods. In one embodiment, the polypeptide is produced by recombinant DNA techniques. For example, a nucleic acid molecule encoding the polypeptide is cloned into an expression vector, the expression vector introduced into a host cell, and the polypeptide expressed in the host cell. The polypeptide can then be isolated from the cells by an appropriate purification scheme using standard protein purification techniques.

In general, HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a Δ NLS, and HDRP(Δ NLS) polypeptides of the present invention can be used as a molecular weight marker on SDS-PAGE gels or on molecular sieve gel filtration columns using art-recognized methods. The polypeptides of the present invention can be used to raise antibodies or to elicit an immune response. The polypeptides can also be used as a reagent, *e.g.*, a labeled reagent, in assays to quantitatively determine levels of the polypeptide or a molecule to which it binds (*e.g.*, a receptor or a ligand) in biological fluids. The polypeptides can also be used as markers for cells or tissues

in which the corresponding polypeptide is preferentially expressed, either constitutively, during tissue differentiation, or in a diseased state. The polypeptides can be used to isolate a corresponding binding agent, and to screen for peptide or small molecule antagonists or agonists of the binding interaction. The polypeptides
5 of the present invention can also be used as therapeutic agents.

NUCLEIC ACID MOLECULES OF THE INVENTION

The present invention also features isolated *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, and *HDRP(ΔNLS)* nucleic acid molecules.

10 By a "histone deacetylase nucleic acid molecule" is meant a nucleic acid molecule that encodes a histone deacetylase polypeptide. Such histone nucleic acids include, for example, the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid molecule described in detail herein; an isolated nucleic acid comprising SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or
15 SEQ ID NO: 9; a complement of an isolated nucleic acid comprising SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9; an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10; a complement of an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 2,
20 SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10; a nucleic acid that is hybridizable under high stringency conditions to a nucleic acid molecule that encodes any of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, or SEQ ID NO: 8, or a complement thereof; a nucleic acid molecule that is hybridizable under high stringency conditions to a nucleic acid comprising SEQ ID NO: 1, SEQ ID NO: 3,
25 SEQ ID NO: 5, or SEQ ID NO: 7; and an isolated nucleic acid molecule that has at least 55%, more preferably, 60%, 65%, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% or 99% sequence identity with any one of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, or a complement thereof.

An *HDAC9* nucleic acid molecule is a nucleic acid molecule that encodes an
30 *HDAC9* polypeptide. In one embodiment, the *HDAC9* nucleic acid molecule is selected from: a nucleic acid molecule that comprises the nucleic acid sequence of SEQ ID NO: 1; a complement of an isolated nucleic acid comprising SEQ ID NO: 1;

an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 2; a complement of an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 2; a nucleic acid that is hybridizable under high stringency conditions to a nucleic acid molecule that encodes SEQ ID NO: 2; a
5 nucleic acid molecule that is hybridizable under high stringency conditions to a nucleic acid comprising SEQ ID NO: 1; and an isolated nucleic acid molecule that has preferably, at least 55%, more preferably, 60%, 65%, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% or 99% sequence identity with SEQ ID NO: 1, as determined using the BLAST program and parameters described herein. In another
10 embodiment, the *HDAC9* nucleic acid molecule consists of the nucleic acid sequence of SEQ ID NO: 1.

An *HDAC9a* nucleic acid molecule is a nucleic acid molecule that encodes an HDAC9a polypeptide. An *HDAC9a* nucleic acid molecule preferably has at least 55% sequence identity to SEQ ID NO: 3. In one embodiment, the *HDAC9a* nucleic
15 acid molecule is selected from: a nucleic acid molecule that comprises the nucleic acid sequence of SEQ ID NO: 3; a complement of an isolated nucleic acid comprising SEQ ID NO: 3; an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 4; a complement of an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 4; a nucleic acid that is
20 hybridizable under high stringency conditions to a nucleic acid molecule that encodes SEQ ID NO: 4; a nucleic acid molecule that is hybridizable under high stringency conditions to a nucleic acid comprising SEQ ID NO: 3; and an isolated nucleic acid molecule that has preferably, at least 55%, more preferably, 60%, 65%, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% or 99% sequence identity
25 with SEQ ID NO: 3 or a complement thereof, as determined using the BLAST program and parameters described herein. In another embodiment, the *HDAC9a* nucleic acid molecule consists of the nucleic acid sequence of SEQ ID NO: 3.

An *HDAC9(ΔNLS)* nucleic acid molecule is a nucleic acid molecule that encodes an HDAC9(ΔNLS) polypeptide. In one embodiment, the *HDAC9(ΔNLS)*
30 nucleic acid molecule is selected from: a nucleic acid molecule that comprises the nucleic acid sequence of SEQ ID NO: 5; a complement of an isolated nucleic acid comprising SEQ ID NO: 5; an isolated nucleic acid encoding a histone deacetylase

polypeptide of SEQ ID NO: 6; a complement of an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 6; a nucleic acid that is hybridizeable under high stringency conditions to a nucleic acid molecule that encodes SEQ ID NO: 6; a nucleic acid molecule that is hybridizeable under high stringency conditions to a nucleic acid comprising SEQ ID NO: 5; and an isolated nucleic acid molecule that has preferably, at least 55%, more preferably, 60%, 65%, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% or 99% sequence identity with SEQ ID NO: 5 or a complement thereof, as determined using the BLAST program and parameters described herein. In another embodiment, the *HDAC9(ΔNLS)* nucleic acid molecule consists of the nucleic acid sequence of SEQ ID NO: 5.

An *HDAC9a(ΔNLS)* nucleic acid molecule is a nucleic acid molecule that encodes an *HDAC9a(ΔNLS)* polypeptide. In one embodiment, the *HDAC9a(ΔNLS)* nucleic acid molecule is selected from: a nucleic acid molecule that comprises the nucleic acid sequence of SEQ ID NO: 7; a complement of an isolated nucleic acid comprising SEQ ID NO: 7; an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 8; a complement of an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 8; a nucleic acid that is hybridizeable under high stringency conditions to a nucleic acid molecule that encodes SEQ ID NO: 8; a nucleic acid molecule that is hybridizeable under high stringency conditions to a nucleic acid comprising SEQ ID NO: 7; and an isolated nucleic acid molecule that has preferably, at least 55%, more preferably, 60%, 65%, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% or 99% sequence identity with SEQ ID NO: 7 or a complement thereof, as determined using the BLAST program and parameters described herein. In another embodiment, the *HDAC9a(ΔNLS)* nucleic acid molecule consists of the nucleic acid sequence of SEQ ID NO: 7.

An "*HDRP(ΔNLS)* nucleic acid molecule" is a nucleic acid molecule that encodes an *HDRP(ΔNLS)* polypeptide. In one embodiment, the *HDRP(ΔNLS)* nucleic acid molecule is selected from: a nucleic acid molecule that comprises the nucleic acid sequence of SEQ ID NO: 9; a complement of an isolated nucleic acid comprising SEQ ID NO: 9; an isolated nucleic acid encoding a histone deacetylase

polypeptide of SEQ ID NO: 10; a complement of an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 10; and an isolated nucleic acid molecule that has preferably, at least 55%, more preferably, 60%, 65%, 70%, 75%, 80%, 85%, or 90%, and most preferably, 95% or 99% sequence identity with SEQ
5 ID NO: 9 or a complement thereof, as determined using the BLAST program and parameters described herein.. In another embodiment, the *HDRP(ΔNLS)* nucleic acid molecule consists of the nucleic acid sequence of SEQ ID NO: 9.

The isolated nucleic acid molecules of the present invention can be RNA, for example, mRNA, or DNA, such as cDNA and genomic DNA. DNA molecules can
10 be double-stranded or single-stranded; single stranded RNA or DNA can be either the coding, or sense, strand or the non-coding, or antisense, strand. The nucleic acid molecule can include all or a portion of the coding sequence of the gene and can further comprise additional non-coding sequences such as introns and non-coding 3' and 5' sequences (including regulatory sequences, for example). Additionally, the
15 nucleic acid molecule can be fused to a marker sequence, for example, a sequence that encodes a polypeptide to assist in isolation or purification of the polypeptide. Such sequences include, but are not limited to, those that encode a glutathione-S-transferase (GST) fusion protein and those that encode a hemagglutinin A (HA) polypeptide marker from influenza.

20 An "isolated," "substantially pure," or "substantially pure and isolated" nucleic acid molecule, as used herein, is one that is separated from nucleic acids that normally flank the gene or nucleotide sequence (as in genomic sequences) and/or has been completely or partially purified from other transcribed sequences (*e.g.*, as in an RNA or cDNA library). For example, an isolated nucleic acid of the invention may
25 be substantially isolated with respect to the complex cellular milieu in which it naturally occurs, or culture medium when produced by recombinant techniques, or chemical precursors or other chemicals when chemically synthesized. In some instances, the isolated material will form part of a composition (for example, a crude extract containing other substances), buffer system, or reagent mix. In other
30 circumstances, the material may be purified to essential homogeneity, for example, as determined by agarose gel electrophoresis or column chromatography such as

HPLC. Preferably, an isolated nucleic acid molecule comprises at least about 50, 80, or 90% (on a molar basis) of all macromolecular species present.

With regard to genomic DNA, the term "isolated" also can refer to nucleic acid molecules that are separated from the chromosome with which the genomic DNA is naturally associated. For example, the isolated nucleic acid molecule can
5 contain less than about 5 kb, 4 kb, 3 kb, 2 kb, 1 kb, 0.5 kb, or 0.1 kb of nucleotides that flank the nucleic acid molecule in the genomic DNA of the cell from which the nucleic acid molecule is derived.

The *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*
10 nucleic acid molecule can be fused to other coding or regulatory sequences and still be considered isolated. Thus, recombinant DNA contained in a vector is included in the definition of "isolated" as used herein. Also, isolated nucleic acid molecules include recombinant DNA molecules in heterologous host cells, as well as partially or substantially purified DNA molecules in solution. "Isolated" nucleic acid
15 molecules also encompass *in vivo* and *in vitro* RNA transcripts of the DNA molecules of the present invention. An isolated nucleic acid molecule or nucleotide sequence can include a nucleic acid molecule or nucleotide sequence that is synthesized chemically or by recombinant means. Therefore, recombinant DNA contained in a vector are included in the definition of "isolated" as used herein.

20 Isolated nucleotide molecules also include recombinant DNA molecules in heterologous organisms, as well as partially or substantially purified DNA molecules in solution. *In vivo* and *in vitro* RNA transcripts of the DNA molecules of the present invention are also encompassed by "isolated" nucleotide sequences. Such isolated nucleotide sequences are useful in the manufacture of the encoded
25 polypeptide, as probes for isolating homologous sequences (*e.g.*, from other mammalian species), for gene mapping (*e.g.*, by *in situ* hybridization with chromosomes), or for detecting expression of the gene in tissue (*e.g.*, human tissue), such as by Northern blot analysis.

The present invention also pertains to variant *HDAC9*, *HDAC9a*,
30 *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, and *HDRP(ΔNLS)* nucleic acid molecules that are not necessarily found in nature but that encode an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide. Thus, for

example, DNA molecules that comprise a sequence that is different from the naturally-occurring *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleotide sequence but which, due to the degeneracy of the genetic code, encode an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or
5 *HDRP(ΔNLS)* polypeptide of the present invention are also the subject of this invention.

The invention also encompasses *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, and *HDRP(ΔNLS)* nucleotide sequences encoding portions (fragments), or encoding variant polypeptides such as analogues or derivatives of an
10 *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide. Such variants can be naturally-occurring, such as in the case of allelic variation or single nucleotide polymorphisms, or non-naturally-occurring, such as those induced by various mutagens and mutagenic processes. Intended variations include, but are not limited to, addition, deletion, and substitution of one or more
15 nucleotides that can result in conservative or non-conservative amino acid changes, including additions and deletions. Preferably, the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleotide (and/or resultant amino acid) changes are silent or conserved; that is, they do not alter the characteristics or activity of the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*,
20 *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide. In one preferred embodiment, the nucleotide sequences are fragments that comprise one or more polymorphic microsatellite markers.

Other alterations of the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid molecules of the invention can
25 include, for example, labeling, methylation, internucleotide modifications such as uncharged linkages (*e.g.*, methyl phosphonates, phosphotriesters, phosphoamidates, and carbamates), charged linkages (*e.g.*, phosphorothioates or phosphorodithioates), pendent moieties (*e.g.*, polypeptides), intercalators (*e.g.*, acridine or psoralen), chelators, alkylators, and modified linkages (*e.g.*, alpha anomeric nucleic acids).
30 Also included are synthetic molecules that mimic nucleic acid molecules in the ability to bind to a designated sequences via hydrogen bonding and other chemical

interactions. Such molecules include, for example, those in which peptide linkages substitute for phosphate linkages in the backbone of the molecule.

The invention also pertains to *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, and *HDRP(ΔNLS)* nucleic acid molecules that hybridize under high stringency hybridization conditions, such as for selective hybridization, to a nucleotide sequence described herein (e.g., nucleic acid molecules that specifically hybridize to a nucleotide sequence encoding polypeptides described herein, and, optionally, have an activity of the polypeptide). In one embodiment, the invention includes variants described herein that hybridize under high stringency hybridization conditions (e.g., for selective hybridization) to a nucleotide sequence comprising a nucleotide sequence selected from SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9 and the complement of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9. In another embodiment, the invention includes variants described herein that hybridize under high stringency hybridization conditions (e.g., for selective hybridization) to a nucleotide sequence encoding an amino acid sequence of SEQ ID NO: 2 (*HDAC9*), SEQ ID NO: 4 (*HDAC9a*), SEQ ID NO: 6 (*HDAC9(ΔNLS)*), SEQ ID NO: 8 (*HDAC9a(ΔNLS)*), or SEQ ID NO: 10 (*HDRP(ΔNLS)*). In a preferred embodiment, the variant that hybridizes under high stringency hybridizations encodes a polypeptide that has a biological activity of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide (e.g., histone deacetylase activity or transcription repression activity).

Such nucleic acid molecules can be detected and/or isolated by specific hybridization (e.g., under high stringency conditions). "Specific hybridization," as used herein, refers to the ability of a first nucleic acid to hybridize to a second nucleic acid in a manner such that the first nucleic acid does not hybridize to any nucleic acid other than to the second nucleic acid (e.g., when the first nucleic acid has a higher similarity to the second nucleic acid than to any other nucleic acid in a sample wherein the hybridization is to be performed). "Stringency conditions" for hybridization is a term of art that refers to the incubation and wash conditions, e.g., conditions of temperature and buffer concentration, that permit hybridization of a particular nucleic acid to a second nucleic acid; the first nucleic acid may be

perfectly (*i.e.*, 100%) complementary to the second, or the first and second may share some degree of complementarity that is less than perfect (*e.g.*, 70%, 75%, 85%, 95%). For example, certain high stringency conditions can be used that distinguish perfectly complementary nucleic acids from those of less

5 complementarity. "High stringency conditions," "moderate stringency conditions," and "low stringency conditions" for nucleic acid hybridizations are explained on pages 2.10.1-2.10.16 and pages 6.3.1-6.3.6 in *Current Protocols in Molecular Biology* (See Ausubel *et al.*, *supra*, the entire teachings of which are incorporated by reference herein). The exact conditions that determine the stringency of

10 hybridization depend not only on ionic strength (*e.g.*, 0.2XSSC or 0.1XSSC), temperature (*e.g.*, room temperature, 42°C or 68°C), and the concentration of destabilizing agents such as formamide or denaturing agents such as SDS, but also on factors such as the length of the nucleic acid sequence, base composition, percent mismatch between hybridizing sequences, and the frequency of occurrence of

15 subsets of that sequence within other non-identical sequences. Thus, equivalent conditions can be determined by varying one or more of these parameters while maintaining a similar degree of identity or similarity between the two nucleic acid molecules. Typically, conditions are used such that sequences at least about 60%, at least about 70%, at least about 80%, at least about 90% or at least about 95% or

20 more identical to each other remain hybridized to one another. By varying hybridization conditions from a level of stringency at which no hybridization occurs to a level at which hybridization is first observed, conditions that will allow a given sequence to hybridize (*e.g.*, selectively) with the most similar sequences in the sample can be determined.

25 Exemplary conditions are described in Krause and Aaronson, *Methods in Enzymology*, 200:546-556 (1991). Also, in, Ausubel, *et al.*, *supra*, which describes the determination of washing conditions for moderate or low stringency conditions. Washing is the step in which conditions are usually set so as to determine a minimum level of complementarity of the hybrids. Generally, starting from the

30 lowest temperature at which only homologous hybridization occurs, each °C by which the final wash temperature is reduced (holding SSC concentration constant) allows an increase by 1% in the maximum extent of mismatching among the

sequences that hybridize. Generally, doubling the concentration of SSC results in an increase in T_m of 17°C. Using these guidelines, the washing temperature can be determined empirically for high, moderate, or low stringency, depending on the level of mismatch sought.

5 For example, a low stringency wash can comprise washing in a solution containing 0.2XSSC/0.1% SDS for 10 minutes at room temperature; a moderate stringency wash can comprise washing in a prewarmed solution (42°C) solution containing 0.2XSSC/0.1% SDS for 15 minutes at 42°C; and a high stringency wash can comprise washing in prewarmed (68°C) solution containing 0.1XSSC/0.1%SDS
10 for 15 minutes at 68°C. Furthermore, washes can be performed repeatedly or sequentially to obtain a desired result as known in the art. Equivalent conditions can be determined by varying one or more of the parameters given as an example, as known in the art, while maintaining a similar degree of identity or similarity between the target nucleic acid molecule and the primer or probe used.

15 To determine the percent homology or identity of two nucleic acid sequences, the sequences are aligned for optimal comparison purposes (*e.g.*, gaps can be introduced in the sequence of one polypeptide or nucleic acid molecule for optimal alignment with the other polypeptide or nucleic acid molecule). The amino acid residues or nucleotides at corresponding amino acid positions or nucleotide
20 positions are then compared, as described above.

The present invention also provides isolated *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, and *HDRP(ΔNLS)* nucleic acid molecules that contain a fragment or portion that hybridizes under highly stringent conditions to a nucleotide sequence comprising a nucleotide sequence selected from SEQ ID NO: 1,
25 SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, and the complement of any of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9 and also provides isolated nucleic acid molecules that contain a fragment or portion that hybridizes under highly stringent conditions to a nucleotide sequence encoding an amino acid sequence selected from SEQ ID NO: 2, SEQ ID NO: 4, SEQ
30 ID NO: 6, SEQ ID NO: 8, and SEQ ID NO: 10. The nucleic acid fragments of the invention are at least about 15, preferably, at least about 18, 20, 23, or 25 nucleotides, and can be 30, 40, 50, 100, 200 or more nucleotides in length. Longer

fragments, for example, 30 or more nucleotides in length, that encode antigenic polypeptides described herein are particularly useful, such as for the generation of antibodies as described above.

In a related aspect, the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*,
5 and *HDRP(ΔNLS)* nucleic acid fragments of the invention are used as probes or primers in assays such as those described herein. "Probes" or "primers" are oligonucleotides that hybridize in a base-specific manner to a complementary strand of nucleic acid molecules. Such probes and primers include polypeptide nucleic acids, as described in Nielsen *et al.*, Science, 254, 1497-1500 (1991). As also used
10 herein, the term "primer" in particular refers to a single-stranded oligonucleotide that acts as a point of initiation of template-directed DNA synthesis using well-known methods (*e.g.*, PCR, LCR) including, but not limited to those described herein.

Typically, a probe or primer comprises a region of nucleotide sequence that hybridizes to at least about 15, typically about 20-25, and more typically about 40,
15 50 or 75, consecutive nucleotides of a nucleic acid molecule comprising a contiguous nucleotide sequence selected from: SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, the complement of any of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, and a sequence encoding an amino acid sequence of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6,
20 SEQ ID NO: 8, or SEQ ID NO: 10.

In preferred embodiments, a probe or primer comprises 100 or fewer nucleotides, preferably, from 6 to 50 nucleotides, and more preferably, from 12 to 30 nucleotides. In other embodiments, the probe or primer is at least 70% identical to the contiguous nucleotide sequence or to the complement of the contiguous
25 nucleotide sequence, preferably, at least 80% identical, more preferably, at least 90% identical, even more preferably, at least 95% identical, or even capable of selectively hybridizing to the contiguous nucleotide sequence or to the complement of the contiguous nucleotide sequence. Often, the probe or primer further comprises a label, *e.g.*, radioisotope, fluorescent compound, enzyme, or enzyme co-factor.

30 The nucleic acid molecules of the invention such as those described above can be identified and isolated using standard molecular biology techniques and the sequence information provided in SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5,

SEQ ID NO: 7, SEQ ID NO: 9, SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6,
SEQ ID NO: 8, and /or SEQ ID NO: 10. For example, nucleic acid molecules can
be amplified and isolated by the polymerase chain reaction using synthetic
oligonucleotide primers designed based on one or more of the nucleic acid
5 sequences provided above and/or the complement of those sequences. Or such
nucleic acid molecules may be designed based on nucleotide sequences encoding
one or more of the amino acid sequences provided in SEQ ID NO: 2, SEQ ID NO: 4,
SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10. See generally PCR Technology:
Principles and Applications for DNA Amplification (ed. H.A. Erlich, Freeman Press,
10 NY, NY, (1992); PCR Protocols: A Guide to Methods and Applications (Eds. Innis
et al., Academic Press, San Diego, CA, (1990); Mattila *et al.*, Nucleic Acids Res.,
19: 4967 (1991); Eckert *et al.*, PCR Methods and Applications, 1: 17 (1991); PCR
(eds. McPherson *et al.*, IRL Press, Oxford)); and U.S. Patent No. 4,683,202. The
nucleic acid molecules can be amplified using cDNA, mRNA, or genomic DNA as a
15 template, cloned into an appropriate vector and characterized by DNA sequence
analysis.

Other suitable amplification methods include the ligase chain reaction (LCR)
(See Wu and Wallace, Genomics, 4:560 (1989), Landegren *et al.*, Science, 241:1077
(1988)), transcription amplification (Kwoh *et al.*, Proc. Natl. Acad. Sci. USA,
20 86:1173 (1989)), and self-sustained sequence replication (See Guatelli *et al.*, Proc.
Nat. Acad. Sci. USA, 87:1874 (1990)) and nucleic acid based sequence
amplification (NASBA). The latter two amplification methods involve isothermal
reactions based on isothermal transcription, that produce both single stranded RNA
(ssRNA) and double stranded DNA (dsDNA) as the amplification products in a ratio
25 of about 30 or 100 to 1, respectively.

The amplified DNA can be radiolabeled and used as a probe for screening a
cDNA library derived from human cells, mRNA in zap express, ZIPLOX, or other
suitable vector. Corresponding clones can be isolated, DNA can be obtained
following *in vivo* excision, and the cloned insert can be sequenced in either or both
30 orientations by art-recognized methods to identify the correct reading frame
encoding a polypeptide of the appropriate molecular weight. For example, the direct
analysis of the nucleotide sequence of nucleic acid molecules of the present

invention can be accomplished using well-known methods that are commercially available. See, for example, Sambrook *et al.*, *Molecular Cloning, A Laboratory Manual* (2nd Ed., CSHP, New York (1989)); Zyskind *et al.*, *Recombinant DNA Laboratory Manual*, (Acad. Press, (1988)). Using these or similar methods, the
5 polypeptide and the DNA encoding the polypeptide can be isolated, sequenced, and further characterized.

Antisense nucleic acid molecules of the invention can be designed using the nucleotide sequences of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9 and/or the complement of any of SEQ ID NO: 1, SEQ ID NO:
10 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9 and/or a portion of those sequences, and/or the complement of those portion or sequences, and/or a sequence encoding the amino acid sequence of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, or encoding a portion of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10. Such antisense nucleic
15 acid molecules can be constructed using chemical synthesis and enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid molecule (*e.g.*, an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase the physical stability
20 of the duplex formed between the antisense and sense nucleic acids, *e.g.*, phosphorothioate derivatives and acridine substituted nucleotides can be used. Alternatively, the antisense nucleic acid molecule can be produced biologically using an expression vector into which a nucleic acid molecule has been subcloned in an antisense orientation (*i.e.*, RNA transcribed from the inserted nucleic acid molecule
25 will be of an antisense orientation to a target nucleic acid of interest).

In general, the isolated *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, and *HDRP(ΔNLS)* nucleic acid sequences of the invention can be used as molecular weight markers on Southern blots, and as chromosome markers that are labeled to map related gene positions. The nucleic acid sequences can also be used to compare
30 with endogenous DNA sequences in patients to identify genetic disorders (*e.g.*, a predisposition for or susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease), and as probes, such as to hybridize and

discover related DNA sequences or to subtract out known sequences from a sample. The nucleic acid molecules of the present invention can also be used as therapeutic agents.

By a "cell proliferation disease" is meant a disease that is caused by or results
5 in undesirably high levels of cell division, undesirably low levels of apoptosis, or both. For example, cancers such as lymphoma, leukemia, melanoma, ovarian cancer, breast cancer, pancreatic cancer, prostate cancer, colon cancer, and lung cancer are all examples of cell proliferation diseases. Myeloproliferative disorders, including polycythemia vera, essential thrombocythemia, agnogenic myeloid
10 metaplasia, and chronic myelogenous leukemia are also cell proliferation diseases.

By a "cell differentiation disease" is meant a disease that is caused by or results in undesirably low levels of cell differentiation, or by undesirably high levels of cell differentiation. For example, cancers such as lymphoma, leukemia, melanoma, ovarian cancer, breast cancer, pancreatic cancer, prostate cancer, colon
15 cancer, and lung cancer are all examples of cell differentiation diseases. Myeloproliferative disorders, including polycythemia vera, essential thrombocythemia, agnogenic myeloid metaplasia, and chronic myelogenous leukemia are also cell differentiation diseases.

By an "apoptotic disease" is meant a condition in which the apoptotic
20 response is abnormal. This may pertain to a cell or a population of cells that does not undergo cell death under appropriate conditions. For example, normally a cell will die upon exposure to apoptotic-triggering agents, such as chemotherapeutic agents, or ionizing radiation. When, however, a subject has an apoptotic disease, for example, cancer, the cell or a population of cells may not undergo cell death in
25 response to contact with apoptotic-triggering agents. In addition, a subject may have an apoptotic disease when the occurrence of cell death is too low, for example, when the number of proliferating cells exceeds the number of cells undergoing cell death, as occurs in cancer when such cells do not properly differentiate.

An apoptotic disease may also be a condition characterized by the occurrence
30 of undesirably high levels of apoptosis. For example, certain neurodegenerative diseases, including but not limited to Alzheimer's disease, Parkinson's disease, amyotrophic lateral sclerosis, multiple sclerosis, restenosis, stroke, and ischemic

brain injury are apoptotic diseases in which neuronal cells undergo undesired cell death.

Other diseases for which the polypeptides and nucleic acid molecules of the present invention may be useful for diagnosing and/or treating include, but are not
5 limited to Huntington's disease.

The *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, and *HDRP(ΔNLS)* nucleic acid molecules of the present invention can further be used to derive primers for genetic fingerprinting, to raise anti-polypeptide antibodies using DNA immunization techniques, and as an antigen to raise anti-DNA antibodies or
10 elicit immune responses. Portions or fragments of the nucleotide sequences identified herein (and the corresponding complete gene sequences) can be used in numerous ways as polynucleotide reagents. For example, these sequences can be used to: (i) map their respective genes on a chromosome; and, thus, locate gene regions associated with genetic disease; (ii) identify an individual from a minute
15 biological sample (tissue typing); and (iii) aid in forensic identification of a biological sample.

In addition, the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, and *HDRP(ΔNLS)* nucleotide sequences of the invention can be used to identify and express recombinant polypeptides for analysis, characterization, or therapeutic use,
20 or as markers for tissues in which the corresponding polypeptide is expressed, either constitutively, during tissue differentiation, or in diseased states. The nucleic acid sequences can additionally be used as reagents in the screening and/or diagnostic assays described herein, and can also be included as components of kits (e.g., reagent kits) for use in the screening and/or diagnostic assays described herein.

Standard techniques, such as the polymerase chain reaction (PCR) and DNA
25 hybridization, may be used to clone *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* homologs in other species, for example, mammalian homologs. *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* homologs may be readily identified using low-stringency DNA
30 hybridization or low-stringency PCR with human *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* probes or primers. Degenerate primers encoding human *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or

HDRP(Δ NLS) polypeptides may be used to clone *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)* homologs by RT-PCR.

Alternatively, additional *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)* homologs can be identified by utilizing
5 consensus sequence information for *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)* polypeptides to search for similar polypeptides in other species. For example, polypeptide databases for other species can be searched for proteins with the HDAC domains described herein. Candidate polypeptides containing such a motif can then be tested for their *HDAC9*, *HDAC9a*,
10 *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)* biological activities, using methods described herein.

EXPRESSION OF THE NUCLEIC ACID MOLECULES OF THE INVENTION

Another aspect of the invention pertains to nucleic acid constructs containing
15 an *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)* nucleic acid molecule, for example, one selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, and the complement of any of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9 (or portions thereof). Yet another aspect of the invention
20 pertains to *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, and *HDRP(Δ NLS)* nucleic acid constructs containing a nucleic acid molecule encoding the amino acid sequence of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10. The constructs comprise a vector (*e.g.*, an expression vector) into which a sequence of the invention has been inserted in a sense or antisense orientation.

25 As used herein, the term "vector" or "construct" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid," which refers to a circular double stranded DNA loop into which additional DNA segments can be ligated. Another type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral
30 genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (*e.g.*, bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (*e.g.*, non-episomal

mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors, expression vectors, are capable of directing the expression of genes to which they are operably linked. In general, expression vectors of utility in
5 recombinant DNA techniques are often in the form of plasmids. However, the invention is intended to include such other forms of expression vectors, such as viral vectors (*e.g.*, replication defective retroviruses, adenoviruses and adeno-associated viruses) that serve equivalent functions.

Preferred recombinant expression vectors of the invention comprise a nucleic
10 acid molecule of the invention in a form suitable for expression of the nucleic acid molecule in a host cell. This means that the recombinant expression vectors include one or more regulatory sequences, selected on the basis of the host cells to be used for expression, which is operably linked to the nucleic acid sequence to be expressed. Within a recombinant expression vector, "operably linked" is intended to
15 mean that the nucleotide sequence of interest is linked to the regulatory sequence(s) in a manner that allows for expression of the nucleotide sequence (*e.g.*, in an *in vitro* transcription/translation system or in a host cell when the vector is introduced into the host cell). The term "regulatory sequence" is intended to include promoters, enhancers and other expression control elements (*e.g.*, polyadenylation signals).
20 Such regulatory sequences are described, for example, in Goeddel, Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, CA (1990). Regulatory sequences include those that direct constitutive expression of a nucleotide sequence in many types of host cell and those that direct expression of the nucleotide sequence only in certain host cells (*e.g.*, tissue-specific regulatory
25 sequences).

It will be appreciated by those skilled in the art that the design of the expression vector can depend on such factors as the choice of the host cell to be transformed and the level of expression of polypeptide desired. The expression vectors of the invention can be introduced into host cells to thereby produce
30 polypeptides, including fusion polypeptides, encoded by nucleic acid molecules as described herein.

The recombinant expression vectors of the invention can be designed for expression of a polypeptide of the invention in prokaryotic or eukaryotic cells, *e.g.*, bacterial cells, such as *E. coli*, insect cells (using baculovirus expression vectors), yeast cells or mammalian cells. Suitable host cells are discussed further in Goeddel, 5 *supra*. Alternatively, the recombinant expression vector can be transcribed and translated *in vitro*, for example, using T7 promoter regulatory sequences and T7 polymerase.

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms 10 "host cell" and "recombinant host cell" are used interchangeably herein. It is understood that such terms refer not only to the particular subject cell but also to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included 15 within the scope of the term as used herein.

A host cell can be any prokaryotic or eukaryotic cell. For example, a nucleic acid molecule of the invention can be expressed in bacterial cells (*e.g.*, *E. coli*), insect cells, yeast, or mammalian cells (such as Chinese hamster ovary cells (CHO) or COS cells, human 293T cells, HeLa cells, NIH 3T3 cells, and mouse 20 erythroleukemia (MEL) cells). Other suitable host cells are known to those skilled in the art.

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection" are intended to refer to a variety of 25 art-recognized techniques for introducing a foreign nucleic acid molecule (*e.g.*, DNA) into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, *et al.* (*supra*), and other laboratory manuals.

30 For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select

these integrants, a gene that encodes a selectable marker (*e.g.*, for resistance to antibiotics) is generally introduced into the host cells along with the gene of interest. Preferred selectable markers include those that confer resistance to drugs, such as G418, hygromycin, or methotrexate. Nucleic acid molecules encoding a selectable
5 marker can be introduced into a host cell on the same vector as the nucleic acid molecule of the invention or can be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid molecule can be identified by drug selection (*e.g.*, cells that have incorporated the selectable marker gene will survive, while the other cells die).

10 A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (*i.e.*, express) a polypeptide of the invention. Accordingly, the invention further provides methods for producing a polypeptide using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector
15 encoding a polypeptide of the invention has been introduced) in a suitable medium such that the polypeptide is produced. In another embodiment, the method further comprises isolating the polypeptide from the medium or the host cell.

The host cells of the invention can also be used to produce nonhuman transgenic animals. For example, in one embodiment, a host cell of the invention is
20 a fertilized oocyte or an embryonic stem cell into which an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid molecule of the invention has been introduced. Such host cells can then be used to create non-human transgenic animals in which exogenous nucleotide sequences have been introduced into the genome or homologous recombinant animals in which
25 endogenous nucleotide sequences have been altered. Such animals are useful for studying the function and/or activity of the nucleotide sequence and polypeptide encoded by the sequence and for identifying and/or evaluating modulators of their activity.

As used herein, a "transgenic animal" is a non-human animal, preferably, a
30 mammal, more preferably, a rodent such as a rat or mouse, in which one or more of the cells of the animal includes a transgene. Other examples of transgenic animals include non-human primates, sheep, dogs, cows, goats, chickens, and amphibians. A

transgene is exogenous DNA that is integrated into the genome of a cell from which a transgenic animal develops and that remains in the genome of the mature animal, thereby directing the expression of an encoded gene product in one or more cell types or tissues of the transgenic animal. As used herein, a “homologous recombinant animal” is a non-human animal, preferably, a mammal, more preferably, a mouse, in which an endogenous gene has been altered by homologous recombination between the endogenous gene and an exogenous DNA molecule introduced into a cell of the animal, *e.g.*, an embryonic cell of the animal, prior to development of the animal.

10 Methods for generating transgenic animals via embryo manipulation and microinjection, particularly animals such as mice, have become conventional in the art and are described, for example, in U.S. Patent Nos. 4,736,866 and 4,870,009, U.S. Patent No. 4,873,191, and in Hogan, *Manipulating the Mouse Embryo* (Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., (1986)). Methods for
15 constructing homologous recombination vectors and homologous recombinant animals are described further in Bradley, *Current Opinion in Bio/Technology*, 2:823-829 (1991) and in PCT Publication Nos. WO 90/11354, WO 91/01140, WO 92/0968, and WO 93/04169. Clones of the non-human transgenic animals described herein can also be produced according to the methods described in Wilmut *et al.*,
20 *Nature*, 385:810-813 (1997) and PCT Publication Nos. WO 97/07668 and WO 97/07669.

ANTIBODIES OF THE INVENTION

 Polyclonal and/or monoclonal antibodies that selectively bind one form of an
25 HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide but not another form of the polypeptide are also provided. Antibodies are also provided that bind a portion of either the variant or reference HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide that contains the polymorphic site or sites.

30 In another aspect, the invention provides antibodies to each of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), and HDRP(Δ NLS) polypeptides and polypeptide fragments of the invention, *e.g.*, having an amino acid sequence encoded

by SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10,
or a portion thereof, or having an amino acid sequence encoded by a nucleic acid
molecule comprising all or a portion of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO:
5, SEQ ID NO: 7, or SEQ ID NO: 9, (*e.g.*, SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID
5 NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10, or another variant, or portion thereof).

The term "purified antibody" as used herein refers to immunoglobulin
molecules and immunologically active portions of immunoglobulin molecules, *i.e.*,
molecules that contain an antigen binding site that selectively binds an antigen. A
molecule that selectively binds to a polypeptide of the invention is a molecule that
10 binds to that polypeptide or a fragment thereof, but does not substantially bind other
molecules in a sample, *e.g.*, a biological sample that naturally contains the
polypeptide. Preferably the antibody is at least 60%, by weight, free from proteins
and naturally occurring organic molecules with which it naturally associated. More
preferably, the antibody preparation is at least 75% or 90%, and most preferably,
15 99%, by weight, antibody. Examples of immunologically active portions of
immunoglobulin molecules include F(ab) and F(ab')₂ fragments that can be
generated by treating the antibody with an enzyme such as pepsin.

The invention provides polyclonal and monoclonal antibodies that selectively
bind to an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS)
20 polypeptide of the invention. The term "monoclonal antibody" or "monoclonal
antibody composition," as used herein, refers to a population of antibody molecules
that contain only one species of an antigen binding site capable of immunoreacting
with a particular epitope of a polypeptide of the invention. A monoclonal antibody
composition thus typically displays a single binding affinity for a particular
25 polypeptide of the invention with which it immunoreacts.

Polyclonal antibodies can be prepared as described above by immunizing a
suitable subject with a desired immunogen, *e.g.*, an HDAC9, HDAC9a,
HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide of the invention or
fragment thereof. The antibody titer in the immunized subject can be monitored
30 over time by standard techniques, such as with an enzyme linked immunosorbent
assay (ELISA) using immobilized polypeptide. If desired, the antibody molecules
directed against the polypeptide can be isolated from the mammal (*e.g.*, from the

blood) and further purified by well-known techniques, such as protein A chromatography to obtain the IgG fraction.

At an appropriate time after immunization, *e.g.*, when the antibody titers are highest, antibody-producing cells can be obtained from the subject and used to
5 prepare monoclonal antibodies by standard techniques, such as the hybridoma technique originally described by Kohler and Milstein, *Nature*, 256:495-497 (1975), the human B cell hybridoma technique (Kozbor *et al.*, *Immunol. Today*, 4:72 (1983)), the EBV-hybridoma technique (Cole *et al.*, *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, Inc., pp. 77-96 (1985)) or trioma techniques. The
10 technology for producing hybridomas is well known (see generally *Current Protocols in Immunology*, Coligan *et al.*, (eds.) John Wiley & Sons, Inc., New York, NY (1994)). Briefly, an immortal cell line (typically a myeloma) is fused to lymphocytes (typically splenocytes) from a mammal immunized with an immunogen as described above, and the culture supernatants of the resulting hybridoma cells are screened to
15 identify a hybridoma producing a monoclonal antibody that binds a polypeptide of the invention.

Any of the many well known protocols used for fusing lymphocytes and immortalized cell lines can be applied for the purpose of generating a monoclonal antibody to a polypeptide of the invention (see, *e.g.*, *Current Protocols in*
20 *Immunology, supra*; Galfre *et al.*, (1977) *Nature*, 266:55052; R.H. Kenneth, in *Monoclonal Antibodies: A New Dimension In Biological Analyses*, Plenum Publishing Corp., New York, New York (1980); and Lerner, *Yale J. Biol. Med.*, 54:387-402 (1981)). Moreover, the ordinarily skilled worker will appreciate that there are many variations of such methods that also would be useful.

25 Alternative to preparing monoclonal antibody-secreting hybridomas, a monoclonal antibody to an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide of the invention can be identified and isolated by screening a recombinant combinatorial immunoglobulin library (*e.g.*, an antibody phage display library) with the polypeptide to thereby isolate immunoglobulin
30 library members that bind the polypeptide. Kits for generating and screening phage display libraries are commercially available (*e.g.*, the Pharmacia Recombinant Phage Antibody System, Catalog No. 27-9400-01; and the Stratagene SurfZAP™ Phage

Display Kit, Catalog No. 240612). Additionally, examples of methods and reagents particularly amenable for use in generating and screening antibody display library can be found in, for example, U.S. Patent No. 5,223,409; PCT Publication No. WO 92/18619; PCT Publication No. WO 91/17271; PCT Publication No. WO 92/20791; 5 PCT Publication No. WO 92/15679; PCT Publication No. WO 93/01288; PCT Publication No. WO 92/01047; PCT Publication No. WO 92/09690; PCT Publication No. WO 90/02809; Fuchs *et al.*, *Bio/Technology*, 9:1370-1372 (1991); Hay *et al.*, *Hum. Antibod. Hybridomas*, 3:81-85 (1992); Huse *et al.*, *Science*, 246:1275-1281 (1989); and Griffiths *et al.*, *EMBO J.*, 12:725-734 (1993).

10 Additionally, recombinant antibodies, such as chimeric and humanized monoclonal antibodies, comprising both human and non-human portions, which can be made using standard recombinant DNA techniques, are within the scope of the invention. Such chimeric and humanized monoclonal antibodies can be produced by recombinant DNA techniques known in the art.

15 In general, antibodies of the invention (*e.g.*, a monoclonal antibody) can be used to isolate an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDAC9b(Δ NLS) polypeptide of the invention by standard techniques, such as affinity chromatography or immunoprecipitation. A polypeptide-specific antibody can facilitate the purification of natural polypeptide from cells and of recombinantly 20 produced polypeptide expressed in host cells. Moreover, an antibody specific for an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDAC9b(Δ NLS) polypeptide of the invention can be used to detect the polypeptide (*e.g.*, in a cellular lysate, cell supernatant, or tissue sample) in order to evaluate the abundance and pattern of expression of the polypeptide.

25 The antibodies of the present invention can also be used diagnostically to monitor protein levels in tissue as part of a clinical testing procedure, *e.g.*, to, for example, determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent 30 materials, luminescent materials, bioluminescent materials, and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, β -galactosidase, and acetylcholinesterase; examples of suitable

prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride and phycoerythrin; an example of a luminescent material includes luminol; examples of
5 bioluminescent materials include luciferase, luciferin, and aequorin, and examples of suitable radioactive material include ^{125}I , ^{131}I , ^{35}S , and ^3H .

DIAGNOSTIC AND SCREENING ASSAYS OF THE INVENTION

The present invention also pertains to diagnostic assays for assessing *HDAC*
10 *9 HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* gene expression, or for assessing activity of HDAC9, HDAC9a, HDAC9(ΔNLS), HDAC9a(ΔNLS), or HDRP(ΔNLS) polypeptides of the invention. In one embodiment, the assays are used in the context of a biological sample (*e.g.*, blood, serum, cells, tissue) to thereby determine whether an individual is afflicted with a cell proliferation disease,
15 an apoptotic disease, or a cell differentiation disease, or is at risk for (has a predisposition for or a susceptibility to) developing a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. The invention also provides for prognostic (or predictive) assays for determining whether an individual is susceptible to developing a cell proliferation disease, an apoptotic disease, or a cell
20 differentiation disease. For example, mutations in the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid molecule can be assayed in a biological sample. Such assays can be used for prognostic or predictive purpose to thereby prophylactically treat an individual prior to the onset of symptoms associated with a cell proliferation disease, an apoptotic disease, or a cell
25 differentiation disease.

Another aspect of the invention pertains to assays for monitoring the influence of agents, or candidate compounds (*e.g.*, drugs or other agents) on the nucleic acid molecule expression or biological activity of polypeptides of the invention, as well as to assays for identifying candidate compounds that bind to an
30 HDAC9, HDAC9a polypeptide, an HDAC9(ΔNLS) polypeptide, an HDAC9a(ΔNLS) polypeptide, or an HDRP(ΔNLS) polypeptide. These and other assays and agents are described in further detail in the following sections.

DIAGNOSTIC ASSAYS

HDAC9, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid molecules, probes, primers, polypeptides, and antibodies to an HDAC9, an HDAC9a protein, an HDAC9(ΔNLS) protein, an HDAC9a(ΔNLS) protein, or an HDRP(ΔNLS) protein can be used in methods of diagnosis of a susceptibility to, or likelihood of having a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, as well as in kits useful for diagnosis of a susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

10 In one embodiment of the invention, diagnosis of a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease is made by detecting a polymorphism in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*. The polymorphism can be a mutation in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, such as the insertion or deletion of a single nucleotide, or of more than one nucleotide, resulting in a frame shift mutation; the change of at least one nucleotide, resulting in a change in the encoded amino acid; the change of at least one nucleotide, resulting in the generation of a premature stop codon; the deletion of several nucleotides, resulting in a deletion of one or more amino acids encoded by the nucleotides; the insertion of one or several nucleotides, such as by unequal recombination or gene conversion, resulting in an interruption of the coding sequence of the gene; duplication of all or a part of the gene; transposition of all or a part of the gene; or rearrangement of all or a part of the gene, or a change in the expression pattern of the various HDAC9 isoforms. More than one such mutation may be present in a single nucleic acid molecule.

25 Such sequence changes cause a mutation in the polypeptide encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*. For example, if the mutation is a frame shift mutation, the frame shift can result in a change in the encoded amino acids, and/or can result in the generation of a premature stop codon, causing generation of a truncated polypeptide. Alternatively, a polymorphism associated with a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease can be a synonymous

mutation in one or more nucleotides (*i.e.*, a mutation that does not result in a change in the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide). Such a polymorphism may alter sites, affect the stability or transport of mRNA, or otherwise affect the transcription or translation of the nucleic acid molecule. HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) that has any of the mutations described above is referred to herein as a “mutant nucleic acid molecule.”

In a first method of diagnosing a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, hybridization methods, such as Southern analysis, Northern analysis, or *in situ* hybridizations, can be used (see Ausubel, *et al.*, *supra*). For example, a biological sample from a test subject (a “test sample”) of genomic DNA, RNA, or cDNA, is obtained from an individual suspected of having, being susceptible to or predisposed for, or carrying a defect for, a cell proliferation disease, an apoptotic disease, or a cell differentiation disease (the “test individual”). The individual can be an adult, child, or fetus. The test sample can be from any source that contains genomic DNA, such as a blood sample, sample of amniotic fluid, sample of cerebrospinal fluid, or tissue sample from skin, muscle, buccal or conjunctival mucosa, placenta, gastrointestinal tract, or other organs. A test sample of DNA from fetal cells or tissue can be obtained by appropriate methods, such as by amniocentesis or chorionic villus sampling. The DNA, RNA, or cDNA sample is then examined to determine whether a polymorphism in HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) is present, and/or to determine which variant(s) encoded by HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) is present. The presence of the polymorphism or variant(s) can be indicated by hybridization of the gene in the genomic DNA, RNA, or cDNA to a nucleic acid probe. A “nucleic acid probe,” as used herein, can be a DNA probe or an RNA probe; the nucleic acid probe can contain at least one polymorphism in HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) or contains a nucleic acid encoding a particular variant of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS). The probe can be any of the nucleic acid

molecules described above (*e.g.*, the entire nucleic acid molecule, a fragment, a vector comprising the gene, a probe, or primer, etc.).

To diagnose a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, a hybridization sample is formed
5 by contacting the test sample containing *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*,
HDAC9a(ΔNLS), or *HDRP(ΔNLS)*, with at least one nucleic acid probe. A preferred
probe for detecting mRNA or genomic DNA is a labeled nucleic acid probe capable
of hybridizing to *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or
HDRP(ΔNLS) mRNA or genomic DNA sequences described herein. The nucleic
10 acid probe can be, for example, a full-length nucleic acid molecule, or a portion
thereof, such as an oligonucleotide of at least 15, 30, 50, 100, 250, or 500
nucleotides in length and sufficient to specifically hybridize under stringent
conditions to appropriate mRNA or genomic DNA. For example, the nucleic acid
probe can be all or a portion of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ
15 ID NO: 7, SEQ ID NO: 9, or the complement of SEQ ID NO: 1 or SEQ ID NO: 3,
SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9; or can be a nucleic acid molecule
encoding all or a portion of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID
NO: 8, or SEQ ID NO: 10. Other suitable probes for use in the diagnostic assays of
the invention are described above (*see. e.g.*, probes and primers discussed under the
20 heading, "Nucleic Acids of the Invention").

The hybridization sample is maintained under conditions that are sufficient to
allow specific hybridization of the nucleic acid probe to *HDAC9*, *HDAC9a*,
HDAC9(ΔNLS), *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*. "Specific hybridization," as
used herein, indicates exact hybridization (*e.g.*, with no mismatches). Specific
25 hybridization can be performed under high stringency conditions or moderate
stringency conditions, for example, as described above. In a particularly preferred
embodiment, the hybridization conditions for specific hybridization are high
stringency.

Specific hybridization, if present, is then detected using standard methods. If
30 specific hybridization occurs between the nucleic acid probe and *HDAC9*, *HDAC9a*,
HDAC9(ΔNLS), *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* in the test sample, then *HDAC9*,
HDAC9a, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* has the

polymorphism, or is the variant, that is present in the nucleic acid probe. More than one nucleic acid probe can also be used concurrently in this method. Specific hybridization of any one of the nucleic acid probes is indicative of a polymorphism in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, or of the presence of a particular variant encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, and is therefore diagnostic for a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

In Northern analysis (see Current Protocols in Molecular Biology, Ausubel, *et al.*, *supra*), the hybridization methods described above are used to identify the presence of a polymorphism or of a particular variant, associated with a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. For Northern analysis, a test sample of RNA is obtained from the individual by appropriate means. Specific hybridization of a nucleic acid probe, as described above, to RNA from the individual is indicative of a polymorphism in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, or of the presence of a particular variant encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, and is therefore diagnostic for a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

For representative examples of use of nucleic acid probes, see, for example, U.S. Patent Nos. 5,288,611 and 4,851,330.

Alternatively, a peptide nucleic acid (PNA) probe can be used instead of a nucleic acid probe in the hybridization methods described above. PNA is a DNA mimic having a peptide-like, inorganic backbone, such as N-(2-aminoethyl)glycine units, with an organic base (A, G, C, T, or U) attached to the glycine nitrogen via a methylene carbonyl linker (see, for example, Nielsen *et al.*, *Bioconjugate Chemistry*, 5 (1994), American Chemical Society, p. 1 (1994)). The PNA probe can be designed to specifically hybridize to a gene having a polymorphism associated with a susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. Hybridization of the PNA probe to *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* is diagnostic for a decreased

susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

In another method of the invention, mutation analysis by restriction digestion can be used to detect a mutant nucleic acid molecule, or nucleic acid molecules
5 containing a polymorphism(s), if the mutation or polymorphism in the gene results in the creation or elimination of a restriction site. A test sample containing genomic DNA is obtained from the individual. Polymerase chain reaction (PCR) can be used to amplify *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* (and, if necessary, the flanking sequences) in the test sample of genomic DNA from
10 the test individual. RFLP analysis is conducted as described (see Current Protocols in Molecular Biology, *supra*). The digestion pattern of the relevant DNA fragment indicates the presence or absence of the mutation or polymorphism in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, and therefore indicates the presence or absence of this decreased susceptibility to a cell
15 proliferation disease, an apoptotic disease, or a cell differentiation disease.

Sequence analysis can also be used to detect specific polymorphisms in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*. A test sample of DNA or RNA is obtained from the test individual. PCR or other appropriate methods can be used to amplify the nucleic acid molecule, and/or its
20 flanking sequences, if desired. The sequence of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, or a fragment of the any of those nucleic acid molecules, or an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* cDNA, or a fragment of any of those cDNAs, or an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* mRNA,
25 or a fragment of any of those mRNAs, is determined, using standard methods. The sequence of the above gene, gene fragment, cDNA, cDNA fragment, mRNA, or mRNA fragment is compared with the known nucleic acid sequence of the nucleic acid molecule, cDNA (*e.g.*, SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, or a nucleic acid sequence encoding the protein of SEQ ID
30 NO: 2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO: 10, or a fragment thereof) or mRNA, as appropriate. The presence of a polymorphism in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* indicates that the

individual has a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

Allele-specific oligonucleotides can also be used to detect the presence of a polymorphism in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or
5 *HDRP(ΔNLS)*, through the use of dot-blot hybridization of amplified oligonucleotides with allele-specific oligonucleotide (ASO) probes (see, for example, Saiki *et al.*, Nature (London) 324:163-166 (1986)). An “allele-specific oligonucleotide” (also referred to herein as an “allele-specific oligonucleotide probe”) is an oligonucleotide of approximately 10-50 base pairs, preferably
10 approximately 15-30 base pairs, that specifically hybridizes to *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, and that contains a polymorphism associated with a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. An allele-specific oligonucleotide probe that is specific for particular polymorphisms in *HDAC9*,
15 *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* can be prepared, using standard methods (see Current Protocols in Molecular Biology, *supra*).

To identify polymorphisms in the gene that are associated with a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease a test sample of DNA is obtained from the individual. PCR
20 can be used to amplify all or a fragment of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, and its flanking sequences. The DNA containing the amplified *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* (or a fragment of any of those genes) is dot-blotted, using standard methods (see Current Protocols in Molecular Biology, *supra*), and the blot is
25 contacted with the oligonucleotide probe. The presence of specific hybridization of the probe to the amplified *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* is then detected. Specific hybridization of an allele-specific oligonucleotide probe to DNA from the individual is indicative of a polymorphism in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, and is
30 therefore indicative of a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

In another embodiment, arrays of oligonucleotide probes that are complementary to target nucleic acid sequence segments from an individual, can be used to identify polymorphisms in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*. For example, in one embodiment, an

5 oligonucleotide array can be used. Oligonucleotide arrays typically comprise a plurality of different oligonucleotide probes that are coupled to a surface of a substrate in different known locations. These oligonucleotide arrays, also described as "GENECHIPS™," have been generally described in the art, for example, U.S. Patent No. 5,143,854 and PCT patent publication Nos. WO 90/15070 and 92/10092.

10 These arrays can generally be produced using mechanical synthesis methods or light directed synthesis methods that incorporate a combination of photolithographic methods and solid phase oligonucleotide synthesis methods. See Fodor *et al.*, *Science*, 251:767-777 (1991), Pirrung *et al.*, U.S. Patent No. 5,143,854; PCT Publication No. WO 90/15070; Fodor *et al.*, PCT Publication No. WO 92/10092,

15 and U.S. Patent No. 5,424,186, the entire teachings of each of which are incorporated by reference herein. Techniques for the synthesis of these arrays using mechanical synthesis methods are described in, *e.g.*, U.S. Patent No. 5,384,261, the entire teachings of which are incorporated by reference herein.

Once an oligonucleotide array is prepared, a nucleic acid of interest is

20 hybridized to the array and scanned for polymorphisms. Hybridization and scanning are generally carried out by methods described herein and also in, *e.g.*, Published PCT Application Nos. WO 92/10092 and WO 95/11995, and U.S. Patent No. 5,424,186, the entire teachings of which are incorporated by reference herein. In brief, a target nucleic acid sequence that includes one or more previously identified

25 polymorphic markers is amplified by well known amplification techniques, *e.g.*, PCR. Typically, this involves the use of primer sequences that are complementary to the two strands of the target sequence both upstream and downstream from the polymorphism. Asymmetric PCR techniques may also be used. Amplified target, generally incorporating a label, is then hybridized with the array under appropriate

30 conditions. Upon completion of hybridization and washing of the array, the array is scanned to determine the position on the array to which the target sequence

hybridizes. The hybridization data obtained from the scan is typically in the form of fluorescence intensities as a function of location on the array.

Although primarily described in terms of a single detection block, *e.g.*, for detection of a single polymorphism, arrays can include multiple detection blocks, and thus be capable of analyzing multiple, specific polymorphisms. In alternate arrangements, it will generally be understood that detection blocks may be grouped within a single array or in multiple, separate arrays so that varying, optimal conditions may be used during the hybridization of the target to the array. For example, it may often be desirable to provide for the detection of those polymorphisms that fall within G-C rich stretches of a genomic sequence, separately from those falling in A-T rich segments. This allows for the separate optimization of hybridization conditions for each situation.

Additional descriptions of the use of oligonucleotide arrays for detection of polymorphisms can be found, for example, in U.S. Patent Nos. 5,858,659 and 5,837,832, the entire teachings of which are incorporated by reference herein.

Other methods of nucleic acid analysis can be used to detect polymorphisms in *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* or variants encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*. Representative methods include direct manual sequencing (Church and Gilbert Proc. Natl. Acad. Sci. USA 81: 1991-1995, (1988); Sanger *et al.*, Proc. Natl. Acad. Sci. 74: 5463-5467 (1977); Beavis *et al.*, U.S. Patent No. 5,288,644); automated fluorescent sequencing; single-stranded conformation polymorphism assays (SSCP); clamped denaturing gel electrophoresis (CDGE); denaturing gradient gel electrophoresis (DGGE) (Sheffield *et al.*, Proc. Natl. Acad. Sci. USA 86: 232-236 (1991)), mobility shift analysis (Orita *et al.*, Proc. Natl. Acad. Sci. USA 86: 2766-2770 (1989)), restriction enzyme analysis (Flavell *et al.*, Cell 15: 25 (1978); Geever, *et al.*, Proc. Natl. Acad. Sci. USA 78: 5081 (1981)); heteroduplex analysis; chemical mismatch cleavage (CMC) (Cotton *et al.*, Proc. Natl. Acad. Sci. USA 85: 4397-4401 (1985)); RNase protection assays (Myers *et al.*, Science 230: 1242 (1985)); use of polypeptides that recognize nucleotide mismatches, such as *E. coli* mutS protein; and allele-specific PCR.

In another embodiment of the invention, diagnosis of a susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease can also be made by examining the level of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid, for example, using in situ hybridization techniques known to one skilled in the art, or by examining the level of expression, activity, and/or composition of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide, by a variety of methods, including enzyme linked immunosorbent assays (ELISAs), Western blots, immunoprecipitations, immunohistochemistry, and immunofluorescence. A test sample from an individual is assessed for the presence of an alteration in the level of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid or in the expression and/or an alteration in composition of the polypeptide encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, or for the presence of a particular variant encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*. An alteration in expression of a polypeptide encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* can be, for example, an alteration in the quantitative polypeptide expression (*i.e.*, the amount of polypeptide produced); an alteration in the composition of a polypeptide encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, or an alteration in the qualitative polypeptide expression (*e.g.*, expression of a mutant *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide or variant thereof). In a preferred embodiment, diagnosis of a susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease is made by detecting a particular variant encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, or a particular pattern of variants. Preferably, increased levels of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* or increased expression or activity of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide, relative to a control sample, for example, a sample known not to be associated with a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, indicates an increased susceptibility or likelihood that the individual has a cell proliferation disease, an apoptotic disease, or a cell

differentiation disease. Alternatively, decreased levels of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* or decreased expression or activity of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide, relative to a control sample, for example, a sample
5 known not to be associated with a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, indicates a decreased susceptibility or likelihood that the individual has a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

Both quantitative and qualitative alterations can also be present. An
10 “alteration” or “modulation” in the polypeptide expression, activity, or composition, as used herein, refers to an alteration in expression or composition in a test sample, as compared with the expression or composition of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide in a control sample. A control sample is a sample that corresponds to the test sample (*e.g.*, is
15 from the same type of cells), and is from an individual who is not affected by a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. An alteration in the expression or composition of the polypeptide in the test sample, as compared with the control sample, is indicative of a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.
20 Similarly, the presence of one or more different variants in the test sample, or the presence of significantly different amounts of different variants in the test sample, as compared with the control sample, is indicative of a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

It is understood that alterations or modulations in polypeptide expression or
25 function can occur in varying degrees. For example, an alteration or modulation in expression can be an increase, for example, by at least 1.5-fold to 2-fold, at least 3-fold, or, at least 5-fold, relative to the control. Alternatively, the alteration or modulation in polypeptide expression can be a decrease, for example, by at least 10%, at least 40%, 50%, or 75%, or by at least 90%, relative to the control.

30 Various means of examining expression or composition of the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide can be used, including spectroscopy, colorimetry, electrophoresis, isoelectric focusing, and

immunoassays (*e.g.*, David *et al.*, U.S. Patent No. 4,376,110) such as immunoblotting (see also Ausubel *et al.*, *supra*; particularly chapter 10). For example, in one embodiment, an antibody capable of binding to the polypeptide (*e.g.*, as described above), preferably an antibody with a detectable label, can be used. Antibodies can be polyclonal, or more preferably, monoclonal. An intact antibody, or a fragment thereof (*e.g.*, Fab or F(ab')₂) can be used. The term “labeled,” with regard to the antibody, is intended to encompass direct labeling of the antibody by coupling (*i.e.*, physically linking) a detectable substance to the antibody, as well as indirect labeling of the antibody by reacting it with another reagent that is directly labeled. An example of indirect labeling is detection of a primary antibody using a fluorescently labeled secondary antibody.

Western blotting analysis, using an antibody as described above that specifically binds to a mutant HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, or an antibody that specifically binds to a non-mutant HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, or an antibody that specifically binds to a particular variant encoded by *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)*, can be used to identify the presence in a test sample of a particular variant of a polypeptide encoded by a polymorphic or mutant *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)*, or the absence in a test sample of a particular variant or of a polypeptide encoded by a non-polymorphic or non-mutant gene. The presence of a polypeptide encoded by a polymorphic or mutant gene, or the absence of a polypeptide encoded by a non-polymorphic or non-mutant gene, is diagnostic for a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, as is the presence (or absence) of particular variants encoded by the *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)* nucleic acid molecule.

In one embodiment of this method, the level or amount of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide in a test sample is compared with the level or amount of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide in a control sample. A level or amount of the polypeptide in the test sample that is higher or

lower than the level or amount of the polypeptide in the control sample, such that the difference is statistically significant, is indicative of an alteration in the expression of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, and is diagnostic for a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

Alternatively, the composition of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide in a test sample is compared with the composition of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide in a control sample. A difference in the composition of the polypeptide in the test sample, as compared with the composition of the polypeptide in the control sample (*e.g.*, the presence of different variants), is diagnostic for a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. In another embodiment, both the level or amount and the composition of the polypeptide can be assessed in the test sample and in the control sample. A difference in the amount or level of the polypeptide in the test sample, compared to the control sample; a difference in composition in the test sample, compared to the control sample; or both a difference in the amount or level, and a difference in the composition, is indicative of a decreased susceptibility to a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

Kits (*e.g.*, reagent kits) useful in the methods of diagnosis comprise components useful in any of the methods described herein, including, for example, hybridization probes or primers as described herein (*e.g.*, labeled probes or primers), reagents for detection of labeled molecules, restriction enzymes (*e.g.*, for RFLP analysis), allele-specific oligonucleotides, antibodies that bind to a mutant or to non-mutant (native) HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, means for amplification of nucleic acids comprising HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS), or means for analyzing the nucleic acid sequence of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS), or for analyzing the amino acid sequence of an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, etc.

SCREENING ASSAYS AND AGENTS IDENTIFIED THEREBY

The invention provides methods (also referred to herein as “screening assays”) for identifying the presence of a nucleotide that hybridizes to a nucleic acid of the invention, as well as for identifying the presence of a polypeptide encoded by a nucleic acid of the invention. In one embodiment, the presence (or absence) of a nucleic acid molecule of interest (*e.g.*, a nucleic acid that has significant homology with a nucleic acid of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*) in a sample can be assessed by contacting the sample with a nucleic acid comprising a nucleic acid of the invention (*e.g.*, a nucleic acid having the sequence of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9, which may optionally comprise at least one polymorphism, or the complement thereof, or a nucleic acid encoding an amino acid having the sequence of SEQ ID NO: 2, SEQ ID NO:4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10, or a fragment or variant of such nucleic acids), under stringent conditions as described above, and then assessing the sample for the presence (or absence) of hybridization. In a preferred embodiment, high stringency conditions are conditions appropriate for selective hybridization. In another embodiment, a sample containing the nucleic acid molecule of interest is contacted with a nucleic acid containing a contiguous nucleotide sequence (*e.g.*, a primer or a probe as described above) that is at least partially complementary to a part of the nucleic acid molecule of interest (*e.g.*, an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid), and the contacted sample is assessed for the presence or absence of hybridization. In a preferred embodiment, the nucleic acid containing a contiguous nucleotide sequence is completely complementary to a part of the nucleic acid molecule of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*.

In any of the above embodiments, all or a portion of the nucleic acid of interest can be subjected to amplification prior to performing the hybridization.

In another embodiment, the presence (or absence) of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide, such as a polypeptide of the invention or a fragment or variant thereof, in a sample can be assessed by contacting the sample with an antibody that specifically binds to the

polypeptide of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) (*e.g.*, an antibody such as those described above), and then assessing the sample for the presence (or absence) of binding of the antibody to the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide.

- 5 In another embodiment, the invention provides methods for identifying agents or compounds (*e.g.*, fusion proteins, polypeptides, peptidomimetics, prodrugs, receptors, binding agents, antibodies, small molecules or other drugs, or ribozymes) that alter or modulate (*e.g.*, increase or decrease) the activity of the polypeptides described herein, or that otherwise interact with the polypeptides
- 10 herein. For example, such compounds can be compounds or agents that bind to polypeptides described herein (*e.g.*, HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) substrates or agents); that have a stimulatory or inhibitory effect on, for example, activity of polypeptides of the invention; or that change (*e.g.*, enhance or inhibit) the ability of the polypeptides of the invention to
- 15 interact with HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) binding agents; or that alter post-translational processing of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide (*e.g.*, agents that alter proteolytic processing to direct the polypeptide from where it is normally synthesized to another location in the cell, such as the cell
- 20 surface; or agents that alter proteolytic processing such that more polypeptide is released from the cell, etc.). In one example, the binding agent is a cell proliferation disease binding agent, an apoptotic disease binding agent, or a cell differentiation disease binding agent. As used herein, by a "cell proliferation disease binding agent," an "apoptotic disease binding agent," or a "cell differentiation disease
- 25 binding agent" is meant an agent as described herein that binds to a polypeptide of the present invention and modulates a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. The modulation can be an increase or a decrease in the severity or progression of the disease. In addition, a cell proliferation disease binding agent, an apoptotic disease binding agent, or a cell differentiation disease
- 30 binding agent includes an agent that binds to a polypeptide that is upstream (earlier) or downstream (later) of the cell signaling events mediated by a polypeptide of the

present invention, and thereby modulates the overall activity of the signaling pathway; in turn, the disease state is modulated.

The candidate compound can cause an increase in the activity of the polypeptide. For example, the activity of the polypeptide can be increased by at least 5 1.5-fold to 2-fold, at least 3-fold, or, at least 5-fold, relative to the control. Alternatively, the polypeptide activity can be a decrease, for example, by at least 10%, at least 20%, 40%, 50%, or 75%, or by at least 90%, relative to the control.

In one embodiment, the invention provides assays for screening candidate compounds or test agents to identify compounds that bind to or modulate the activity 10 of polypeptides described herein (or biologically active portion(s) thereof), as well as agents identifiable by the assays. As used herein, a "candidate compound" or "test agent" is a chemical molecule, be it naturally-occurring or artificially-derived, and includes, for example, peptides, proteins, synthesized molecules, for example, synthetic organic molecules, naturally-occurring molecule, for example, naturally 15 occurring organic molecules, nucleic acid molecules, and components thereof.

In general, candidate compounds for uses in the present invention may be identified from large libraries of natural products or synthetic (or semi-synthetic) extracts or chemical libraries according to methods known in the art. Those skilled in the field of drug discovery and development will understand that the precise 20 source of test extracts or compounds is not critical to the screening procedure(s) of the invention. Accordingly, virtually any number of chemical extracts or compounds can be screened using the exemplary methods described herein. Examples of such extracts or compounds include, but are not limited to, plant-, fungal-, prokaryotic- or animal-based extracts, fermentation broths, and synthetic compounds, as well as 25 modification of existing compounds. Numerous methods are also available for generating random or directed synthesis (e.g., semi-synthesis or total synthesis) of any number of chemical compounds, including, but not limited to, saccharide-, lipid-, peptide-, and nucleic acid-based compounds. Synthetic compound libraries are commercially available, e.g., from Brandon Associates (Merrimack, NH) and 30 Aldrich Chemical (Milwaukee, WI). Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant, and animal extracts are commercially available from a number of sources, including Biotics (Sussex, UK), Xenova

(Slough, UK), Harbor Branch Oceanographics Institute (Ft. Pierce, FL), and PharmaMar, U.S.A. (Cambridge, MA). In addition, natural and synthetically produced libraries are generated, if desired, according to methods known in the art, e.g., by standard extraction and fractionation methods. For example, candidate
5 compounds can be obtained using any of the numerous approaches in combinatorial library methods known in the art, including: biological libraries; spatially addressable parallel solid phase or solution phase libraries; synthetic library methods requiring deconvolution; the "one-bead one-compound" library method; and synthetic library methods using affinity chromatography selection. The biological
10 library approach is limited to polypeptide libraries, while the other four approaches are applicable to polypeptide, non-peptide oligomer or small molecule libraries of compounds (Lam, Anticancer Drug Des., 12: 145 (1997)). Furthermore, if desired, any library or compound is readily modified using standard chemical, physical, or biochemical methods.

15 In addition, those skilled in the art of drug discovery and development readily understand that methods for dereplication (e.g., taxonomic dereplication, biological dereplication, and chemical dereplication, or any combination thereof) or the elimination of replicates or repeats of materials already known for their activities should be employed whenever possible.

20 When a crude extract is found to modulate (i.e., stimulate or inhibit) the expression and/or activity of the nucleic acids and or polypeptides of the present invention, further fractionation of the positive lead extract is necessary to isolate chemical constituents responsible for the observed effect. Thus, the goal of the extraction, fractionation, and purification process is the careful characterization and
25 identification of a chemical entity within the crude extract having an activity that stimulates or inhibits nucleic acid expression, polypeptide expression, or polypeptide biological activity. The same assays described herein for the detection of activities in mixtures of compounds can be used to purify the active component and to test derivatives thereof. Methods of fractionation and purification of such heterogenous
30 extracts are known in the art. If desired, compounds shown to be useful agents for treatment are chemically modified according to methods known in the art. Compounds identified as being of therapeutic value may be subsequently analyzed

using animal models for diseases in which it is desirable to alter the activity or expression of the nucleic acids or polypeptides of the present invention.

In one embodiment, to identify candidate compounds that alter the biological activity, for example, the enzymatic activity or transcriptional repression activity of
5 an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, a cell, tissue, cell lysate, tissue lysate, or solution containing or expressing an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide (*e.g.*, SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SE
10 ID NO: 8, SEQ ID NO: 10, or another variant encoded by *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)*), or a fragment or derivative thereof (as described above), can be contacted with a candidate compound to be tested under conditions suitable for enzymatic reaction or transcriptional repression reaction, as described herein.

Alternatively, the polypeptide can be contacted directly with the candidate
15 compound to be tested. The level (amount) of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) biological activity is assessed (*e.g.*, the level (amount) of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) biological activity is measured, either directly or indirectly), and is compared with the level of biological activity in a control (*i.e.*, the level of activity
20 of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide or active fragment or derivative thereof in the absence of the candidate compound to be tested, or in the presence of the candidate compound vehicle only). If the level of the biological activity in the presence of the candidate compound differs, by an amount that is statistically significant, from the level of the biological
25 activity in the absence of the candidate compound, or in the presence of the candidate compound vehicle only, then the candidate compound is a compound that alters the biological activity of an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide. For example, an increase in the level of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS)
30 enzymatic or transcriptional repression activity relative to a control, indicates that the candidate compound is a compound that enhances (is an agonist of) HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) activity. Similarly,

a decrease in the enzymatic level or transcriptional repression level of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) activity relative to a control, indicates that the candidate compound is a compound that inhibits (is an antagonist of) HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) activity. In another embodiment, the level of biological activity of an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide or derivative or fragment thereof in the presence of the candidate compound to be tested, is compared with a control level that has previously been established. A level of the biological activity in the presence of the candidate compound that differs from the control level by an amount that is statistically significant indicates that the compound alters HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) biological activity.

The present invention also relates to an assay for identifying compounds that alter the expression of an *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or HDRP(Δ NLS) nucleic acid molecule (e.g., antisense nucleic acids, fusion proteins, polypeptides, peptidomimetics, prodrugs, receptors, binding agents, antibodies, small molecules or other drugs, or ribozymes) that alter (e.g., increase or decrease) expression (e.g., transcription or translation) of the nucleic acid molecule or that otherwise interact with the nucleic acids described herein, as well as compounds identifiable by the assays. For example, a solution containing a nucleic acid encoding an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide can be contacted with a candidate compound to be tested. The solution can comprise, for example, cells containing the nucleic acid or cell lysate containing the nucleic acid; alternatively, the solution can be another solution that comprises elements necessary for transcription/translation of the nucleic acid. Cells not suspended in solution can also be employed, if desired. The level and/or pattern of *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or HDRP(Δ NLS) expression (e.g., the level and/or pattern of mRNA or of protein expressed, such as the level and/or pattern of different variants) is assessed, and is compared with the level and/or pattern of expression in a control (i.e., the level and/or pattern of *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or HDRP(Δ NLS) expression in the absence of the candidate compound, or in the presence of the candidate

compound vehicle only). If the level and/or pattern in the presence of the candidate compound differs, by an amount or in a manner that is statistically significant, from the level and/or pattern in the absence of the candidate compound, or in the presence of the candidate compound vehicle only, then the candidate compound is a
5 compound that alters the expression of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*. Enhancement of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* expression indicates that the candidate compound is an agonist of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* activity. Similarly, inhibition of *HDAC9*,
10 *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* expression indicates that the candidate compound is an antagonist of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* activity. In another embodiment, the level and/or pattern of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide(s) (*e.g.*, different variants) in the presence of the
15 candidate compound to be tested, is compared with a control level and/or pattern that has previously been established. A level and/or pattern in the presence of the candidate compound that differs from the control level and/or pattern by an amount or in a manner that is statistically significant indicates that the candidate compound alters *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*
20 expression.

In another embodiment of the invention, compounds that alter the expression of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid molecule or that otherwise interact with the nucleic acids described herein, can be identified using a cell, cell lysate, or solution containing a nucleic
25 acid encoding the promoter region of the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* gene operably linked to a reporter gene. After contact with a candidate compound to be tested, the level of expression of the reporter gene (*e.g.*, the level of mRNA or of protein expressed) is assessed, and is compared with the level of expression in a control (*i.e.*, the level of the expression
30 of the reporter gene in the absence of the candidate compound, or in the presence of the candidate compound vehicle only). If the level in the presence of the candidate compound differs, by an amount or in a manner that is statistically significant, from

the level in the absence of the candidate compound, or in the presence of the candidate compound vehicle only, then the candidate compound is a compound that alters the expression of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, as indicated by its ability to alter expression of a gene that is

5 operably linked to the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* gene promoter. Enhancement of the expression of the reporter indicates that the compound is an agonist of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* activity. Similarly, inhibition of the expression of the reporter indicates that the compound is an antagonist of *HDAC9*, *HDAC9a*,

10 *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* activity. In another embodiment, the level of expression of the reporter in the presence of the candidate compound to be tested, is compared with a control level that has previously been established. A level in the presence of the candidate compound that differs from the control level by an amount or in a manner that is statistically significant indicates

15 that the candidate compound alters *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* expression.

Compounds that alter the amounts of different variants encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* (e.g., a compound that enhances activity of a first variant, and that inhibits activity of a second variant),

20 as well as compounds that are agonists of activity of a first variant and antagonists of activity of a second variant, can easily be identified using these methods described above.

In other embodiments of the invention, assays can be used to assess the impact of a candidate compound on the activity of a polypeptide in relation to an

25 *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* substrate, for example, an inhibitor of histone deacetylase activity. These inhibitors fall into four general classes: 1) short-chain fatty acids (e.g., 4-phenylbutyrate and valproic acid); 2) hydroxamic acids (e.g., SAHA, Pyroxamide, trichostatin A (TSA), oxamflatin and CHAPs, such as, CHAP1 and CHAP 31); 3) cyclic tetrapeptides

30 (Trapoxin A, Apicidin and Depsipeptide (FK-228, also known as FR9011228); 4) benzamides (e.g., MS-275); and other compounds such as Scriptaid. Examples of such assays and compounds can be found in U.S. Patent Nos. 5,369,108, issued on

November 29, 1994, 5,700,811, issued on December 23, 1997, and 5,773,474, issued on June 30, 1998 to Breslow *et al.*, U.S. Patent Nos. 5,055,608, issued on October 8, 1991, and 5,175,191, issued on December 29, 1992 to Marks *et al.*, as well as, Yoshida *et al.*, *supra*; Saito *et al.*, *supra*; Furamai *et al.*, *supra*; Komatsu *et al.*, *supra*; Su *et al.*, *supra*; Lee *et al.*, *supra* and Suzuki *et al.* *supra*, the entire content of all of which are hereby incorporated by reference.

In one example, a cell or tissue that expresses or contains a compound that interacts with HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) (herein referred to as an "HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) substrate," which can be a polypeptide or other molecule that interacts with HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS)) is contacted with HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) in the presence of a candidate compound, and the ability of the candidate compound to alter the interaction between HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) and the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP (Δ NLS) substrate is determined, for example, by assaying activity of the polypeptide. Alternatively, a cell lysate or a solution containing the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) substrate, can be used. A compound that binds to HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) or the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) substrate can alter the interaction by interfering with, or enhancing the ability of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) to bind to, associate with, or otherwise interact with the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) substrate.

Determining the ability of the candidate compound to bind to HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) or an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) substrate can be accomplished, for example, by coupling the candidate compound with a radioisotope or enzymatic label such that binding of the candidate compound to the polypeptide can be determined by detecting the labeled with ^{125}I , ^{35}S , ^{14}C , or ^3H , either directly or indirectly, and the radioisotope detected by direct counting of

radioemmission or by scintillation counting. Alternatively, candidate compound can be enzymatically labeled with, for example, horseradish peroxidase, alkaline phosphatase, or luciferase, and the enzymatic label detected by determination of conversion of an appropriate substrate to product.

5 It is also within the scope of this invention to determine the ability of a candidate compound to interact with the polypeptide without the labeling of any of the interactants. For example, a microphysiometer can be used to detect the interaction of a candidate compound with HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) or an HDAC9, HDAC9a, HDAC9(Δ NLS),
10 HDAC9a(Δ NLS), or HDRP(Δ NLS) substrate without the labeling of either the candidate compound, HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS), or the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) substrate (McConnell *et al.*, (1992) *Science*, 257: 1906-1912). As used herein, a "microphysiometer" (*e.g.*, CYTOSENSOR™) is an analytical
15 instrument that measures the rate at which a cell acidifies its environment using a light-addressable potentiometric sensor (LAPS). Changes in this acidification rate can be used as an indicator of the interaction between ligand and polypeptide.

In another embodiment of the invention, assays can be used to identify polypeptides that interact with one or more HDAC9, HDAC9a, HDAC9(Δ NLS),
20 HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptides, as described herein. For example, a yeast two-hybrid system such as that described by Fields and Song (Fields and Song, *Nature* 340: 245-246 (1989)) can be used to identify polypeptides that interact with one or more HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptides. In such a yeast two-hybrid system, vectors are
25 constructed based on the flexibility of a transcription factor that has two functional domains (a DNA binding domain and a transcription activation domain). If the two domains are separated but fused to two different proteins that interact with one another, transcriptional activation can be achieved, and transcription of specific markers (*e.g.*, nutritional markers such as His and Ade, or color markers such as
30 lacZ) can be used to identify the presence of interaction and transcriptional activation. For example, in the methods of the invention, a first vector is used that includes a nucleic acid encoding a DNA binding domain and an HDAC9, HDAC9a,

HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, variant, or fragment or derivative thereof, and a second vector is used that includes a nucleic acid encoding a transcription activation domain and a nucleic acid encoding a polypeptide that potentially may interact with the HDAC9, HDAC9a,
5 HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, variant, or fragment or derivative thereof (*e.g.*, an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide substrate or receptor). Incubation of yeast containing the first vector and the second vector under appropriate conditions (*e.g.*, mating conditions such as used in the MATCHMAKER™ system
10 from Clontech) allows identification of colonies that express the markers of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS). These colonies can be examined to identify the polypeptide(s) that interact with the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide or fragment or derivative thereof. Such polypeptides may be useful as
15 compounds that alter the activity or expression of an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, as described above.

In more than one embodiment of the above assay methods of the present invention, it may be desirable to immobilize an HDAC9, HDAC9a,
20 HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, or an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) substrate, or other components of the assay on a solid support, in order to facilitate separation of complexed from uncomplexed forms of one or both of the polypeptides, as well as to accommodate automation of the assay. Binding of a candidate compound to the
25 polypeptide, or interaction of the polypeptide with a substrate in the presence and absence of a candidate compound, can be accomplished in any vessel suitable for containing the reactants. Examples of such vessels include microtitre plates, test tubes, and micro-centrifuge tubes. In one embodiment, a fusion protein (*e.g.*, a glutathione-S-transferase fusion protein) can be provided that adds a domain that
30 allows HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) or an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) substrate to be bound to a matrix or other solid support.

In another embodiment, modulators of expression of nucleic acid molecules of the invention are identified in a method wherein a cell, cell lysate, tissue, tissue lysate, or solution containing a nucleic acid encoding HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) is contacted with a candidate compound and the expression of appropriate mRNA or polypeptide (*e.g.*, variant(s)) in the cell, cell lysate, tissue, or tissue lysate, or solution, is determined. The level of expression of appropriate mRNA or polypeptide(s) in the presence of the candidate compound is compared to the level of expression of mRNA or polypeptide(s) in the absence of the candidate compound, or in the presence of the candidate compound vehicle only. The candidate compound can then be identified as a modulator of expression based on this comparison. For example, when expression of mRNA or polypeptide is greater (statistically significantly greater) in the presence of the candidate compound than in its absence, the candidate compound is identified as a stimulator or enhancer of the mRNA or polypeptide expression. Alternatively, when expression of the mRNA or polypeptide is less (statistically significantly less) in the presence of the candidate compound than in its absence, the candidate compound is identified as an inhibitor of the mRNA or polypeptide expression. The level of mRNA or polypeptide expression in the cells can be determined by methods described herein for detecting mRNA or polypeptide.

This invention further pertains to novel compounds identified by the above-described screening assays. Accordingly, it is within the scope of this invention to further use a compound identified as described herein in an appropriate animal model. For example, a compound identified as described herein (*e.g.*, a candidate compound that is a modulating compound such as an antisense nucleic acid molecule, a specific antibody, or a polypeptide substrate) can be used in an animal model to determine the efficacy, toxicity, or side effects of treatment with such a compound. Alternatively, a compound identified as described herein can be used in an animal model to determine the mechanism of action of such a compound. Furthermore, this invention pertains to uses of novel compounds identified by the above-described screening assays for treatments as described herein. In addition, a compound identified as described herein can be used to alter activity of an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, or to

alter expression of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, by contacting the polypeptide or the nucleic acid molecule (or contacting a cell comprising the polypeptide or the nucleic acid molecule) with the compound identified as described herein.

5

PHARMACEUTICAL COMPOSITIONS

The present invention also pertains to pharmaceutical compositions comprising nucleic acids described herein, particularly nucleotides encoding the polypeptides described herein; comprising polypeptides described herein (*e.g.*, SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO:10, and/or other variants encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*); and/or comprising a compound that alters (*e.g.*, increases or decreases) *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* expression or *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide activity as described herein. For instance, a polypeptide, protein, fragment, fusion protein or prodrug thereof, or a nucleotide or nucleic acid construct (vector) comprising a nucleotide of the present invention, a compound that alters *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide activity, a compound that alters *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid expression, or an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* substrate or binding partner, can be formulated with a physiologically acceptable carrier or excipient to prepare a pharmaceutical composition. The carrier and composition can be sterile. The formulation should suit the mode of administration.

25 Suitable pharmaceutically acceptable carriers include but are not limited to water, salt solutions (*e.g.*, NaCl), saline, buffered saline, alcohols, glycerol, ethanol, gum arabic, vegetable oils, benzyl alcohols, polyethylene glycols, gelatin, carbohydrates such as lactose, amylose or starch, dextrose, magnesium stearate, talc, silicic acid, viscous paraffin, perfume oil, fatty acid esters, hydroxymethylcellulose, polyvinyl pyrrolidone, etc., as well as combinations thereof. The pharmaceutical preparations can, if desired, be mixed with auxiliary agents, *e.g.*, lubricants, preservatives, stabilizers, wetting agents, emulsifiers, salts for influencing osmotic

30

pressure, buffers, coloring, flavoring and/or aromatic substances and the like that do not deleteriously react with the active compounds.

The composition, if desired, can also contain minor amounts of wetting or emulsifying agents, or pH buffering agents. The composition can be a liquid
5 solution, suspension, emulsion, tablet, pill, capsule, sustained release formulation, or powder. The composition can be formulated as a suppository, with traditional binders and carriers such as triglycerides. Oral formulation can include standard carriers such as pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, polyvinyl pyrrolidone, sodium saccharine, cellulose, magnesium carbonate,
10 etc.

Methods of introduction of these compositions include, but are not limited to, intradermal, intramuscular, intraperitoneal, intraocular, intravenous, subcutaneous, topical, oral and intranasal. Other suitable methods of introduction can also include gene therapy (as described below), rechargeable or biodegradable
15 devices, particle acceleration devices ("gene guns") and slow release polymeric devices. The pharmaceutical compositions of this invention can also be administered as part of a combinatorial therapy with other compounds.

The composition can be formulated in accordance with the routine procedures as a pharmaceutical composition adapted for administration to human
20 beings. For example, compositions for intravenous administration typically are solutions in sterile isotonic aqueous buffer. Where necessary, the composition may also include a solubilizing agent and a local anesthetic to ease pain at the site of the injection. Generally, the ingredients are supplied either separately or mixed together in unit dosage form, for example, as a dry lyophilized powder or water free
25 concentrate in a hermetically sealed container such as an ampule or sachette indicating the quantity of active compound. Where the composition is to be administered by infusion, it can be dispensed with an infusion bottle containing sterile pharmaceutical grade water, saline or dextrose/water. Where the composition is administered by injection, an ampule of sterile water for injection or saline can be
30 provided so that the ingredients may be mixed prior to administration.

For topical application, nonsprayable forms, viscous to semi-solid or solid forms comprising a carrier compatible with topical application and having a

dynamic viscosity preferably greater than water, can be employed. Suitable formulations include but are not limited to solutions, suspensions, emulsions, creams, ointments, powders, enemas, lotions, sols, liniments, salves, aerosols, etc., that are, if desired, sterilized or mixed with auxiliary agents, *e.g.*, preservatives, stabilizers, wetting agents, buffers or salts for influencing osmotic pressure, etc. The compound may be incorporated into a cosmetic formulation. For topical application, also suitable are sprayable aerosol preparations wherein the active ingredient, preferably in combination with a solid or liquid inert carrier material, is packaged in a squeeze bottle or in admixture with a pressurized volatile, normally gaseous propellant, *e.g.*, pressurized air.

Compounds described herein can be formulated as neutral or salt forms. Pharmaceutically acceptable salts include those formed with free amino groups such as those derived from hydrochloric, phosphoric, acetic, oxalic, tartaric acids, etc., and those formed with free carboxyl groups such as those derived from sodium, potassium, ammonium, calcium, ferric hydroxides, isopropylamine, triethylamine, 2-ethylamino ethanol, histidine, procaine, etc.

The compounds are administered in a therapeutically effective amount. The amount of compounds that will be therapeutically effective in the treatment of a particular disorder or condition will depend on the nature of the disorder or condition, and can be determined by standard clinical techniques. In addition, *in vitro* or *in vivo* assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the formulation will also depend on the route of administration, and the seriousness of the symptoms of a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, and should be decided according to the judgment of a practitioner and each patient's circumstances. Effective doses may be extrapolated from dose-response curves derived from *in vitro* or animal model test systems.

The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Optionally associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, that notice

reflects approval by the agency of manufacture, use of sale for human administration. The pack or kit can be labeled with information regarding mode of administration, sequence of drug administration (*e.g.*, separately, sequentially or concurrently), or the like. The pack or kit may also include means for reminding the patient to take the therapy. The pack or kit can be a single unit dosage of the combination therapy or it can be a plurality of unit dosages. In particular, the compounds can be separated, mixed together in any combination, present in a single vial or tablet. Compounds assembled in a blister pack or other dispensing means is preferred. For the purpose of this invention, unit dosage is intended to mean a dosage that is dependent on the individual pharmacodynamics of each compound and administered in FDA approved dosages in standard time courses.

METHODS OF THERAPY

The present invention also pertains to methods of treatment (prophylactic, diagnostic, and/or therapeutic) for a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, using an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) therapeutic compound. An "HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) therapeutic compound" is a compound that alters (*e.g.*, enhances or inhibits) HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide activity and/or *HDAC9*, *HDAC9a*, *HDAC9*(Δ NLS), *HDAC9a*(Δ NLS), or *HDRP*(Δ NLS) nucleic acid molecule expression, as described herein (*e.g.*, an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) agonist or antagonist). therapeutic compounds can alter HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide activity or nucleic acid molecule expression by a variety of means, such as, for example, by providing additional HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide or by upregulating the transcription or translation of the *HDAC9*, *HDAC9a*, *HDAC9*(Δ NLS), *HDAC9a*(Δ NLS), or *HDRP*(Δ NLS) nucleic acid molecule; by altering post-translational processing of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide; by altering

transcription of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* variants; or by interfering with *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide activity (e.g., by binding to an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide), or by downregulating the transcription or translation of the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid molecule. Representative *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* therapeutic compounds include the following: nucleic acids or fragments or derivatives thereof described herein, particularly nucleotides encoding the polypeptides described herein and vectors comprising such nucleic acids (e.g., a nucleic acid molecule, cDNA, and/or RNA, such as a nucleic acid encoding an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide or active fragment or derivative thereof, or an oligonucleotide; for example, SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9, which may optionally comprise at least one polymorphism, or a nucleic acid encoding SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, SEQ ID NO: 10, or fragments or derivatives thereof); polypeptides described herein (e.g., SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8 SEQ ID NO: 10 and/or other variants encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, or fragments or derivatives thereof); *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* substrates; peptidomimetics; fusion proteins or prodrugs thereof; antibodies (e.g., an antibody to a mutant *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide, or an antibody to a non-mutant *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide, or an antibody to a particular variant encoded by *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*, as described above); ribozymes; other small molecules; and other compounds that alter (e.g., enhance or inhibit) *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid expression or polypeptide activity, for example, those compounds identified in the screening methods described herein, or that regulate transcription of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* variants (e.g.,

compounds that affect which variants are expressed, or that affect the amount of each variant that is expressed. More than one HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) therapeutic compound can be used concurrently, if desired.

5 The HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) therapeutic compound that is a nucleic acid is used in the treatment of a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. The term, "treatment" as used herein, refers not only to ameliorating symptoms associated with the disease, but also preventing or delaying the onset of the disease,
10 and also lessening the severity or frequency of symptoms of the disease. The therapy is designed to alter (*e.g.*, inhibit or enhance), replace or supplement activity of an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide in an individual. For example, an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) therapeutic compound can be administered in
15 order to upregulate or increase the expression or availability of the *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)* nucleic acid molecule or of specific variants of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS), or, conversely, to downregulate or decrease the expression or availability of the *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or
20 *HDRP(Δ NLS)* nucleic acid molecule or specific variants of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS). Upregulation or increasing expression or availability of a native *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)* nucleic acid molecule or of a particular variant could interfere with or compensate for the expression or activity of a defective gene
25 or another variant; downregulation or decreasing expression or availability of a native *HDAC9*, *HDAC9a*, *HDAC9(Δ NLS)*, *HDAC9a(Δ NLS)*, or *HDRP(Δ NLS)* nucleic acid molecule or of a particular variant could minimize the expression or activity of a defective gene or the particular variant and thereby minimize the impact of the defective gene or the particular variant.

30 The HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) therapeutic compound(s) are administered in a therapeutically effective amount (*i.e.*, an amount that is sufficient to treat the disease, such as by

ameliorating symptoms associated with the disease, preventing or delaying the onset of the disease, and/or also lessening the severity or frequency of symptoms of the disease). The amount that will be therapeutically effective in the treatment of a particular individual's disorder or condition will depend on the symptoms and severity of the disease, and can be determined by standard clinical techniques. In addition, *in vitro* or *in vivo* assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the formulation will also depend on the route of administration, and the seriousness of the disease or disorder, and should be decided according to the judgment of a practitioner and each patient's circumstances. Effective doses may be extrapolated from dose-response curves derived from *in vitro* or animal model test systems.

In one embodiment, a nucleic acid of the invention (*e.g.*, a nucleic acid encoding an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, such as SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9, which may optionally comprise at least one polymorphism, or a nucleic acid that encodes an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide or a variant, derivative or fragment thereof, such as a nucleic acid encoding the protein of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10) can be used, either alone or in a pharmaceutical composition as described above. For example, HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) or a cDNA encoding an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, either by itself or included within a vector, can be introduced into cells (either *in vitro* or *in vivo*) such that the cells produce native HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide. If desired, cells that have been transformed with the gene or cDNA or a vector comprising the gene or cDNA can be introduced (or re-introduced) into an individual affected with the disease. Thus, cells that, in nature, lack native HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) expression and activity, or have mutant HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) expression and activity, or have expression of a disease-associated HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) variant,

can be engineered to express an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide or an active fragment of an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide (or a different variant of an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide). In a preferred embodiment, nucleic acid encoding the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide, or an active fragment or derivative thereof, can be introduced into an expression vector, such as a viral vector, and the vector can be introduced into appropriate cells in an animal. Other gene transfer systems, including viral and nonviral transfer systems, can be used. Alternatively, nonviral gene transfer methods, such as calcium phosphate coprecipitation, mechanical techniques (*e.g.*, microinjection); membrane fusion-mediated transfer via liposomes; or direct DNA uptake, can also be used to introduce the desired nucleic acid molecule into a cell.

Alternatively, in another embodiment of the invention, a nucleic acid of the invention; a nucleic acid complementary to a nucleic acid of the invention; or a portion of such a nucleic acid (*e.g.*, an oligonucleotide as described below), can be used in "antisense" therapy, in which a nucleic acid (*e.g.*, an oligonucleotide) that specifically hybridizes to the RNA and/or genomic DNA of HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) is administered or generated *in situ*. The antisense nucleic acid that specifically hybridizes to the RNA and/or DNA inhibits expression of the HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) nucleic acid molecule, *e.g.*, by inhibiting translation and/or transcription. Binding of the antisense nucleic acid can be by conventional base pair complementarity, or, for example, in the case of binding to DNA duplexes, through specific interaction in the major groove of the double helix.

An antisense construct of the present invention can be delivered, for example, as an expression plasmid as described above. When the plasmid is transcribed in the cell, it produces RNA that is complementary to a portion of the mRNA and/or DNA that encodes an HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide. Alternatively, the antisense construct can be an oligonucleotide probe which is generated *ex vivo* and introduced

into cells; it then inhibits expression by hybridizing with the mRNA and/or genomic DNA of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*. In one embodiment, the oligonucleotide probes are modified oligonucleotides that are resistant to endogenous nucleases, *e.g.* exonucleases and/or endonucleases, thereby rendering them stable *in vivo*. Exemplary nucleic acid molecules for use as antisense oligonucleotides are phosphoramidate, phosphothioate and methylphosphonate analogs of DNA (see also U.S. Patent Nos. 5,176,996; 5,264,564; and 5,256,775). Additionally, general approaches to constructing oligomers useful in antisense therapy are also described, for example, by Van der Krol *et al.*, *Biotechniques* 6: 958-976 (1988); and Stein *et al.*, *Cancer Res* 48: 2659-2668 (1988). With respect to antisense DNA, oligodeoxyribonucleotides derived from the translation initiation site, *e.g.* between the -10 and +10 regions of an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid sequence, are preferred.

To perform antisense therapy, oligonucleotides (RNA, cDNA or DNA) are designed that are complementary to mRNA encoding an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* polypeptide. The antisense oligonucleotides bind to *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* mRNA transcripts and prevent translation. Absolute complementarity, although preferred, is not required. A sequence "complementary" to a portion of an RNA, as referred to herein, indicates that a sequence has sufficient complementarity to be able to hybridize with the RNA, forming a stable duplex; in the case of double-stranded antisense nucleic acids, a single strand of the duplex DNA may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid, as described in detail above. Generally, the longer the hybridizing nucleic acid, the more base mismatches with an RNA it may contain and still form a stable duplex (or triplex, as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures.

The oligonucleotides used in antisense therapy can be DNA, RNA, or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The oligonucleotides can be modified at the base moiety, sugar

moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. The oligonucleotides can include other appended groups such as peptides (*e.g.* for targeting host cell receptors *in vivo*), or compounds facilitating transport across the cell membrane (see, *e.g.*, Letsinger *et al.*, Proc. Natl. Acad. Sci. USA 86: 6553-6556 (1989); Lemaitre *et al.*, Proc. Natl. Acad. Sci. USA 84: 648-652 (1987); PCT International Publication No. W088/09810)) or the blood-brain barrier (see, *e.g.*, PCT International Publication No. W089/10134), or hybridization-triggered cleavage agents (see, *e.g.*, Krol *et al.*, BioTechniques 6: 958-976 (1988)) or intercalating agents. (See, *e.g.*, Zon, Pharm. Res. 5: 539-549 (1988)). To this end, the oligonucleotide may be conjugated to another molecule (*e.g.*, a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent).

The antisense molecules are delivered to cells that express *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* *in vivo*. A number of methods can be used for delivering antisense DNA or RNA to cells; *e.g.*, antisense molecules can be injected directly into the tissue site, or modified antisense molecules, designed to target the desired cells (*e.g.*, antisense linked to peptides or antibodies that specifically bind receptors or antigens expressed on the target cell surface) can be administered systematically. Alternatively, in a preferred embodiment, a recombinant DNA construct is utilized in which the antisense oligonucleotide is placed under the control of a strong promoter (*e.g.*, pol III or pol II). The use of such a construct to transfect target cells in the patient results in the transcription of sufficient amounts of single stranded RNAs that will form complementary base pairs with the endogenous *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* transcripts and thereby prevent translation of the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* mRNA. For example, a vector can be introduced *in vivo* such that it is taken up by a cell and directs the transcription of an antisense RNA. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art and described above. For example, a plasmid, cosmid, YAC, or viral vector can be used to prepare the recombinant DNA

construct that can be introduced directly into the tissue site. Alternatively, viral vectors can be used that selectively infect the desired tissue, in which case administration may be accomplished by another route (e.g., systemically).

Endogenous *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or
5 *HDRP(ΔNLS)* expression can also be reduced by inactivating or “knocking out”
HDAC9, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* nucleic acid
sequences or their promoters using targeted homologous recombination (e.g., see
Smithies *et al.*, Nature 317: 230-234 (1985); Thomas and Capecchi, Cell 51:
503-512 (1987); Thompson *et al.*, Cell 5: 313-321 (1989)). For example, a mutant,
10 non-functional *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or
HDRP(ΔNLS) (or a completely unrelated DNA sequence) flanked by DNA
homologous to the endogenous *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*,
HDAC9a(ΔNLS), or *HDRP(ΔNLS)* (either the coding regions or regulatory regions
of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*) can be
15 used, with or without a selectable marker and/or a negative selectable marker, to
transfect cells that express *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or
HDRP(ΔNLS) *in vivo*. Insertion of the DNA construct, via targeted homologous
recombination, results in inactivation of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*,
HDAC9a(ΔNLS), or *HDRP(ΔNLS)*. The recombinant DNA constructs can be
20 directly administered or targeted to the required site *in vivo* using appropriate
vectors, as described above. Alternatively, expression of non-mutant *HDAC9*,
HDAC9a, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* can be increased
using a similar method: Targeted homologous recombination can be used to insert a
DNA construct comprising a non-mutant, functional *HDAC9*, *HDAC9a*,
25 *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* (e.g., a gene having SEQ ID
NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9, which
may optionally comprise at least one polymorphism), or a portion thereof, in place
of a mutant *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)*
in the cell, as described above. In another embodiment, targeted homologous
30 recombination can be used to insert a DNA construct comprising a nucleic acid that
encodes an *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or
HDRP(ΔNLS) polypeptide variant that differs from that present in the cell.

Alternatively, endogenous *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*,
HDAC9a(ΔNLS), or *HDRP(ΔNLS)* expression can be reduced by targeting
deoxyribonucleotide sequences complementary to the regulatory region of *HDAC9*,
HDAC9a, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* (*i.e.*, the *HDAC9*,
5 *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* promoter and/or
enhancers) to form triple helical structures that prevent transcription of *HDAC9*,
HDAC9a, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* in target cells in the
body. (See generally, Helene *Anticancer Drug Des.*, 6(6): 569-84 (1991); Helene *et al.*,
Ann. N.Y. Acad. Sci., 660: 27-36 (1992); and Maher, *Bioassays* 14(12): 807-15
10 (1992)). Likewise, the antisense constructs described herein, by antagonizing the
normal biological activity of one of the *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*,
HDAC9a(ΔNLS), or *HDRP(ΔNLS)* proteins, can be used in the manipulation of
tissue, *e.g.*, tissue differentiation, both *in vivo* and for *ex vivo* tissue cultures.
Furthermore, the antisense techniques (*e.g.*, microinjection of antisense molecules,
15 or transfection with plasmids whose transcripts are anti-sense with regard to an
HDAC9, *HDAC9a*, *HDAC9(ΔNLS)*, *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* mRNA or
gene sequence) can be used to investigate role of *HDAC9*, *HDAC9a*,
HDAC9(ΔNLS), *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* in developmental events, as
well as the normal cellular function of *HDAC9*, *HDAC9a*, *HDAC9(ΔNLS)*,
20 *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* in adult tissue. Such techniques can be utilized
in cell culture, but can also be used in the creation of transgenic animals.

In yet another embodiment of the invention, other *HDAC9*, *HDAC9a*,
HDAC9(ΔNLS), *HDAC9a(ΔNLS)*, or *HDRP(ΔNLS)* therapeutic compounds as
described herein can also be used in the treatment or prevention of a cell
25 proliferation disease, an apoptotic disease, or a cell differentiation disease. The
therapeutic compounds can be delivered in a composition, as described above, or by
themselves. They can be administered systemically, or can be targeted to a
particular tissue. The therapeutic compounds can be produced by a variety of
means, including chemical synthesis; recombinant production; *in vivo* production
30 (*e.g.*, a transgenic animal, such as U.S. Patent No. 4,873,316 to Meade *et al.*), for
example, and can be isolated using standard means such as those described herein.

A combination of any of the above methods of treatment (e.g., administration of non-mutant HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptide in conjunction with antisense therapy targeting mutant *HDAC9*, *HDAC9a*, *HDAC9*(Δ NLS), *HDAC9a*(Δ NLS), or
5 *HDRP*(Δ NLS) mRNA; administration of a first variant encoded by *HDAC9*, *HDAC9a*, *HDAC9*(Δ NLS), *HDAC9a*(Δ NLS), or *HDRP*(Δ NLS) in conjunction with antisense therapy targeting a second encoded by *HDAC9*, *HDAC9a*, *HDAC9*(Δ NLS), *HDAC9a*(Δ NLS), or *HDRP*(Δ NLS), can also be used.

In another embodiment, the invention is directed to *HDAC9*, *HDAC9a*,
10 *HDAC9*(Δ NLS), *HDAC9a*(Δ NLS), or *HDRP*(Δ NLS) nucleic acid molecules and HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptides for use as a medicament in therapy. For example, the nucleic acid molecules or polypeptides of the present invention can be used in the treatment of a cell proliferation disease, an apoptotic disease, or a cell differentiation disease. In
15 addition, the *HDAC9*, *HDAC9a*, *HDAC9*(Δ NLS), *HDAC9a*(Δ NLS), or *HDRP*(Δ NLS) nucleic acid molecules and HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), or HDRP(Δ NLS) polypeptides described herein can be used in the manufacture of a medicament for the treatment of a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.

20 The invention will be further described by the following non-limiting examples. The teachings of all publications cited herein are incorporated herein by reference in their entirety.

EXEMPLIFICATION

25 *Cloning of cDNA encodes a novel HDAC, designated HDAC9*

HDAC9 was cloned by PCR and 3' rapid amplification of cDNA ends using primers designed from the sequence of human chromosome 7 whose translated product exhibited 80% identity to the HDAC domain of HDAC4, described in detail as follows.

30 Database analyses indicate that *HDRP* is located on chromosome 7 (7p15-p21). The human genome database (February 2001 release) of GenBank was searched using the human HDAC4 amino acid sequence. The TBLASTN program

was used to identify open reading frames downstream of *HDRP* on chromosome 7 that exhibit significant homology to the HDAC domain of HDAC4. Several fragments whose translated products exhibit over 58% identity were retrieved. Two sense primers (OL486, 5'-CCATGGAAACGGTACCCAGCAGGC-3' (SEQ ID NO: 16) and OL487, 5'-CACTCCATCGCTATGATGAAGGG-3' (SEQ ID NO: 17)) and antisense primers (OL484, 5'-AGTTCCTTCATCATAGCGATGG-3' (SEQ ID NO: 18) and OL485, 5'-AATGTACAGGATGCTGGGGT-3' (SEQ ID NO: 19)) each were designed based upon one of these fragments whose translated products matched amino acids 842-873 of HDAC4. RT-PCR was performed using each of the antisense primers and a sense primer (5'-CCCTTG TAGCTGGTGGAGTTCCCTT-3' (SEQ ID NO: 20)) from the coding region of *HDRP* and human brain cDNA as a template. PCR was performed in a Biometra TGRADIENT Thermocycler for 30 cycles at 95°C for 20 seconds, 60°C for 20 seconds, and 72°C for 120 seconds.

3'-rapid amplification of cDNA ends was performed using the sense primer OL486 and adaptor primer 1 (Clontech), and marathon-ready cDNA from human brain (Clontech, Palo Alto, CA) according to the manufacturer's instruction. The products were re-amplified using nested sense primer OL487 and adaptor primer 2 (Clontech, Palo Alto, CA). PCR products were cloned into pGEM-T-easy vector (Promega, Madison, WI) and sequenced using an automated DNA sequencer at the DNA Sequencing Core Facility of the Memorial Sloan-Kettering Cancer Center, using DNA sequencing methods known to one of skill in the art.

Two cDNAs were cloned from the above-described methods. One cDNA (SEQ ID NO:1) encodes an HDAC9 protein that is 1011 amino acids in length. The other cDNA (SEQ ID NO: 3) encodes an HDAC9a protein that is 879 amino acids long. The cDNA sequence and amino sequence of *HDAC9* and *HDAC9a* are shown in FIGS. 1A-1G and FIGS. 2A-2B, respectively. Database analyses of these cDNAs against human genomic DNA sequences indicated that these two cDNAs are generated by alternatively splicing. An alignment of HDAC9, HDAC9a, *HDRP*, and HDAC4 is shown in FIGS. 3A-3C.

Each of the HDAC9 and HDAC9a nucleic acid sequences were cloned into the pFLAG-CMV-5b vector (Sigma) in frame with the C-terminal FLAG tag. Only

the coding regions plus three extra base pairs (ACC) of cDNA of the HDAC9 and HDAC9a nucleic acid sequences were included in the constructs. These constructs are referred to herein as HDAC9-FLAG and HDAC9a-FLAG, respectively. These constructs are contained in *E. coli*, and can readily be expressed. For HDAC9, the
5 insert is 3033 bp and for HDAC9a, the insert size is 2637 bp. Both HDAC9 and HDAC9a can be released with EcoRV and BamHI (whose sites have been incorporated in the primers to obtain HDAC9 and HDAC9a coding cDNA for cloning purpose) restriction enzyme digestion.

The *HDAC9* cDNA sequences from the known 5'-end of *HDRP* cDNA to the
10 3'-untranslated region cloned in this study cover over 511 kb of genomic DNA on chromosome 7. As shown in FIG. 4, the coding region cDNA of *HDAC9* resides in 23 exons spanning 458 kb of genomic sequence. Exons 21, 22, and 23 are one single exon in HDAC9a, but the middle exon that is numbered exon 22 in FIG. 4, containing an in-frame stop codon, is spliced out in HDAC9. In addition, exons 12
15 and 13 are a single exon used by HDRP. Exon 13 is spliced as part of an intron in HDAC9 and HDAC9a.

Further analysis revealed that exon 7, which contains a nuclear localization signal (NLS) is alternatively spliced in an HDRP isoform, creating HDRP(Δ NLS). RT-PCR analyses using primers based on sequences from exon 6 and exon 14
20 indicate that this alternative splicing event also occurs in *HDAC9* and/or *HDAC9a*. Thus, it is possible that at least 6 proteins can be generated from a single *HDAC9* gene by alternatively splicing of its RNA. The cDNA sequences and amino acid sequences for HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), and HDRP(Δ NLS) are shown in FIGS. 1A-1O and 2A-2E, respectively.

25

HDAC9 mRNA is differentially expressed among human tissues

The expression of *HDAC9* mRNA was determined by Northern blot analysis using a human multiple tissue Northern blot (Clontech, Palo Alto, CA). Hybridization was performed according to the manufacturer's instruction using
30 ExPressHyb solution (Clontech, Palo Alto, CA). The ³²P-random priming labeled 3'-untranslated region common to both *HDAC9* and *HDAC9a* that shares no significant sequence homology with *HDRP* was used as a probe. Two transcripts at

9.8 and 4.1 kb were detected in all tissues examined (FIG. 6A). The 4.1 kb transcript is shorter than the 4.4 kb *HDRP* transcript (See Zhou, *et al.*, Proc. Natl. Acad. Sci. USA, 97:1056-1061 (2000)). A third transcript at 1.2 kb was detected in placenta (FIG. 6A). Similar to *HDRP* (See Zhou, X., *et al.*, Proc. Natl. Acad. Sci. USA, 97:1056-1061 (2000)), high levels of *HDAC9* transcripts were detected in brain and skeletal muscle (FIG. 6A).

The distribution of alternatively spliced mRNA variants among tissues was examined by RT-PCR using primers (OL516 5'-TGTGTCATCGAGCTGGCTTC-3' (SEQ ID NO: 21) and OL517 5'-ATCTTCTGCAAGTGGCTCCA-3' (SEQ ID NO: 22)) spanning the alternatively spliced exon 22 and cDNA panel from the same tissues as the multiple tissue Northern blot. PCR was performed in a Biometra TGRADIENT Thermocycler for 30 cycles at 95°C for 20 seconds, 60°C for 20 seconds, and 72°C for 60 seconds. The expected sizes of PCR products were 680 base pairs for *HDAC9* and 993 base pairs for *HDAC9a*. The ratio of *HDAC9* and *HDAC9a* transcripts differed among tissues (FIG. 6B). In the placenta and kidney, the levels of the two transcripts were about the same (FIG. 6B). In the brain, heart, and pancreas, there were more transcripts of *HDAC9* than *HDAC9a*. In the other tissues examined, there were more *HDAC9a* transcripts than *HDAC9* transcripts (FIG. 6B). Under the conditions tested, *HDAC9* transcripts were undetectable in liver (FIG. 6B). The lung had an *HDAC9* product that was larger than expected and abundant. The lung also had low levels of *HDAC9* transcripts and *HDAC9a* transcripts (FIG. 6B). An additional PCR product was also amplified from cDNA of the pancreas; this product was than the expected products from *HDAC9* and *HDAC9a* (FIG. 6B). The identity of the different sized transcripts is unknown.

25

HDAC9 and HDAC9a possess histone deacetylase activity

HDAC9 was named based on sequence homology to *HDAC4* (FIGS. 3A-3C). To determine whether *HDAC9* and *HDAC9a* possess HDAC activity, an HDAC enzymatic assay was performed using anti-FLAG immunoprecipitated *HDAC9*-FLAG and *HDAC9a*-FLAG.

30

C-terminal FLAG-tagged *HDAC9* (*HDAC9*-FLAG) and *HDAC9a* (*HDAC9a*-FLAG) expression vectors were constructed using the pFLAG-CMV-5b

vector (Sigma) and PCR amplified coding regions of HDAC9 and HDAC9a in frame with the FLAG-tag to form pFLAG-CMV-5b-HDAC9 (plasmid VR1) and pFLAG-CMV-5b-HDAC9a (plasmid VR2). All constructs were confirmed by DNA sequencing.

- 5 Transfection of human kidney 293T cells, immunoprecipitation using anti-FLAG M2 Agarose (Sigma), Western blot analyses and dual luciferase assays were performed essentially as previously described by Zhou *et al.* (Proc. Natl. Acad. Sci. USA, 97:1056-1061 (2000)). Briefly, the cells (American Type Culture Collection) were cultured in DME HG medium (GIBCO/BRL) supplemented with 10%
10 (vol/vol) FBS at 37 °C in a 5% CO₂ atmosphere. Transient transfection was performed by using Lipofectamine (GIBCO/BRL) or Fugene 6 (Roche Molecular Biochemicals) according to the manufacturers' instructions. Cells were harvested 24 to 48 hours after transfection and lysed in IP lysis buffer (50 mM Tris-HCl, pH 7.5/120 mM NaCl/5 mM EDTA/0.5% NP-40) at 5 x 10⁷ cells per ml.
15 Immunoprecipitation with anti-FLAG M2-agarose (Sigma, St. Louis, MO) was performed according to the manufacturer's instructions. Immunoprecipitated proteins were released from the agarose beads by using FLAG-peptide and either used directly for HDAC enzymatic activity assays or resolved on SDS/PAGE for Western blot analyses. Anti-FLAG antibody was purchased from Sigma (St. Louis,
20 MO). Western blot analyses were performed using standard methods.

- HDAC9 and HDAC9a enzymatic activity were assessed with the HDAC Fluorescent Activity Assay/Drug Discovery Kit-AK-500 (BIOMOL Research Laboratories) using a FLUOR DE LYSTM that contains an acetylated lysine side chain as a substrate and immunoprecipitated HDAC9-FLAG and HDAC9a-FLAG
25 polypeptides according to the manufacturer's instruction and a SPECTRAMax[®] GEMINI XS microplate spectrofluorometer using the SOFTmax[®] PRO system (Molecular Devices) at excitation 355 nm and emission 460 nm with a cut off filter of 455 nm. Briefly, HDAC9-FLAG and HDAC9a-FLAG were incubated with the substrate overnight at room temperature in a 96-well plate. The reaction was
30 stopped by addition of Fluor De LysTM Developer and samples were read with the fluorometer.

As shown in FIG. 7, both HDAC9-FLAG and HDAC9a-FLAG deacetylated the acetylated lysine of FLUOR DE LYSTM and the activity of HDAC9 and HDAC9a was comparable. To examine the activity of HDAC9 and HDAC9a, inhibition studies using TSA were carried out by preincubating HDAC9-FLAG and HDAC9a-FLAG with TSA for 15 minutes at room temperature. The assay was then carried out as stated above. As shown in FIG. 7, TSA inhibited HDAC9 and HDAC9a deacetylase activity. The inset gel in FIG. 7 shows the amount of protein used in the assay. SAHA, a potent HDAC inhibitor (Richon *et al.*, Proc. Natl. Acad. Sci. USA, 95:3003-3007 (1998)) also completely inhibited the histone deacetylase activity of HDAC9-FLAG and HDAC9a-FLAG. The HDAC activity of HDAC9 and HDAC9a was about ten times lower than the deacetylase activity of HDAC4 when comparable amount of protein was used under conditions tested here.

HDAC9 and HDAC9a enzymatic activity was also determined through HDAC enzymatic assays using ³H-histones isolated from murine erythroleukemia cells as a substrate. This assay was performed essentially as described by Richon *et al.* (Proc. Natl. Acad. Sci. USA, 95:3003-3007 (1998)). Briefly, HDAC9-FLAG and HDAC9a-FLAG were incubated with ³H-histones overnight at 37°C. The reaction was stopped by the addition of 1M HCl/0.1 acetic acid. Released ³H-acetic acid was extracted with ethyl acetate and quantified by scintillation counting. For inhibition studies, the immunoprecipitated complexes were preincubated with the different HDAC inhibitors for 30 minutes at 4°C.

As shown in FIG. 8, HDAC9a-FLAG deacetylated ³H-acetyl-histones. SAHA, a potent HDAC inhibitor also completely inhibited the histone deacetylase activity of HDAC9a-FLAG. TSA also inhibited HDAC9a deacetylase activity. Similar results were obtained when HDAC9 was used as the enzyme source.

HDAC9 and HDAC9a repress MEF2-mediated transcription

The *Xenopus* homolog of HDRP, MITR, was identified as a MEF2 interacting transcriptional repressor (Sparrow *et al.*, EMBO J. 18:5085-5098(1999)) and mouse HDRP also interacts with and represses MEF2 mediated transcription (Zhang *et al.*, J. Biol. Chem. 276:35-39 (2001)). We first tested whether HDAC9-FLAG and HDAC9a-FLAG interact with MEF2. 293 cells were transfected with

vector, HDAC9-FLAG, or HDAC9a-FLAG. The cells were subsequently lysed and HDAC9-FLAG and HDAC9a-FLAG proteins were immunoprecipitated with anti-FLAG antibodies. Western blot analysis of the immunoprecipitated proteins was carried out, using anti-MEF-2 antibody to probe the blot. As shown in FIG. 9A,
5 both HDAC9 and HDAC9a interacted with MEF2 in 293T cells.

It was then determined whether HDAC9 and HDAC9a repress MEF2-mediated transcription. This determination was carried out as follows. The p3XMEF2-luciferase reporter gene (100 ng) and the vector pRL-TK (Promega) (5 ng) were co-transfected into 293T cells in the absence (pcDNA3 empty vector) or
10 presence of MEF2C (100 ng of pCMV-MEF2C). HDAC9-F (1 ng, 10 ng, or 100 ng of pFLAG-HDAC9; pFLAG-HDAC9 and HDAC9-FLAG are different constructs, with the FLAG sequence located at opposite ends of the HDAC9 nucleotide, but are functionally equivalent) or HDAC9a-F (1 ng, 10 ng, or 100 ng of pFLAG-HDAC9a;
15 pFLAG-HDAC9a and HDAC9a-FLAG are different constructs, with the FLAG sequence located at opposite ends of the HDAC9a nucleotide, but are functionally equivalent) was included in a subset of experimental groups with the MEF2C vector. pFLAG empty vector was used to adjust the DNA to an equal amount in each transfection. The cells were harvested 24 to 36 hours after transfection and the luciferase activities were measured using the Dual-Luciferase™ Reporter Assay
20 System from Promega according to the manufacturer's instruction. The firefly luciferase activity was first normalized to the co-transfected Renilla luciferase activity (encoded by the pRL-TK vector), and the luciferase activity value for cells transfected with MEF2C alone was set at 1. MEF2C activated transcription over 30 times the basal level of transcription. As shown in FIG. 9B, HDAC9-FLAG and
25 HDAC9a-FLAG repressed MEF2C mediated transcriptional activation in a dose-dependent manner and completely abolished the activation at the 100 ng dose for both HDAC9 and HDAC9a. The transcriptional repression effect of HDAC9 and HDAC9a on MEF2C mediated transcription was a specific effect since a co-transfected reporter gene for transfection efficiency containing a TK promoter was
30 not repressed by HDAC9 or HDAC9a.

Described herein is the identification and characterization of a new class II HDAC, designated HDAC9. HDAC9 has several alternatively spliced isoforms,

one of which is the previously identified HDRP (Zhou *et al.*, Proc. Natl. Acad. Sci. USA 97:1056-1061 (2000)). HDAC9 and HDAC9a possess HDAC activity, which appears to have a lower specific enzymatic activity than HDAC4. While not wishing to be bound by any particular theory, it is possible that an essential co-factor
5 is lost during immunoprecipitation or does not exist in 293T cells (for example, metastasis-associated protein 2 is essential for the assembly of a catalytically active HDAC1 (Zhang *et al.*, Genes Dev. 13:1924-1935 (1999)), the substrates used are not its natural substrate, or the FLAG tag which interferes with the folding of the protein.

10 Searching the human genome with the HDAC domain from either HDAC1 or HDAC9 identified a total of 10 HDACs in the presently completed human genome sequence, a number of which are schematically represented in FIG. 10. HDACs 1, 2, 3, 8, 4, 5, 6, 7, 9, and 9a all have HDAC domains. HDRP, which is also schematically depicted in FIG. 10, does not have a catalytic domain.

15 All references described herein are incorporated by reference in their entirety. While this invention has been particularly shown and described with reference to preferred embodiment thereof, it will be understood by those skilled in the art that various changes in form and details may be made therein without departing from the spirit and scope of the invention as defined by the appended
20 claims.

CLAIMS

What is claimed is:

- 5
1. An isolated or recombinant histone deacetylase polypeptide, said polypeptide selected from:
- 10
- a) an isolated or recombinant polypeptide comprising SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10; and
- b) an isolated or recombinant polypeptide having at least 60% sequence identity with any one of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10.
- 15
2. The isolated or recombinant histone deacetylase polypeptide of Claim 1, said polypeptide selected from:
- a) a polypeptide consisting of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10.
- 20
3. The isolated or recombinant histone deacetylase polypeptide of Claim 1, wherein said polypeptide is human.
4. An isolated nucleic acid molecule selected from the group:
- 25
- a) an isolated nucleic acid comprising SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9;
- b) a complement of an isolated nucleic acid comprising SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, or SEQ ID NO: 9
- c) an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or
- 30
- SEQ ID NO: 10;

- d) a complement of an isolated nucleic acid encoding a histone deacetylase polypeptide of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, SEQ ID NO: 8, or SEQ ID NO: 10;
- e) a nucleic acid that is hybridizable under high stringency conditions to a nucleic acid molecule that encodes any of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, or SEQ ID NO: 8, or a complement thereof; or
- f) a nucleic acid molecule that is hybridizable under high stringency conditions to a nucleic acid comprising SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, or SEQ ID NO: 7; and
- g) an isolated nucleic acid molecule that has at least 55% sequence identity with any one of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, SEQ ID NO: 9, or a complement thereof.
- 5
- 10
- 15 5. The isolated nucleic acid molecule of Claim 4, said nucleic acid molecule consisting of the nucleic acid molecule selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, and SEQ ID NO: 9.
- 20 6. The isolated nucleic acid molecule of Claim 4, wherein said nucleic acid molecule is human.
7. A vector comprising the isolated nucleic acid molecule of Claim 4.
- 25 8. A cell comprising the vector of Claim 7.
9. A cell comprising the isolated nucleic acid molecule of Claim 4.
10. A purified antibody that selectively binds a polypeptide of Claim 1.
- 30 11. A method of identifying a compound that modulates expression of a nucleic acid molecule of Claim 4, said method comprising the steps of:

- a) contacting said nucleic acid molecule with a candidate compound under conditions suitable for expression; and
- b) assessing the level of expression of said nucleic acid molecule, wherein a candidate compound that increases or decreases expression of said nucleic acid molecule relative to a control is a compound that modulates expression of said nucleic acid molecule.
- 5
12. The method of Claim 11, wherein said method is carried out in a cell or animal.
- 10
13. The method of Claim 11, wherein said method is carried out in a cell free system.
14. A method of identifying a compound that modulates the enzymatic activity of the polypeptide of Claim 1, said method comprising the steps of:
- 15
- a) contacting said polypeptide with a candidate compound under conditions suitable for enzymatic reaction; and
- b) assessing the enzymatic activity level of said polypeptide, wherein a candidate compound that increases or decreases the enzymatic activity level of said polypeptide relative to a control is a compound that modulates the enzymatic activity of said polypeptide.
- 20
15. The method of Claim 14, wherein said method is carried out in a cell or animal.
- 25
16. The method of Claim 14, wherein said method is carried out in a cell free system.
17. The method of Claim 14, wherein said polypeptide is further contacted with a substrate for the polypeptide, and wherein said substrate is selected from the group consisting of a cell proliferation disease binding agent, an
- 30

apoptotic disease binding agent, and a cell differentiation disease binding agent.

18. The method of Claim 17, wherein said candidate compound is an inhibitor.
5
19. The method of Claim 17, wherein said candidate compound is an activator.
20. A method of identifying a compound that modulates the transcriptional repression activity of the polypeptide of Claim 1, said method comprising
10 the steps of:
- a) contacting said polypeptide with a candidate compound under conditions suitable for a transcriptional repression reaction; and
 - b) assessing the transcriptional repression activity level of said polypeptide,
15 wherein a candidate compound that increases or decreases the transcriptional repression activity level of said polypeptide relative to a control is a compound that modulates the transcriptional repression activity of said polypeptide.
- 20 21. The method of Claim 20, wherein said method is carried out in a cell or animal.
22. The method of Claim 20, wherein said method is carried out in a cell free
25 system.
23. The method of Claim 20, wherein said polypeptide is further contacted with a substrate for the polypeptide, and wherein said substrate is selected from the group consisting of a cell proliferation disease binding agent, an
30 apoptotic disease binding agent, and a cell differentiation disease binding agent.
24. The method of Claim 23, wherein said candidate compound is an inhibitor.

25. The method of Claim 23, wherein said candidate compound is an activator.
26. A method of identifying a compound that modulates expression of a nucleic acid molecule of Claim 4, said method comprising the steps of:
- 5 a) providing a nucleic acid molecule comprising a promoter region of said nucleic acid of Claim 4 or part of a promoter region of said nucleic acid of Claim 4 operably linked to a reporter gene;
- b) contacting said nucleic acid molecule or with a candidate compound; and
- 10 c) assessing the level of said reporter gene, wherein a candidate compound that increases or decreases expression of said reporter gene relative to a control is a compound that modulates expression of said nucleic acid molecule of Claim 4.
- 15 27. The method of Claim 26, wherein said method is carried out in a cell.
28. A method of identifying a polypeptide that interacts with a polypeptide of Claim 1 in a yeast two-hybrid system, said method comprising the steps of:
- 20 a) providing a first nucleic acid vector comprising a nucleic acid molecule encoding a DNA binding domain and said polypeptide of Claim 1;
- b) providing a second nucleic acid vector comprising a nucleic acid encoding a transcription activation domain and a nucleic acid encoding a test polypeptide;
- 25 c) contacting said first nucleic acid vector with said second nucleic acid vector in a yeast two-hybrid system; and
- d) assessing transcriptional activation in said yeast two-hybrid system, wherein an increase in transcriptional activation relative to a control indicates that the test polypeptide is a polypeptide that interacts with said
- 30 polypeptide of Claim 1.
29. A pharmaceutical composition comprising a polypeptide of Claim 1.

30. A method of diagnosing a cell proliferation disease, an apoptotic disease, or a cell differentiation disease in a subject, said method comprising the steps of:
- a) obtaining a sample from said subject; and
 - 5 b) assessing the level of activity or expression of said polypeptide of Claim 1 in said sample, or detecting the level of said nucleic acid molecule of Claim 4,
- wherein if said level is increased relative to a control, then said subject has an increased likelihood of having a cell proliferation disease, an apoptotic
- 10 disease, or a cell differentiation disease, and wherein if said level is decreased relative to a control, then said subject has a decreased likelihood of having a cell proliferation disease, an apoptotic disease, or a cell differentiation disease.
- 15 31. The method of Claim 30, wherein said level of activity or expression of said polypeptide of Claim 1 in said sample is measured using immunohistochemical techniques.
32. The method of Claim 30, wherein said level of said nucleic acid molecule of
- 20 Claim 4 in said sample is measured using *in situ* hybridization techniques.
33. A method of treating a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, said method comprising administering a
- 25 compound identified by the method of Claim 14.
34. A method of treating a cell proliferation disease, an apoptotic disease, or a cell differentiation disease, said method comprising administering a
- 30 compound identified by the method of Claim 20.

1/173

FIG. 1A
FIG. 1B
FIG. 1C
FIG. 1D
FIG. 1E
FIG. 1F
FIG. 1G
FIG. 1H
FIG. 1I
FIG. 1J
FIG. 1K
FIG. 1L
FIG. 1M
FIG. 1N
FIG. 1O

FIG. 1

HDAC93186 bp Coding 151-3186

Exon 1

1 ggggaaagaga ggcacagaca cagataggag aagggcaccg gctggagcca cttgcaggac tgaggggtttt tgcaacaaaa ccoctagcagc ctgaagaact

101 ctaagecaga tgggtggct ggacgagagc agctcttggc tcagcaaga ATGCACAGTA TGATCAGCTC AGTGGATGTG AAGTCAGAAG TTCCTGTGGG

201 CCTGGAGCCC ATCTCACCTT TAGACCTAAG GACAGACCTC AGGATGATGA TGCCCGTGGT GGACCTGTGT GTCCCTGAGA AGCAATGCA GCAGGAATTA

301 CTTCTTATCC AGCAGCAGCA ACAATCCAG AAGCAGCTTC TGAATAGAGA GTTTCAGAAA CAGCATGAGA ACTTCACACG GCAGCACAGG GCTCAGCTTC

401 AGGAGCATAT CAAGGAACTT CTAGCCATAA AACAGCAACA AGAACTCTA GAAAGCAGC AGAAACTGGA GCAGCAGAGG CAAGAACAGG AAGTAGAGAG

501 GCATCGCAGA GAACAGCAGC TTCCCTCTCT CAGAGGCCAA GATAGAGGAC GAGAAAGGC AGTGGCAAGT ACAGAAGTAA AGCAGAAGCT TCAAGAGTTC

601 CTACTGAGTA AATCAGCAAC GAAAGACT CCAACTAATG GAAAATATCA TTCCCTGAGC CGCCATCCCA AGCTCTGGTA CACGGGTGCC CACCACACAT

701 CATTGGATCA AAGCTCTCCA CCCCTTAGTG GAACATCTCC ATCCTACAAG TACACATTAC CAGGAGCACA AGATGCAAG GATGATTTCC CCCCTCGAAA

801 AACTGCTCT GAGCCCAACT TGAAGGTGG GTCCAGGTTA AAACAGAAAG TGGCAGAG GAGAACAGC CCCTTACTCA GCGGGAAGGA TGGAAATGTT

2/173

FIG. 1A

8
 901 GTCACTTCAT TCAAGAAGCG AATGTTTGAG GTGACAGAAT CCTCAGTCAG TAGCAGTTCT CCAGGCTCTG GTCCAGTTC ACCAAACAAT GGGCCAACTG
 1001 GAAGTGTAC TGAANAATGAG ACTTCGGTIT TGCCCCCTAC CCCTCATGCC GAGCAATGG TTTTACAGCA AGCAATTTTA ATTCAATGAAG ATTCCATGAA
 9
 1101 CCYGCYAGT CTTTAFACCT CTCCTTCTTT GCCCAACAT ACCTTGGGGC TTCCCGCAGT GCCATCCAG CTCATGCTT CGAATTCAT CAAAGAAAAG
 1201 CAGAAGTGTG AGACGAGAC GCTTAGGCAA GGTGTTCCTC TGCCYGGCA GTATGGAGC AGCATCCGG CAATCTCCAG CCACCCTCAT GTTACTTTAG
 10
 1301 AGGGAAGCC ACCCAACAGC AGCCACCAGG CTCCTCTGCA GCATTTATTA TTGAAGAAC AATGCGACA GCAAAAGCTT CTGTAGCTG GTGGATTC
 3/173
 1401 CTTACATCCT CAGTCTCCCT TGGCAACAAA AGAGAGAATT TCACCTGGCA TTAGAGGTAC CCACAATG CCCCCTCACA GACCCCTGAA CCGAACCCAGG
 11
 1501 TCYGCACCTT TGCCTCAGAG CACGTTGGCT CAGCTGGTCA TTCACAGCA ACACCAGCAA TTCTYGGAGA AGCAGAGCA ATACCAGCAG CAGATCCACA
 1601 TGAACAAACT GCTTTGGAAA TCTATYGAAC AACYGAAGCA ACCAGGCAGT CACCTYAGG AAGCAGAGGA AGAGTTCAG GGGGACCAGG CGATYAGGA
 12
 1701 AGACAGAGCG CCCTCTAGT GCAACAGCAC TAGGAGGCAC AGCAGTCTT GTYGGATGA CACACTGGGA CAAGTTGGGG CTGTGAAGGT CAAGGAGGAA
 1801 CCAGTGGACA GTGATGAAGA TGCTCAGATC CAGGAATGG AATCTGGGA GCAGGCTGCT TTTATYCAAC AGCTTTCTT GGAACCCAGC CACACAGCTG
 1

FIG. 1B

1901 CGCTCTCTGT GCGCCAAGCT CCGCTGGCTG CCGTTGGCAT GGAATGGATTA GAGAAACACC GTCTGTGTC CAGGACTCAC TCTTCCCCCTG CTGCCCTCTGT
2001 TTTACTCAC CCAGCAATGG ACCGCCCCCT CCAGCCTGGC TCTGCAACTG GAATTGCCTA TGACCCCTTG ATGCTGAAAC ACCAGTGGCT TTGTGGCAAT
2101 TCCACCACC ACCCTGAGCA TGTGAGGCA ATACAGAGTA TCTGCTCAG ACTGCAAGAA ACTGGCTGC TAAATAAATG TGAGCGAAT CAAGTCCGAA
2201 AAGCCAGCT GGAGGAATA CAGCTTCTTC ATTCTGAACA TCACTCACTG TTGTATGGCA CCAACCCCTT GGACGGACAG AAGCTGGACC CCAGGATACT
2301 CCTAGGTGAT GACTCTCAA AGTTTTTTTCT CTCAATFACCT TCTGGTGGAC TTGGGGGGA CAGTGACACC ATTTGGAATG AGCTACACTC GTCCGGTGCT
2401 GCAGCAATG CTGTTGGCTG TGTCAATCGAG CTGGCTTCCA AAGTGGCCTC AGGAGAGCTG AAGAATGGGT TTGCTGTTCT GAGGCCCCCT GGCCAATCAG
2501 CTGAGAATC CACAGCATG GGGTCTGCT TTTTAAATC AGTTGCAAT ACCGCCAAT ACTTGAGAGA CCAACTAAT ATAAGCAAGA TATTGATGT
2601 AGAUCTGGAT GTTCAACATG GAAAGGTAC CCAGCAGGCC TTTTATGCTG ACCCCAGCAT CCTGTACAT TCACTCCAATC GCTATGATGA AGGGAACCTT
2701 TTCCCTGGCA GTGGAGCCC AATGAGGTT GGAACAGGCC TTGGAGAAGG GTACAATATA AATATTGCCCT GGACAGGTGG CCTTGATCTT CCCATGGGAG
2801 ATGTTGATTA CCTTGAAGCA TTCAGGACCA TCGTGAAGCC TGTGGCCAAA GAGTTTGATC CAGACATGGT CTTAGTATCT GCTGGATTGG ATGCAATGGH
2901 AGGCCACACC CCTCCTCTAG GAGGTACAA ATGACCGCA AAATGTTTTG GTCAITTTGAC GAAGCAATFG ATGACATFGG CTGAIGGACC TGTGGTGTG
3001 GCTCTAGAAG GAGGACATGA TCTGACAGCC ATCTGTGATG CATCAGAAGC CTGTGTAAT GCCCTTCTAG GAAATGACT GGAGCCACTT GCAGAAGATA
3101 TTCTCCACCA AAGCCCGAAT ATGAATGCTG TTAATTTCTTT ACAGAGATC ATTGAAATTC AAAGTATGTC TTTAAAGTTC TCTTAA

FIG. 1C

HDAC9a 3499 bp (Coding 151-2790)

Exon 1

1 ggggaagaga ggacagaca cagataggag aagggaccg gctggagcca cttgcaggac tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact

101 ctaagccaga tggggtgct ggaagagagc agctctlggc tcagcaaaga ATGCACAGTA TGATCAGCTC AGTGGATGTG AAGTCAGAG TTCCTGTGGG

201 CCTGGAGCCC ATCTCACCCTT TAGACCTAAG GACAGACCCTC AGGATGATGA TGCCCGTGGT GGACCTGTGT GTCCTGAGA AGCAATGCA GCAGGAATTA

301 CTTCTTATCC AGCAGCAGCA ACAATCCAG AAGCAGCTC TGATAGCAGA GTTTCAGAAA CAGCATGAGA ACTTGACAGG GCAGCACCAG GCTCAGCTTC 5/173

401 AGGAGCATAT CAAGGAAGCTT CTAGCCATTA AACAGCAACA AGAATCCTA GAAAGGAGC AGAACTGGA GCAGCAGAGG CAAGAACAGG AAGTAGAGAG

501 GCATCGCAGA GAACAGCAGC TTCCTCCTCT CAGAGGCCAA GATAGAGGAC GAGAAAGGC AGTGGCAAGT ACAGAAGTAA AGCAGAAGCT TCAAGAGTTC

4

FIG. 1D

5
 601 CTACTGAGTA AATCAGCAAC GAAAGACACT CCAACTAATG GAAAAATCA TTCCGTGAGC CGCCATCCCA AGCTCTGGTA CACGGCTGCC CACCACACAT
 6
 701 CATTGGATCA AAGCTCTCCA CCCCTTAGTG GAACATCTCC ATCTTACAAG TACACATTAC CAGGAGCACA AGATGCAAAG GATGATTTCC CCCTTCGAAA
 7
 801 AACTGCCCTCT GAGCCCAACT TGAAGGTGG GTCCAGGTTA AAACAGAAAG TGCAGAGAG GAGAAGCAGC CCCTTACICA GCGGGAAGGA TGGAAAAGTT
 8
 901 GTCACCTCAT TCAAGAAGCG AATGTTTGAG GTGACAGAAT CCTCAGTCAG TAGCAGTTCT CCAGGCTCTG GTCCCAGTTC ACCAAACAAT GGGCCAACTG
 9
 1001 GAAGTGTAC TGAANAATGAG ACITGGGTTT TGCCTCATCC CCTCATGCC GAGCAAATGG TTTCACAGCA AGCAATCTTA ATTCATGAAG ATTCCATGAA
 6/173
 1101 CCTGTAAAGT CTTTATACCT CTCCTTCTTT GCCCAACATT ACCTTGGGC TTCCCGCAGT GCCATCCCAG CTCAAATGCTT CGAATTCAT CAAAGAAAAG
 10
 1201 CAGAAATGTG AGACCGAGC GCTTAGGCAA GGTGTTCTC TGCTGGGCA GTATGGAGC AGCATCCCGG CATCTTCCAG CCACCTCAT GTTACTTTAG
 11
 1301 AGGGAAGCC ACCCAACAGC AGCCACCAGG CTCTCCTGCA GCATTTATTA TTGAAGAAC AAATGGACA GCAAAGCTT CTTGTAGCTG GTGGAGTTCC
 1401 CTTACATCCT CAGTCTCCCT TGGCAACAAA AGAGAGAAAT TCACCTGGCA TTAGAGGTAC CCACAAATG CCCCCTCACA GACCCCTCAA CCGAACCCAG
 11
 1501 TCITGACCTT TGCCTCAGAG CACGTTGGCT CAGCTGGTCA TTCAACAGCA ACACCAGCAA TTCTTGGAGA AGCAGAAGCA ATACCAGCAG CAGATCCACA

FIG. 1E

1601 TGAACAACACT GCTTTTCGAAA TCTATTGAAC AACTGAAGCA ACCAGGCAGT CACCTTGAGG AAGCAGAGGA AGAGCTTCAG GGGGACCAGG CGATGCAGGA
 1701 AGACAGAGCG CCTCTACTG GCAACACAC TAGGAGCGAC AGCAGTCTT GTGIGGATGA CACACTGGGA CAAGTTGGGG CTGTGAAGGT CAAGGAGGAA
 1801 CCAATGGACA GTGATGAAGA TGCTCAGATC CAGGAATGG AATCIGGGGA GCAGGCTGCT TTTATGCAAC AGCCTTTCCT GGAACCCAGG CACACACGTG
 1901 CGCTCTCTGT GCGCCAAGT CCGCTGGCTG CCGTTGGCAT GGATGGATTA GAGAAACACC GTCTCCTCTC CAGGACTCAC TCTTCCCTCG CTGCCCTCTGT
 2001 TTTACCTCAC CCAGCAATGG ACCGCCCCCT CCAGCCCTGG TCTGCACTG GAATGGCTA TGACCCCTTG ATGCTGAAC ACCAGTGGCT TTGTGGCAAT
 2101 TCCACCACC ACCCTGAGCA TGCTGGAGCA ATACAGATTA TCTGGTCAG ACTGCAAGAA ACTGGGCTGC TAAATAAATG TGAGCGAAT CAAGGTGCAA
 2201 AAGCCAGCT GGAGGAATA CAGCTTGTTC ATTCIGACA TCACICTACTG TTGTAIGGCA CCAACCCCT GGACGGACAG AAGCIGGACC CCAGGATACT
 2301 CCTAGGTGAT GACTCTCAAA AGTTTTTTTC CTCATTACTT TGTGGTGGAC TTGGGGTGGG CAGTGACACC ATTTGGAATG AGCTACACTC GTCCGGTGTCT
 2401 GCACGCATGG CTGTTGGCTG TGTCATCGAG CTGGCTTCCA AAGTGGCCTC AGGAGAGCTG AAGAATGSET TTGCTGTTGT GAGGCCCCCT GGCCATCACC
 2501 CTGAAGAATC CACAGCCATG GGGTCTGCT TTTTAAATC AGTTGCAAT ACCGCCAAT ACTTGAGAGA CCAACTAAT ATAAGCAAGA TATTGATTGT

7/173

FIG. 1F

21
 2601 AGATCTGGAT GTTCACCATG GAAACGGTAC CCAGCAGGCC TTTTANGCTG ACCCCAGCAT CCTGTACATT TCACTCCATC GCTATGATGA AGGGAACTTT

22
 2701 TTCCCTGGCA GTGGAGCCCC AATGAGGTT CCGTTTATTT CTTTAGAGCC CCACTTTTAT TTGTATCTTT CAGGTAATTG CATTGCATGA ttaccocctaa
 STOP CODON

2801 tttttctgtc ctttctgtgt gttttaaatt acacgagatt actgaattgt cccatgggac caagaaccag tgcagaacaa gtgcataacc cagagcactg

2901 tttgtcaggg aaggttggc tgattgatg tgttgtttga tgtttattc aagagctccc atgtgcttgt ttccctctct tcttgcttcc ttccatttgc

23
 3001 tctcttctct gccaccgtg gtgtgtcttt ctcttcccag gttggaacag gccttggaga aggttacaat ataaatattg cctggacagg tggccttgat

3101 cctcccattg gagatgtga gtacctgaa gcattcagga ccatcgtgaa gcctgtggcc aaagagtttg atccagacat ggtttagta tctgtctggat

24
 3201 ttgatcatt ggaaggccac acccctctc taggaggta caaagtgaag gcaaatggt ttggtcattt gacgaagcaa ttgatgacat tggctgatgg

25
 3301 acgtgtggtg ttggctctag aaggaggaca tgatctcaca gccatctgtg atgcatacaga agcctgtgta aatgcccttc taggaatga gctggagcca

26
 3401 cttgcagaag atattctcca ccaaagcccg aatatgaat ctgttatttc ttacagaag atcattgaaa ttcaaagat gtctttaag ttctcttaa

FIG. 1G

```

>HDRP (deltaNLS)
1  ggggaagaga ggcacagaca cagataggag aagggcaccg gctggagcca
51  cttgcaggac tgaggggtttt tgacaacaaa ccctagcagc ctgaagaact
101 ctaagccaga tggggtggct ggacgagagc agctcttggc tcagcaaaaga
151 atgcacagta tgatcagctc agtggatgtg aagtcagaag ttcctgtggg
201 cctggagccc atctcacctt tagacctaa gacagacctc aggatgatga
251 tgcccgtggt ggaccctggt gtccgtgaga agcaattgca gcaggaatta
301 cttttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga
351 gtttcagaaa cagcatgaga acttgacacg gcagcaccag gctcagcttc
401 aggagcatal caaggaactt ctagccataa aacagcaaca agaactccta
451 gaaaaggagc agaaactgga gcagcagagg caagaacagg aagtagagag
501 gcatacgcaga gaacagcagc ttctctctt cagaggcaaa gatagaggac
551 gagaaaagggc agtggcaagt acagaagtaa agcagaagct tcaagagttc
601 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca
651 tcccgtgagc cgccatccca agctctggtgta cacggctgcc caccacacat
701 cattggatca aagctctcca ccccttagtg gaacatctcc atctacaag
751 tacacattac caggagcaca agatgcaaaag gatgatttcc cccttcgaaa
801 aactgaatcc tcagtcagta gcagtctctcc aggtctggtt ccagttcac
851 caaacaatgg gccaaactgga agtgttactg aaatgagac ttcggttttg
901 ccccctaccc ctcatgccga gcaaatgggtt tcacagcaac gcatttctaat
951 tcatgaagat tccatgaacc tgctaagtct ttatacctct ccttctttgc
1001 ccaacattac cttgggggctt cccgcagtgc catcccagct caatgcttcg

```

FIG. 1H

10/173

```
1051 aattcactca aagaaaagca gaagtgtgag acgcagacgc ttaggcaagg
1101 tgttcctctg cctgggcagt atggaggcag catcccgga tcttccagcc
1151 accctcatgt tacttttagag gaaagccac ccaacagcag ccaccaggct
1201 ctcctgcagc atttattatt gaaagaacaa atgcgacagc aaaagcttct
1251 tgtagctggt ggagttccct tacatcctca gtctccctg gcaacaaaag
1301 agagaatttc acctggcatt agaggtaccc acaaattgcc ccgtcacaga
1351 cccctgaacc gaaccagtc tgacaccttg cctcagagca cgttggctca
1401 gctggtcatt caacagcaac accagcaatt ctggagaag cagaagcaat
1451 accagcagca gatccacatg acaaaactgc tttcgaatc tattgaacaa
1501 ctgaagcaac caggcagtca ccttgaggaa gcagaggaag agcttcaggg
1551 ggaccaggcg atgcaggaag acagagcgcc ctctagtggc aacagcacta
1601 ggagcgacag cagtgcctgt gtggatgaca cactgggaca agtggggct
1651 gtgaagggtca aggaggaacc agtggacagt gatgaagatg ctcagatcca
1701 ggaaatggaa tctggggagc aggctgcttt tatgcaacag gtaataggca
1751 aagatttagc tccaggattt gtaattaaag tcattatctg a
```

FIG. 11

11/173

>HDAC9 (deltaNLS)

```

1  ggggaagaga  ggcacagaca  cagataggag  aagggcaccg  gctggagcca
51  cttgcaggac  tgagggtttt  tgcaacaaaa  ccctagcagc  ctgaagaact
101  ctaagccaga  tggggtggct  ggacgagagc  agctcttggc  tcagcaaaaga
151  atgcacagta  tgcacagctc  agtgatgtg  aagtcagaag  ttctgtggg
201  cctggagccc  atctcacctt  tagacctaa  gacagacctc  aggatgatga
251  tgcccgtggt  ggaccctggt  gtccgtgaga  agcaattgca  gcaggaatta
301  ctcttatcc  agcagcagca  acaaatccag  aagcagcttc  tgatagcaga
351  gtttcagaaa  cagcatgaga  acttgacacg  gcagcaccag  gctcagcttc
401  aggagcatal  caaggaactt  ctagccataa  aacagcaaca  agaactccta
451  gaaaaggagc  agaaactgga  gcagcagagg  caagaacagg  aagtagagag
501  gcatagcaga  gaacagcagc  ttctctctct  cagaggcaaa  gatagaggac
551  gagaaagggc  agtggcaagt  acagaagtaa  agcagaagct  tcaagagttc
601  ctactgagta  aatcagcaac  gaaagacact  ccaactaatg  gaaaaaatca
651  ttccgtgagc  cgccatccca  agctctggt  cacggctgcc  caccacacat
701  cattggatca  aagctctcca  ccccttagtg  gaacatctcc  atctacaag
751  tacacattac  caggagcaca  agatgcaaa  gatgatttcc  cccttcgaaa
801  aactgaatcc  tcagtcagta  gcagttctcc  aggctctggt  ccagttcac
851  caaacaatgg  gccaaactgga  agtgttactg  aaaatgagac  ttcggttttg
901  cccctaccc  ctcatgccga  gcaaatgggt  tcacagcaac  gcatttctaat
951  tcatgaagat  tccatgaacc  tgtaagtct  ttatacctct  ccttctttgc
1001  ccaacattac  cttggggctt  cccgcagtgc  catcccagct  caatgcttcg
1051  aattcactca  aagaaaagca  gaagtgtgag  acgcagacgc  ttaggcaagg
1101  tgttcctctg  cctgggcagt  atggaggcag  catccccgca  tcttccagcc

```

FIG. 1J

12/173

1151 accctcatgt tactttagag gaaaagccac ccaacagcag ccaccaggct-
1201 ctcctgcagc atttattatt gaaagaacaa atgcgacagc aaaagcttct
1251 tgtagctggt ggagttccct tacatcctca gtctcccttg gcaacaaaag
1301 agagaatttc acctggcatt agaggtaccc acaaatggcc ccgtcacaga
1351 ccctgaacc gaaccagtc tgcacctttg cctcagagca cgttggctca
1401 gctggtcatt caacagcaac accagcaatt ctggagaag cagaagcaat
1451 accagcagca gatccacatg aacaaactgc ttctgaaatc tattgaacaa
1501 ctgaagcaac caggcagtca cctgaggaa gcagaggaag agcttcaggg
1551 ggaccaggcg atgcaggaag acagagcgcc ctctagtggc aacagcacta
1601 ggagcgacag cagtgcctgt gtggatgaca cactgggaca agttggggct
1651 gtgaagggtca aggaggaacc agtggacagt gatgaagatg ctcagatcca
1701 ggaatggaa tctggggagc aggtgcttct tatgcaacag cctttcctgg
1751 aaccacgca cacacgtgcg ctctctgtgc gccaaagtcc gctggctgcg
1801 gttggcatgg atggattaga gaaacaccgt ctcgtctcca ggactcactc
1851 tccccctgct gcctctgttt tacctcacc agcaatggac cgccccctcc
1901 agcctggctc tgcaactgga attgcctatg accccttgat gctgaaacac
1951 cagtgcgttt gtggcaattc caccaccac cctgagcatg ctggacgaa
2001 acagagtatc tggtcacgac tgcaagaaac tgggctgcta aataaatgtg
2051 agcgaattca aggtcgaaaa gccagcctgg aggaaataca gcttgttcat
2101 tctgaacatc actcactgtt gtagggcacc aaccctctgg acggacagaa
2151 gctggacccc aggatactcc taggtgatga ctctcaaaag ttttttctct
2201 cattaccttg tggtaggactt ggggtggaca gtgacaccat ttggaatgag
2251 ctacactcgt ccggtgctgc acgcatggct gttggctgtg tcatcgagct
2301 ggcttccaaa gtggcctcag gagagctgaa gaatgggttt gctgtgtgga
2351 ggccccctgg ccatacagct gaagaatcca cagccatggg gttctgcttt
2401 ttttaattcag ttgcaattac cgccaaatac ttgagagacc aactaaatat

FIG. 1K

13/173

```
2451 aagcaagata ttgattgtag atctggatgt tcaccatgga aacggtaccc
2501 agcaggcctt ttatgctgac cccagcater tgtacatttc actccatcgc
2551 tatgatgaag ggaacttttt cctggcagt ggagcccaa atgaggttgg
2601 aacaggcctt ggagaaggt acaatataaa tattgcctgg acagggtggcc
2651 ttgatcctcc catgggagat gttgagtacc ttgaagcatt caggaccatc
2701 gtgaagcctg tggccaaaga gtttgatcca gacatggtct tagtatctgc
2751 tggattgat gcattggaag gccacacccc tcctctagga gggtacaaag
2801 tgacggcaaa atgttttggc catttgacga agcaattgat gacattggct
2851 gatggacgtg tgggtgtggc tctagaagga ggacatgata tcacagccat
2901 ctgtgatgca tcagaagcct gtgtaaatgc ccttctagga aatgagctgg
2951 agccacttgc agaagatatt ctccaccaa gcccgaaat gaatgctgtt
3001 atttctttac agaagatcat tgaaatcaa agtatgtctt taaagttctc
3051 ttaa
```

FIG. 1L

14/173

>HDAC9a (deltaNLS)

```

1  ggggaagaga ggcacagaca cagataggag aagggcaccg gctggagcca
51  cttgcaggac tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact
101 ctaagccaga tggggtggct ggacgagagc agctcttggc tcagcaaaaga
151 atgcacagta tgatcagctc agtggatgtg aagtcagaag ttcctgtggg
201 cctggagccc atctcacctt tagacctaaq gacagacctc aggatgatga
251 tgcccgtagt ggaccctggt gtccgtgaga agcaattgca gcaggaatta
301 cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga
351 gtttcagaaa cagcatgaga acttgacacg gcagcaccag gctcagcttc
401 aggagcatal caaggaactt ctagccataa aacagcaaca agaactccta
451 gaaaaggagc agaaactgga gcagcagagg caagaacagg aagtagagag
501 gcatacagca gaacagcagc ttctctctct cagaggcaaa gatagaggac
551 gagaaaagggc agtggcaagt acagaagtaa agcagaagct tcaagagctc
601 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca
651 ttccgtgagc cgccatccca agctctggta cacggctgcc caccacacat
701 cattggatca aagctctcca cccttagtg gaaatctcc atcctacaag
751 tacacattac caggagcaca agatgcaaaq gatgatttc cccttcgaaa
801 aactgaatcc gccaaactgga agtgttactg aggctctggt ccagttcac
851 caaacaatgg cccatgccga gcaaatggtt tcacagcaac gcattctaata
901 cccctaccc tccatgaacc tgctaagtct ttatacctct ccttctttgc
951 tcatgaagat cttggggctt ccgcagtgcc caatgcttcg
1001 ccaacattac cttggggctt ccgcagtgcc caatgcttcg
1051 aattcactca aagaaaagca gaagtgtgag acgcagacgc ttaggcaagg
1101 tgttcctctg cctggggcagt atggaggcag catcccgga tcttccagcc
1151 accctcatgt tactttagag ggaaaagccac ccaacagcag ccaccaggct

```

FIG. 1M

15/173

1201 ctccctgcagc atttattatt gaaagaacaa atgcgacagc aaaagcttct
1251 ttagctggt ggagttccct tacatcctca gtctcccttg gcaacaaaag
1301 agagaatttc acctggcatt agaggtaccc acaaattgcc ccgtcacaga
1351 cccctgaacc gaaccagtc tgcaccttg cctcagagca cgttggtcca
1401 gctgggtcatt caacagcaac accagcaatt cttggagaag cagaagcaat
1451 accagcagca gatccacatg acaaaactgc tttcgaaatc tattgaacaa
1501 ctgaagcaac caggcagtca ccttgaggaa gcagaggaag agcttcaggg
1551 ggaccagggc atgcaggaag acagagcgc cctagtggc aacagcacta
1601 ggagcagcag cagtgcctgt gtggatgaca cactgggaca agttggggct
1651 gtgaaggta aggaggaacc agtggacagt gatgaagatg ctcagatcca
1701 ggaaatggaa tctggggagc aggtgcctt tatgcaacag cctttcctgg
1751 aaccacgca cacacgtgc ctctctgtgc gccaaagctcc gctggctgcg
1801 gttggcatgg atggattaga gaaacaccgt ctcgtctcca ggactcactc
1851 ttcccctgct gcctctgttt tacctcacc agcaatggac cgccccctcc
1901 agcctggctc tgcaactgga attgcctatg accccttgat gctgaaacac
1951 cagtgcgctt gtggcaatc caccaccac cctgagcatg ctggacgcaat
2001 acagagtatc tggtcacgac tgcaagaaac tgggctgcta aataaatgtg
2051 agcgaattca aggtcgaaaa gccagcctgg aggaaataca gcttgttcat
2101 tctgaacatc actcactgtt gtatggcacc aaccccctgg acggacagaa
2151 gctggacccc aggatactcc taggtgatga ctctcaaaag ttttttctct
2201 cattaccttg tggtagactt ggggtggaca gtgacacccat ttggaatgag
2251 ctacactcgt ccggtgctgc acgcatggct gttggctgtg tcatcgagct
2301 ggcttccaaa gtggcctcag gagagctgaa gaatgggttt gctgttgtga
2351 ggccccctgg ccatacagct gaagaatcca cagccatggg gtctctgctt
2401 ttttaattcag ttgcaattac cgccaaatc ttgagagacc aactaaatat

FIG. 1N

16/173

```
2451 aagcaagata ttgattgtag atctggatgt tcaccatgga aacggtaccc
2501 agcaggcctt ttatgctgac ccagcatcc tgtacatttc actccatcgc
2551 tatgatgaag ggaacttttt ccctggcagt ggagcccaa atgaggttcg
2601 gtttatttct ttagagcccc acttttattt gtatctttca ggtaattgca
2651 ttgcatgatt acccctaatt ttcttgtcct ttgctggtgt tttaaattac
2701 acgagattac tgaattgtcc catgggacca agaaccagtg cagaacaagt
2751 gcataaacca gagcactgtt tgtcaggaa ggttgggctg atttgatgtg
2801 ttgtttgatg tttatttcaa gagctcccat gtgcttgttt tcctctcttc
2851 ttgctttctt ccatttgctc tcttctctgc ccaccgtggt gtgtctttct
2901 cttcccaggt tggaacaggc ctggagaag ggtacaatat aaatattgcc
2951 tggacagggt gccctgatcc tcccatggga gatgttgagt accttgaagc
3001 attcaggacc atcgtgaagc ctgtggccaa agagtttgat ccagacatgg
3051 tcttagtata tgctggattt gatgcatggg aaggccacac ccctcctcta
3101 ggaggggtaca aagtgacggc aaaatgtttt ggtcatttga cgaagcaatt
3151 gatgacattg gctgatggac gtgtgggtgt ggctctagaa ggaggacatg
3201 atctcacagc catctgtgat gcatcagaag cctgtgtaaa tgcccttcta
3251 ggaaatgagc tggagccact tgcagaagat attctccacc aaagcccga
3301 tatgaatgct gttatttctt tacagaagat cattgaaatt caaagtatgt
3351 ctttaaagtt ctcttaa
```

FIG. 10

FIG. 2A
FIG. 2B
FIG. 2C
FIG. 2D
FIG. 2E

>HDAC9 (1011 amino acids)
MHSMISSVDVKSEVPVGLLEPI SPLDLRTDLRMMMPVDPVVRKQLQQELLLIQQQQOI
KQLLIAEFQKHENLTRQHQALQEHIKELLAIKQQQELLEKEQKLEQRQEVEVERH
RREQQLPPLRGKDRGRERAVASTEVKQKLEFLLSKATKDTPTNGKNHSVSRHPKLMWY
TAAHHTSLDQSSPPLSGTSPSYKYTLLPGAQDAKDDFFLRKTA SEPNLKVRSRLKQKVAE
RRSSPLLRRKDGNVVTSFKKRMFEVTESSVSSSSPGSPSPNNGPTGSVTENETSVP
PTPHAEQMVSQQRILIHEDSMNLLS LYTSPSLPNI TLGLPAVPSOLNASNSLKEKQKCE
TQTLRQGVPLPGQYGGSI PASSSHPHVTLEGKPPNSSHQALLQHLLLLKEQMRQQKLLVA
GGVPLHPQSPLATKERISPGIRGTHKLP RHRPLNRTQSAPLPQSTLAQLVIQQQHQQFL
EKQKQYQQQIHMNKL LSKSIEQLKQPGSHLEEAEEELQGDQAMQEDRAPSSGNSTRSDS
SACVDDTLGQVGAVKVEEPVDSDEDAQIQEMESGEQA AFMQQPFLEPTHTRALSVRQA
PLAAVGMGDGLEKHLVSRTHSSPAASVLPHPAMDRPLQPGSATGIAYDPLMLKHQCVCG
NSTTHPEHAGRIQSIWSRLQETGLLNKCE RIQGRKASLEEIQLVHSEHHSLLYGTNPLD
GQKLDPRILLGDDSQKFFSSLP CGGLGVDSDTIWNELHSSGAARMAVGCVIELASKVAS
GELKNGFAVVRPPGHHAEESTAMGFCFFNSVAITAKYLRDQLNISKILIVDLDVHHGNG
TQQAFYADPSILYISLHRYDEGNFFPGSGAPNEVGTGLGEGYNINIAWTGGLDPPMGDV
EYLEAFRTIVKPVAKFEFDDMVLSAGFDAL EGHTPPLGGYKVTAKCFGHLTKQLMTLA
DGRVVLAL EGGHDLTAICDASEACVNALLGNELEPLAEDILHQSPNMNAVISLQKII E I
QMSLKF S

FIG. 2A

FIG. 2

18/173

>HDAC9a (879 amino acids)
MHSMISSVDVKSEVPVGLPEISPLDLRTRDLMMPVVDPVVREKQLQQELLLLIQQQQQI
QKQLLIAEFQKQHENLTRQHQAQLQEHIKELLAIKQQELLEKEKLEQQRQEQEVERH
RREQQLPPLRGKDRGRERAVASTEVKQKLQEFLLSKSATKDTPTNGKNHSVSRHPKLVY
TAAHHTSLDQSSPPLSGTSPSYKYTLPGAQDAKDDFPLRKTASEPNLKVR SRLKOKVAE
RRSSPLLRRKDGNVVTSFKKRMFEVTESSVSSSSPGSGPSSPNNNGPTGVTENETS VLP
PTPHAEQMV SQQRILIHEDSMNLLS LYTSPLPNI TLGLPAVPSQLNASNSLKEKQKCE
TQTLRQGVPLPGQYGGSI PASSSHPHVTLEGKPPNSSHQALLQHL LKQMRQKLLVA
GGVPLHPQSP LATERISPGIRGTHKLP RHRPLNRTQSAPLPQSTLAQLVIQQQHQQFL
EKQKYOQQIHMNKLLSKSIEQLKQPGSHLEAEELQGDQAMQEDRAPSSGNSTRSDS
SACVDDTLGQVGAVKVEPVDSEDAQIQEMESGEQA AFMQQPFLEPTHTRALS VVRQA
PLAAVGM DGLEKHLVSRTHSSPPAASVLPHPAMDRPLQPGSATGIAYDPLMLKHQCVCG
NSTTHPEHAGRIQSIWSRLQETGLLNKCERIQGRKASLEEIQLVHSEHHSLLYGINPLD
GQKLDPRILLGDDSQKFFSSLLPCGGLGVDSDTIWNELHSSGAARMAVGCVIELASKVAS
GELKNGFAVVRPPGHHAEEESTAMGFCFFNSVAITAKYLRDQLNISKILLVDL DVHHGNG
TQQAFYADPSILYISLHRYDEGNFFPGSGAPNEVRFISLEPHFYLYLSGNCIA

FIG. 2B

19/173

>HDAC9 (ANLS) (967 amino acids)
MHSMISSVDVKSEVPVGLPEISPLDLRTRDRLRMMMPVDPVVRKQLQQLLELLLIQQQQQI
QKQLLIAEFQKQHENLTRQHQAQLQEHIKELLAIKQQQLLEKEKLEQRQEQEVEVERH
RREQQPLPRGKDRGRERAVASTEVKQLQEFLLSKSATKDTPTNGKNHSVSRHPKWLWY
TAAHHTSLDQSSPPLSGTSPSYKYTLPGAQDAKDDFPLRKTESVSSSSPGSGPSSPNN
GPTGVTENETSVLPTPHAEQMVQQORILLIHEDSMNLLSLYTSPLPNI TLGLPAVPS
QLNASNSLKEKQKCEQTLLRQGVPLPGQYGGSI PASSSHPHVTLEGKPPNSSHQALLQH
LLLKEQMRQQKLLVAGGVPLHPQSPLATKERISPGIRGTHKLP RHRPLNRTQSAPLPQS
TLAQLVIQQHQHQQFLEKQKQYQQQIHMNKLKLSKSI EQLKQPGSHLEEAEEELQGDQAMQ
EDRAPSSGNSTRSDSSACVDDTLGQVGAVKVEEPVDSDEDAQIQEMESGEQAAFMQQP
FLEPTHTRALSVRQAPLAAVGM DGLEKHRLVSRTHSSPAASVLPHPAMDRPLQPGSATG
IAYDPLMLKHQCVCGNSTTHPEHAGRIQSIWSRLOETGLLNKCERIQGRKASLEEIQLV
HSEHHSLLYGTNPLDGQKLDPRILLGDDSQKFFSSLP CGGLGVDSDTIWNELHSSGAAR
MAVGCVIELASKVASGELKNGFAVVRPPGHHAESTAMGFCFFNSVAITAKYLRDQLNI
SKILIVDLLDVHHNGTQQAIFYADPSILYISLHRYDEGNFFPGSGAPNEVGTGLGEGYNI
NIAWTGGLDPPMGDVEYLEAFRTIVKPVAKFDPDMVLVSAGFDAL EGH T P P L G G Y K V T
AKCFGHLTKQLMTLADGRVVLAL EGGHDLTAICDASEACVNALLGNELEPLAEDIILHQ S
PNMNAVISLQKII EIQSMSLKFS

FIG. 2C

20/173

>HDAC9a (Δ NLS) (835 amino acids)
MHSMISSVDVKSEVPVGLPIPLDLRDTLRRMMMPVVDPVVREKQLQQELLIIQQQQQI
QKQLLIAEFQKQHENLTRQHQAQLQEHIKELLAIKQQQELLEKEQKLEQQRQEQEVERH
RREQQLPLRGKDRGRERAVASTEVKQLQEFFLLSKSATKDTPTINGKNHSVSRHPKLIWY
TAAHTSLDQSSPPLSGTSPSYKYTLPGAQDAKDDFPLRKTESSVSSSPGSSPSPNN
GPTGSVTENETSVLPPTPHAEQMVSQQRILIHEDSMNLLSLYTSFSLPNI TLGLPAVPS
QLNASNLKEKQKCEQTQLRQGVPLPGQYGGSI PASSSHPHVTLEGKPPNSSHQALLQH
LLLKEQMRQQKLLVAGGVPLHPQSPLATKERISPGIRGTHKLP RHRPLNRTQSAPLPQS
TLAQLVIQQQHQQFLEKQKQYQQQIHMNKLKSKSIEQLKQPGSHLEEAEEELQGDQAMQ
EDRAPSSGNSTRSDSSACVDDTLGQVGVAVKVEEPVDSDEDAQIQEMESGEQAQAFMQQP
FLEPTHTRALSVRQAFLAAVGMGDGLEKHLVSRTHSSPAASVLPHPAMDRLQPGSATG
IAYDPLMLKHQCVCGNSTTHPEHAGRIQSIWSRLQETGLLNKNCERIQGRKASLEEIQLV
HSEHSLLYGTNPLDGQKLDPRILLGDDSQKFFSSLPCGGLGVDSDTIWNELHSSGAAR
MAVGCVIELASKVASGELKNGFAVVRPPGHHAEEESTAMGFCFFNSVAITAKYLRDQLNI
SKILIVDLVDVHHNGTQQAFYADPSILYISLHRYDEGNFFPGSGAPNEVRFISLEPHFY
LYLSGNCA

FIG. 2D

21/173

>HDRPa (HDRP ANLS) (546 amino acids)
MHSMISSVDVKSEVPVGLPEISPLDLRIDLRMMMPVDPVVRKQLQQELLLLIQQQQQI
QKQLLIAEFQKQHENLTRQHQAQLQEHIKELLAIKQQQELLEKEQKLEQQRQEQEVERH
RREQQLPPLRGKDRGRERAVASTEVKQKLQEFLLSKSATKDTPTNGKNHSVSRHPKLVY
TAAHHTSLDQSSPPLSGTSPSYKYTLPGAQDAKDDFPLRKTESVSSSSPGSGPSSPNN
GPTGSVTENETSVLPTPHAEQMVSOQRILIHEDSMNLLSLYTSPSLPNIITLGLPAVPS
QLNASNSLKEKQ
LLLKEQMRQKLLVAGGVP LHPQSP LATHKERI SPGIRGTHKLP RHRPLNRTQSAPLPQS
TLAQLVIQQQHQQFLEKQKQYQQQIHMNKLKSKSIEQLKQPGSHLFEAEELQGDQAMQ
EDRAPSSGNSTRSDSSACVDDDTLQGVGAVKVKEEPVDSDEDAQIQEMESGEQAAFMQQV
IGKDLAPGFVIKVI I

FIG. 2E

FIG. 3A
FIG. 3B
FIG. 3C

FIG. 3

FIG. 3A

1	HD RP	-----	M H S M I S S V D V K S E V P V G L E P	- I S P L D L R T D L R M M M P
1	HD AC 9a	-----	M H S M I S S V D V K S E V P V G L E P	- I S P L D L R T D L R M M M P
1	HD AC 9	-----	M H S M I S S V D V K S E V P V G L E P	- I S P L D L R T D L R M M M P
1	HD AC 4	-----	M H S M I S S V D V K S E V P V G L E P	- I S P L D L R T D L R M M M P
36	HD RP	-----	V V D P V V R E K O L O O E L L I O O O O O I O K O L L I A E F O K O H E N L T R O H O A O L O E H I K	--- E L L A
36	HD AC 9a	-----	V V D P V V R E K O L O O E L L I O O O O O I O K O L L I A E F O K O H E N L T R O H O A O L O E H I K	--- E L L A
36	HD AC 9	-----	V V D P V V R E K O L O O E L L I O O O O O I O K O L L I A E F O K O H E N L T R O H O A O L O E H I K	--- E L L A
61	HD AC 4	-----	V A E F A I R E Q Q L O O E L L A L K K Q Q I O R Q I I I A E F O R O H E Q L S R O H E A Q L I F H E H I K Q Q Q E M L A	--- E M L A
93	HD RP	-----	I K O O E L L E K E O K L E O O R O E O E V E R H R R E O O L P P L R G K D R G R E R A V A S T E V K O K L O E F F L L	
93	HD AC 9a	-----	I K O O E L L E K E O K L E O O R O E O E V E R H R R E O O L P P L R G K D R G R E R A V A S T E V K O K L O E F F L L	
93	HD AC 9	-----	I K O O E L L E K E O K L E O O R O E O E V E R H R R E O O L P P L R G K D R G R E R A V A S T E V K O K L O E F F L L	
121	HD AC 4	-----	M K F O O E L L E H O R K L E R H R O E O E L I E K O F R E O K L O Q L K N K E K G K E S J A V A S T E V K M K L O E F F V I L	
153	HD RP	-----	S K S A T K D T P T N G K N H S V S R H P K L W Y T A A H H T S L D O S S P P L S G T S P S Y K Y T L P G A O D A K D D	
153	HD AC 9a	-----	S K S A T K D T P T N G K N H S V S R H P K L W Y T A A H H T S L D O S S P P L S G T S P S Y K Y T L P G A O D A K D D	
153	HD AC 9	-----	S K S A T K D T P T N G K N H S V S R H P K L W Y T A A H H T S L D O S S P P L S G T S P S Y K Y T L P G A O D A K D D	
181	HD AC 4	-----	N I K - - K I A L A H R N I N H C I S S D P R Y W Y G K T Q H I S I L D O S S P P Q S G M S I S Y N H P V I G M Y D A K D D	
213	HD RP	-----	F P L R K T A S E P N L K V R S R L K O K V A E R R S S P L L R R K D G N V V T S F K K R M F E V T E S S V S S S S S P G	
213	HD AC 9a	-----	F P L R K T A S E P N L K V R S R L K O K V A E R R S S P L L R R K D G N V V T S F K K R M F E V T E S S V S S S S S P G	
213	HD AC 9	-----	F P L R K T A S E P N L K V R S R L K O K V A E R R S S P L L R R K D G N V V T S F K K R M F E V T E S S V S S S S S P G	
239	HD AC 4	-----	F P L R K T A S E P N L K I R S R L K O K V A E R R S S P L L R R K D G P V V I A I K K R P I D V I D S A C S S - A P G	

HDRP	273	SGPSSPNNGPTGSVTENETS	VLPP	TPHAE	OMVSO	ORILL	IHEDSM	LLSL	YTS	SPSL	PNITL
HDAC9a	273	SGPSSPNNGPTGSVTENETS	VLPP	TPHAE	OMVSO	ORILL	IHEDSM	LLSL	YTS	SPSL	PNITL
HDAC9	273	SGPSSPNNGPTGSVTENETS	VLPP	TPHAE	OMVSO	ORILL	IHEDSM	LLSL	YTS	SPSL	PNITL
HDAC4	298	SGPSSPNNSGSAENGIA	PAVE	SI	PAE	TS	L	AHR	-	L	VARE
HDRP	333	GLPAVPSOLNASNSL	KEK	CET	O	T	L	R	O	G	V
HDAC9a	333	GLPAVPSOLNASNSL	KEK	CET	O	T	L	R	O	G	V
HDAC9	333	GLPAVPSOLNASNSL	KEK	CET	O	T	L	R	O	G	V
HDAC4	357	GLPATGPSAGTAG	QO	-	D	T	E	R	L	I	L
HDRP	393	OALL	O	H	L	L	L	L	L	L	L
HDAC9a	393	OALL	O	H	L	L	L	L	L	L	L
HDAC9	393	OALL	O	H	L	L	L	L	L	L	L
HDAC4	411	SPILL	O	H	M	V	L	L	E	O	P
HDRP	451	SAPL	P	O	-	-	-	-	-	-	-
HDAC9a	451	SAPL	P	O	-	-	-	-	-	-	-
HDAC9	451	SAPL	P	O	-	-	-	-	-	-	-
HDAC4	467	SAPL	P	O	-	-	-	-	-	-	-
HDRP	507	EEL	O	G	D	O	A	M	O	E	D
HDAC9a	507	EEL	O	G	D	O	A	M	O	E	D
HDAC9	507	EEL	O	G	D	O	A	M	O	E	D
HDAC4	527	EEL	R	E	H	O	A	L	L	E	D
HDRP	566	GEO	A	A	F	M	O	O	V	I	G
HDAC9a	566	GEO	A	A	F	M	O	O	V	I	G
HDAC9	566	GEO	A	A	F	M	O	O	V	I	G
HDAC4	587	E	L	F	R	O	A	L	L	E	D

FIG. 3B

HDRP
 HDAC9a
 HDAC9
 HDAC4
 626
 626
 647
 PLOPGSATGIAYDPLMLKHOCVCGNSTIHPHAGRIOSIWSRLOETIGLLNKCERI OGRKA
 PLOPGSATGIAYDPLMLKHOCVCGNSTIHPHAGRIOSIWSRLOETIGLLNKCERI OGRKA
 PTKPRFTIIGLVYDITLMLKHOCVCGSISSHPEHAGRIOSIWSRLOETIGLLNKCERI OGRKA

 HDRP
 HDAC9a
 HDAC9
 HDAC4
 686
 686
 707
 SLEETOLVHSEHHSLLYGTNPLDGGOKLDDRILLGGDSOKFFSSLPCCGLGVSDTIWNEI
 SLEETOLVHSEHHSLLYGTNPLDGGOKLDDRILLGGDSOKFFSSLPCCGLGVSDTIWNEI
 TLEETOLVHSEFAHTLLYGTNPLNRKLDISIKLLGSIASVIVR-LPCGGVGVSDTIWNEI

 HDRP
 HDAC9a
 HDAC9
 HDAC4
 746
 746
 766
 HSSGAARMVAVGCCVIELASKVASGELKNGFAVVRPPGHHAEEESTAMGFCFFNSVAITAKYL
 HSSGAARMVAVGCCVIELASKVASGELKNGFAVVRPPGHHAEEESTAMGFCFFNSVAITAKYL
 HSAAGARLAVGCVMEIVFKVATGELKNGFAVVRPPGHHAEEESTIPMGFCYFENSVAIVAKIL

 HDRP
 HDAC9a
 HDAC9
 HDAC4
 806
 806
 826
 RDOLNISKILLVDLVHNGTQOAFYADPSILYISLHRYDEGNFFPGSGGAPNEVRFISL
 RDOLNISKILLVDLVHNGTQOAFYADPSILYISLHRYDEGNFFPGSGGAPNEVGTGLG
 QORLSVSKILLVDLVHNGTQOAFYSDPSVLYMSLHRYDIDGNFFPGSGGAPDEVTGTPC


 HDRP
 HDAC9a
 HDAC9
 HDAC4
 866
 866
 886
 EPHFYLYISGNCITIA
 EGYNINIAWTGGLDPPMGDVEYIEAFRTIIVKFAKEFDPMVLVSA GFDALIEGHTPPLGG
 VGFNVNMAFTGGLDPPMGDAEYLAAFRTIIVMFIASEFAPDMVLVSSGFDAVEGHTPPLGG

 HDRP
 HDAC9a
 HDAC9
 HDAC4
 926
 946
 YKVTAKCFCHLTKOLMTLADGRVLALEGGHDLTAICDASEACV NALLGNELIEPIAEDITL
 YNLSFARCFGYLTKOLMCLACGRIVLALEGGHDLTAICDASEACV SALLGNELDPIPEKVL

 HDRP
 HDAC9a
 HDAC9
 HDAC4
 986
 1006
 HQSPMNAVISLLOKIIEIOSMSLKIFS
 QORPNANAVRSMKVMIEIHSKYWRCLQRTTSTAGRSLIEAOTCENEAEETVTAMASLSVG

 HDRP
 HDAC9a
 HDAC9
 HDAC4
 1066
 VKPAEKRPDEEPMEEPPPL

FIG. 3C



25/173

FIG. 4

FIG. 5A
FIG. 5B
FIG. 5C
FIG. 5D

FIG. 5

26/173

1 /¹ggggaagaga ggcacagaca cagataggag aagggcacog gctggagcca ctlgcaggac tgagggtttt tgcaacaaaa
ccctagcagc ctgaagaact

101 ctaagccag/²a tggggtggct ggaacgagagc agctcttggc tcagcaaaga ATGCACAGTA TGATCAGCTC AGT/³GGATGTG
AAGTCAGAAG TTCCYGTGGG

201 CCTGGAGCCC ATCTCACCTT TAGACCTAAG GACAGACCTC AGGATGATGA TGCCCTGGT GGACCCCTTT GTCCGTGAGA
AGCAATTGA GCAGGAATTA

301 CTTCCTATCC AGCAGCAGCA ACAATCCAG AACAGCTTC TGATAGCAGA GTTCAGAAA CAGCATGAGA ACTTGACACG
GCAGCACCAG GCTCAGCTTC

401 AGGAGCATAT CAAG/⁴GAACTT CTAGCCATAA AACAGCAACA AGAATCCTA GAAAGGAGC AGAAACTGGA GCAGCAGAGG
CAAGAACAGG AAGTAGAGAG

501 GCATCGCAGA GAACAGCAGC TTCCTCTCT CAGAGGCAA GATAGAGGAC GAGAAAG /⁵GGC AGTGGCAAGT ACAGAAGTAA
AGCAGAAGCT TCAAGAGTTC

601 CTA CTGTGATTA AATCAGCAAC GAAAGACACT CCAACTAATG GAAAAAATCA TTCCGTGAGC CGCCATCCCA AGCTCTGGTA
CAGG/⁶GCTGCC CACCACACAT

701 CATTGGATCA AAGCTCTCCA CCCCTTAGTG GAACATCTCC ATCCTACAAG TACACATTAC CAGGAGCACA AGATGCAAAG
GATGATTTCC CCCTTCGAAA

FIG. 5A

27/173

801 AACT/GCCTCT GAGCCCACT TGAAGTGCG GTCCAGGTTA AACAGAAG TGGCAGAG GAGAAGCAGC CCCTTACTCA
GGCGAAGGA TGGAAATGTT
 901 GTCATTCAT TCAAGAAGCG AATGTTTGAG GTGACAG /⁸AAT CCTCAGTCAG TAGCAGTTCT CCAGGCTCTG GTCCAGTTT
 ACCAAACAAT GGGCCAACGT
 1001 GAAGTGTAC TGAAAATGAG ACTTCGGTTT TGCCCCCTAC CCTCATGCC GAG /⁹CAATGG TTTCACAGCA ACGCAITCTA
 ATTCAAGAAG ATTCCATGAA
 1101 CCIGCTAAGT CTTTATACCT CTCCTTCTTT GCCCAACATT ACCTTGGGGC TTCCCGCAGT GCCATCCCAG CTCAATG /¹⁰CIT
 CGAATTCACT CAAAGAAAAG
 1201 CAGAAGTGTG AGAGCAGAC GCTTAGGCAA GGTGTCTCTC TGCCTGGGCA GTATGGAGC AGCATCCCAG CATCTTCCAG
 CCACCTCAT GTTACTTTAG
 1301 AGGGAAGCC ACCCAACAGC AGCCACCAGG CTCCTCTGCA GCATTTATTA TTGAAAGAAC AAATGGGACA GCAAAAGCTT
 CTTGTAGCTG /¹¹ GTGGAGTTCC
 1401 CTTACATCCT CAGTCTCCCT TGGCAACAAA AGAGAGATT TCACCTGGCA TTAGAGGTAC CCACAAATIG CCCCCTCACA
 GACCCCTGAA CCGAACCCAG
 1501 TCTGCACCIT TGCCTCAGAG CAGGTGGCT CAGCTGGTCA TTCACAGCA ACACCAGCAA TTCTTGGAGA AGCAGAAGCA
 ATACCAGCAG CAGATCCACA
 1601 TGAACAAA /¹²CT GCTTTGGAAA TCTATTGAAC AACTGAAGCA ACCAGGCAGT CACCTTGAGG AAGCAGAGGA AGAGCTTCAG
 GGGGACCAGG CGATGCAGGA

FIG. 5B

1701 ACACAGAGCG CCTCTAGTGG GCAACAGCAC TAGGAGCGAC AGCAGTGCCTT GTGTGGATGA CACACTGGGA CAAGTTGGGG
 CTGTGAAGGT CAAGGAGGAA
 1801 CCAGTGGACA GTGATGAAGA TGCTCAGATC CAGGAAATGG AATCTGGGGA GCAGGCTGCT TTTATGCAAC AG
 /¹³GTAATAGG CAAAGATTIA GCTCCAGGAT TTGTAATPAA AGTCATTATC TGA..... /¹⁴CCTTTCCT GGAACCCAGG CACACACGTTG
 1901 CGCTCTCTGT GCGCCAAGCT CCGCTGGCTG CCGTTGGCAT GGATGGATTA GAGAAACACC GTCTCGTCTC CAGGACTCAC
 TCTTCCCCTG CTGCCCTCTGT
 2001 TTTACCTCAC CCAGCAATGG ACCGCCCCCT CCAGCCTGGC TCIGCAACTG /¹⁵GAAATGCGCTA TGACCCCTTG ATGCTGAAAC
 ACCAGTGGCT TTGTGGCAAT
 2101 TCCACCACCC ACCCTGAGCA TGCTGGAGCA ATACAGAGTA TCTGTTCAGG ACTGCAAGAA ACTGGGCTGC TAAATAAATG
 TGAG/¹⁶CGAATY CAAGTGGAA
 2201 AAGCCAGCCT GGAGGAAATA CAGCTTGTTC AATCTGAACA TCACTCACTG TTGTAITGGCA CCAACCCCTT GGACGGACAG
 AAGCTGGACC CCAGGATACT
 2301 CCTAG/¹⁷GTGAT GACTCTCAA AGTTTTTTC CTCATTACCT TGTGTGGAC TGGG/¹⁸GTGGA CAGTGACACC AITTTGGAATG
 AGCTACACTC GTCCGGTGTCT
 2401 GCACGCATGG CTGTGGCTG TGTCAATCGAG CTGGCTTCCA AAGTGGCTC AGGAGAGCTG AAGA /¹⁹ATGGGT TTGCTGTGTGT
 GAGGCCCCCT GGCCATCAGC
 2501 CTGAAGAATC CACAGCCATG /²⁰GGGTTCTGCT TTTTAAATC AGTTGCAAT ACCGCCAAT ACTTGAGAGA CCAACTAAAT
 ATAAGCAAGA TAITGATTTGT

FIG. 5C

2601 AGATCTG/²¹GAT GTTCACCAATG GAAACGGTAC CCAGCAGGCC TTTATAGCTG ACCCCAGCAT CCTGTACATT TCACICCATC
 GCTATGATGA AGGGAACITTT
 2701 TTCCCTGGCA GTGGAGCCCC AAATGAGG/²²TT CGGTTAATTT CTTTAGAGCC CCACITTTAT TTGTATCTTT CAGGTAATTG
CAITGCATGA ttaccocclaa
 2801 ttttctgtc ctttgctggt gttttaaatt acacgagatt actgaattgt cccatgggac caagaaccag tgcagaacaa
gtgcataacc cagagcactg
 2901 ttgtcaggg aaggttgggc tgatttgatg tgttgttga tgttatttc aagagctccc atgtgcttgt tttcctctct
tcttgetttc ttccatttgc
 3001 tctctctct gccaccgtg gtgtgtcttt ctcttcccag/²³gttggaaacag gccttggaga aggtacaat ataaatattg
cctggacagg tggccttgat
 3101 cctcccattg gagatgttga gtacctttaa gcattcag/²⁴ga ccatcgtgaa gcctgtggcc aaaggtttg atccagacat
 ggtcttagta tctgctggat
 3201 ttgatgcatt ggaaggccac accctctctc taggagggtta caaagtgcg gcaaaatg/²⁵tt ttggtcattt gacgaagcaa
 ttgatgacat tggctgatgg
 3301 acgtgtggtg ttggctctag aaggaggaca tgatctcaca gccatctgtg atgcatcaga agcctgtgtaaatgcccc
 taggaaatga g/²⁶ctggagcca
 3401 cttgcagaag atattctcca ccaaagcccg aatatgaatg ctgttatttc tttacagaag atcattgaaa ttcaaagtat
 gtctttaaag ttctcttaa.....

30/173




FIG. 6A




FIG. 6B




FIG. 8




FIG. 7




FIG. 9A




FIG. 9B

33/173




FIG. 10

FIG. 11A
FIG. 11B
FIG. 11C
FIG. 11D
FIG. 11E
FIG. 11F

FIG. 11

FIG. 11A

cccattccattcaggctgcgcaactgttgggaaggcgatcggcctcttcgctattaccgagctggcgaaagggg
 ggatgtctgcaaggcgattaagtgggtaacgccagggtttccagtcacgacgttgtaaaacgacggccagtgccaagct
 gatctaataataggccattagccatattattcattggtatatagcataaataatggcctattggccattgcatacgttgatcca
 tacaataatgtacattatattggcctcatgtccaacattaccgccatgttgacattgattattgactagtttaataagtaataatcaattacg
 gggtcattagttcatagcccataataggagttccgggtacataacttacggtaaatggcccgcctggcgaccgccagcgaccc
 ccggcgttgacgtcaatagtagctatgttcccataagtaacgccaataggacttccattgacgtcaatggggaggattattacg

gtaaactgccacttggcagtagacaatcaagtgatacatatccaagtcggccccctattgacgtcaatgacggtaaatggcccgcct
 agcattatgccagtagacattacgggagtttccctacttggcagtagacatctacgtattagctcattaccatggtgatgcg
 gtttggcagtagaccaatggcgtgtagcggfttgactcaggggattccaagtctccaccattgacgtcaatgggaggt
 tgtttggcaccaaaatcaacgggacttccaaaatgctgaataacccccggcttgacgcaaatggcggtaggcgtgtacg
 gtggagggtctatataagcagagctcgttttagtaaccgtcagaattcaagcttggccggcagatctatcgtatcgcaggatc
 (EcoRV)

acc

35/173

ATGCACAGTATGATCAGCTCAGTGGATGTGAAGTCAGAAGTTCCTGTGGG
 CCTGGAGCCCATCTCACCTTTAGACCTAAGGCAGACCTCAGGATGATGA
 TGCCCCGTGTGACCCCTGTTGTCCGTGAGAAGCAATTGCAGCAGGAATTA
 CTTCTTATCCAGCAGCAGCAACAATCCAGAAGCAGCTTCTGATAGCAGA
 GTTTCAGAAACAGCATGAGAACTTGACACGGCAGCACCCAGGCTCAGCTTC
 AGGAGCATATCAAGGAACCTTAGCCATAAAACAGCAACAAGAACTCCTA
 GAAAGGAGCAGAAACTGGAGCAGCAGAGGCAAGAACAGGAAGTAGAGAG
 GCATCGCAGAGAACAGCAGCTTCTCCTCTCAGAGGCAAGATAGAGGAC
 GAGAAAGGGCAGTGGCAAGTACAGAAGTAAAGCAGAAGCTTCAAGAGTTC
 CTA CTGAGTAAATCAGCAACGAAAGACACTCCAACATAATGGAAAAAATCA
 TTCCGTGAGCCGCATCCC AAGCTCTGGTACACGGCTGCCACACACAT
 CATTGGATCAAAGCTCTCCACCCTTAGTGGAAACATCTCCATCTCAAG

FIG. 11B

36/173

TACACATTACCAGGAGCACAAGATGCAAAGGATGATTTCCCCCTTCGAAA
AACTGCCCTCTGAGCCCAAATTGAAGTGCGGTCCAGGTTAAAACAGAAAG
TGGCAGAGAGGAAAGCAGCCCTTACTCAGGCGAAGGATGGAATGTT
GTCACCTTCATTCAAGAAGCGAATGTTGAGGTGACAGAATCCTCAGTCAG
TAGCAGTTCTCCAGGCTCTGGTCCCAGTTCACCAAACAATGGGCCAACTG
GAAGTGTACTGAAAATGAGACTTCGGTTTTGCCCCCTACCCCTCATGCC
GAGCAAAATGGTTTCAACAGCAACGCATTTCTAATTCATGAAGATTCATGAA
CCTGCTAAGTCTTTATACCTCTCTCTTTGCCCCAACATTAACCTTGGGGC
TTCCCCGAGTGCCATCCCAGCTCAATGCTTCGAATTCACCTCAAAGAAAAG
CAGAAAGTGTAGACCGCAGACGCTTAGGCAAGGTGTTCTCTGCCCCTGGGCA
GTATGGAGGCAGCATCCCGGCATCTTCCAGCCACCCCTCATGTTACTTTAG
AGGAAAAGCCCAACACAGCAGCCACCAGGCTCTCTGCAGCATTTATTA
TTGAAAGAACAAAATGCGACAGCAAAAAGCTTCTTGTAGCTGTTGGAGTTCC
CTTACATCCTCAGTCTCCCTTGGCAACAAGAGAGAAATTCACCTGGCA
TTAGAGGTACCCACAATTTGCCCTCAGAGCACGTTGGCTCAGCTGGTCAATCAACAGCA
TCTGCACCTTTGCCCTCAGAGCACGTTGGCTCAGCTGGTCAATCAACAGCA
ACACCAGCAATTTGGAGAGCAGAAAGCAATACCAGCAGCAGATCCACA
TGAACAAAACCTGCTTTCGAAAATCTATTGAACAACCTGAAGCAACCAGGCAGT
CACCTTGAGGAAGCAGAGGAAGAGCTTCAGGGGGACCAGGCCGATGCAGGA
AGACAGAGCGCCCTCTAGTTGGCAACAGCACTAGGAGCGACAGCAGTGCTT
GTGTGGATGACACACTGGGACAAAGTTGGGGCTGTGAAGGTCAAGGAGGAA
CCAGTGGACAGTGATGAAGATGCTCAGATCCAGGAAAATGGAATCTGGGGA
GCAGGCTGCTTTTATGCAACAGCCTTTCCTGGAAACCACGCACACACGTTG
CGCTCTCTGTGCGCCCAAGCTCCGCTGGCTGCGGTTGGCATGGATGGATTA

FIG. 11C

37/173

GAGAAACACCGTCTCGTCTCCAGGACTCACTCTTCCCCTGCTGCCCTCTGT
TTTACCTACCCAGCAATGGACCGCCCTCCAGCCTGGCTCTGCAACTG
GAATTGCCCTATGACCCCTTGTGATGCTGAAAACACCAGTGCCTTGTGGCAAT
TCCACCACCCCTGAGCATGCTGGACGAATACAGAGTATCTGGTCAACG
ACTGCAAGAAACTGGCTGCTAAATAAATGTGAGCGAATCAAGGTCGAA
AAGCCAGCTGGAGGAAATACAGCTTGTTCATCTGAACATCACTCACTG
TTGTATGGCAACCCCTGGACGGACAGAAGCTGGACCCACAGGATACT
CCTAGGTGATGACTCTCAAAAAGTTTTTTTCCCTCATACCCTTGTGTGGAC
TTGGGGTGGACAGTGACACCAATTTGGAATGAGCTACACTCGTCCGGTGTCT
GCACGCATGGCTGTGGCTGTGTCACTCGAGCTGGCTTCCAAAAGTGGCCTC
AGGAGACTGAAGAAATGGGTTTGTCTGTTGTGAGGCCCTTGGCCATCACG
CTGAAGAATCCACAGCCATGGGTTCTGCTTTTTTAATTCAGTTGCAATT
ACCGCCAATACTTGAGAGACCAACTAAATAAAGCAAGATAATTGATTTGT
AGATCTGGATGTTCAACCATGGAAACGGTACCAGCAGGCCCTTTTATGCTG
ACCCAGCATCCGTGTACATTTCACTCCATCGCTATGATGAAGGAACTTT
TTCCCTGGCAGTGGAGCCCAAAATGAGGTTGGAACAGGCCCTTGGAGAAGG
GTACAATAAATAATTGCCCTGGACAGGTGGCCTTGATCCTCCCATGGGAG
ATGTTGAGTACCCTTGAAGCAATTCAGGAccaTCGTGAAGCCTGTGGCCAAA
GAGTTTGATCCAGACATGGTCTTAGTATCTGCTGGAATTTGATGCATTTGGA
AGGCCACACCCCTCCTTAGGAGGGTACAAAGTACGGCAAAAATGTTTGTG
GTCATTTGACGAAGCAATTTGATGACATTTGGCTGATGGACGTTGGTGTGTG
GCTCTAGAAGGAGGACATGATCTCACAGCCATCTGTGATGCATCAGAAGC
CTGTGTAATAATGCCCTTCTAGGAAATGAGCTGGAGCCACTTCAGAAAGATA
TTCTCCACCAAGCCCGAATAATGAATGCTGTTAATTTCTTTACAGAAAGATC
ATTGAAATTCAAAGTATGTCTTTTAAAGTTCTCT

FIG. 11D

(BamHI) ggatccgggtaccagattacaaggacgacgacatgcaagtagatccccgggtggtgcatccctgtgacccccctccagctg
ccctctctggccctggaaagttggccactccagtgccccaccagcccttgctcctaataaaatgagttgcatcattttgtctgactagggtgctc
ctctataatattatgggggtggaggggggggtgtatgtagcaaggggccccaaagtgggaaagacaacctgtaggggccccctggcgggggtc
tattcgggaaccaaagctgtagagttgcaagttggcacaaatcttgctcactgcaaatctccctcctgggttcaagcggattctcctggccctc
agcctccccgaggttggattcccaaggcatgcatgaccaggctcagctaattttgtttttttgtgtagagacgggggttticaccatattg
ggcaggctgggtctccaactcctaactcagggatcaccacccctggcctcccaattgctgggattacaggggcgtggaaccactggc
tccctccctgctctctgattttaaataactataccagcaggaggacgtccagacacagcagataggctactcctggccatggcccaac
cgggtggacatttgagttgcttgcttgccactgctctctcatgctggtgggtccactcagtagatgctctgttgaattgggtactggcggc
cagctctctgtggaatgtgtgtcagttagggtgtgtgaaaagctccccagggctccccagcagagaaagtatgcaaaagcatgcatcica
attagtcagcaaccagggtgtggaaaagtccccagggtccccaggcaggcaagaagtatgcaaaagcatgcatcacaattagtcagca
accatagctcccccctaactccgcccatacccccggcccttaactcccccagggttccggcccaattctccggcccccatggctgactaatttt
tttatttatgcaaggccggaggccctcggagctctgagctatttccagaaagtatgtagggagctgtttttggagggccccctagggcttttggc
aaaaagctctcggaggaaactgaaaaaccagaaaagttattccctatagtgagtcgtattaaattcgttaattcgtatgctatgctatgctgtttc
ctgtgtgaaaattgttatccgctcacaaattccacacaacatacagagccggaaagcataaaagtgtataagccctgggggggtccctaagt
gagctaaactcacatthaattgctgttgctgctcactggcccctttccagctcgggaaacctgtctgcccagctgcatthaatgaaatcggcc
aacggcggcgggagaggcgggtttgctgtattggggcggctctccggcttccgctcactgactcgtcgtcggcgtcgggtcgggtcggcgg
ggcggcgggtatcagctcactcaaaaggcggtaatacgggttatccacagaaatcagggggataaacgggaaagaaagaaacatgtagagca
aaaaggccagcaaaaaggccaaggaaaccgtfaaaaaggcccgggtgtcgtggcgtgtttccatagggctccggccccccctggacgagcatca
caaaaaatcagcgtcaagtcagaggtggcggaaaaccccggacagtagactataaaagataccaggcgtgtttccccctgggaaggctcctcctc
tggcctctctctgttccgaccctggcggcttaaccgggataacctgctccggcctttctcccttccgggaaagcgtggggcgttctcaatgctcac

FIG. 11E

FIG. 11F

gctgtaggtatcagttcgggtgtaggtgctccaaagctgggctggtgcaagaaacccccgttcagccccgaccgctgcgc
 cttatccggtaactatcgtcttgagctccaaccggtaagacagacttattccactggcagcagccactggtaacagggattagc
 agagcgaaggatgtagcggctgctacagagttcttgaagtggtggcctaactacggtctacactagaaagaaacagttatgggtatct
 gcgctctgctgaagccagttacccttccgaaaaagagttggtagctcttggatccggcaaaacacaccggcggtagcgggtgggtt
 ttttgttgcaagcagcagattaccgcgcagaaaaaaaggatctcaagaaagatccttggatcttctactggggctgacgctcaggtg
 gaacgaaaaactcacggtfaagggatttgggtcatgagattatcaaaaaggatcttccacatagatccttttaaaataaaaatgaaagtftta
 aatcaatctaaaagtataatagtaaaacttggctgacaggttaccaatgcttfaatcagtgaggcacctatctcagcgtatctgcttatttc
 gttcatccatagttgcccgtgactccccgctgctgtagataactacgatacgggagggtcttaccatctggccccaggtgctgcaatgata
 ccggcagaccaccgctcaccggctccagatttatcagcaataaacagcccagccggaaagggccccgagcgcagaaagtggctcct
 gcaactttatccgcctcccaatcagctataatggtggccgggaaagctagagtaagtagttcggcagtttaatagtttggccaacgttgt
 tggcaattgctacaggcattcgtggtgacgctcgtcgtggttgggtatggcttcattcagctccgggttccccaacgatcaaggcggagttac
 atgatcccccatgttggcaaaaaagcggttagctcttcggctcccgatcgttggcagaagtaagttggccccgagttgttaccact
 catggttatggcagcactgcataaattcttactgtcatgccatccgtaaagatgcttttctgtagctgggtgagtactcaacaaagtcatt
 ctgagaatagtgtatggcggaccgagttgctcttggccggcgtcaatacgggataataccggccccacatagcagaacitttaaaa
 gttgctcatcattggaaaaagcttctcggggcgaaaactctcaaggatcttaccggctggtgagatccagttcggatgtaaccacactcgt
 gcaccaaacatgatctcagcacttttaccaccaggctgttctgggtgagcaaaaaagagaaagggcaaaaatgcccgaaaaaagg
 gaataaggggcagacggaaatgttgaataactatccttcttccctttttcaataatattgaaagcatttatcagggttattgtctcatgagccg
 gatacatatttgaatgtatttgaaaaaataaaataaggggttccggcgcacatttccccgaaaaagtgccaccctgacggcccigt
 agcggcgcattaaagcggcgggtgtggtggttacggcagcgtgaccgctacacitggccagcggccccttagcggcccgtctcttt
 cgttttctcccttctcggcagcgttccggcttccccgtcaagctcaaatcggggcatccctttaggggttcggattagtgcc
 tttacggcaccctgacccecaaaaacttgattaggggtgatggttcaagttggtggccatcgccctgatagacgggttttcccccctt
 gacggtggagtcacgctctttaaatagtgactctgttccaaaactggaaacaacacccaacctatctcggctattcttfttgattataa
 gggatttggccgatttcggcctattggtaaataaaaatgagcttgatttaacaaaaatttaacgcaatfttaacaaaaattataaacggtttac
 aattt




FIG. 12

pFLAG-CMV-5b-HDAC9

7699 base pairs

Graphic map | Table by enzyme name

	BstMCI				MspAII
	PvuI	BsiEI	EarI		PvuII
	BsaOI		Eam1104I		
cccattcgccattcaggctg					
cgcaactgttgggaaggcgat					
cgggtg					
cgccctcttcgctattacg					
ccagctgg					
base pairs					
gggtaagcggtaagtccgac					
gcggttgacaacccttccc					
gtagccacgcccggagaag					
cgataatg					
cggtcgacc					
1 to 75					41/173
	Acc16I	BspCI	Ksp632I	NspBII	
		Bsh1285I			
		Ple19I			

cgaagggggatgtgctgcaaggcgattaaagtgggtaagcccagggtttcccagtcacgacgttgtaaaacg
base pairs
gctttcccctacacgacggttcgctaattcaaccattgcgggtcccataagggtcagtgctgcaaacattttgc
76 to 150

FIG. 12-1

42/173

EaeI
 MscI
 CfrI
 SspI MluNI
 acggccagtgccaagctgatctaataatcaataattggccattagccatattattcattggttatatatagcataaaatcaa
 base pairs
 tgccggtcacgggttcgactagattagttataaccggtaatcgggtataataagtaaccaatataatcgatttttagtt
 151 to 225
 CfrI

MscI
 MluNI
 SspI EaeI BsrDI
 tattggctattggccattgcatatcgttgatccatatacataataatgtacattttatatattggctcatgtccaacatt
 base pairs
 ataaccgataaccggtaacgtatgcaacataggtatagttatatacatgtaataataaccgagtagcaggttgtaa
 226 to 300
 CfrI
 Bali
 BsrGI

FIG. 12-2

HincII VspI
 SpeI PshBI
 accgccatgttgacattgatttactagttattaatagtaatacaattacggggtcattagttcatagcccata
 base pairs
 tggcggtaacaactgtaactaataactgatcaataattatcattagttaatgccccagtaatacaagtatcgggtat
 301 to 375

HindII AcINI AsnI
 AseI

43/173

HinII
 AclI
 HincII

BstMCI
 BsaOI

BglI

tatggagtccggttacataactacggtaaatggccccgctggcgaccgccagccccgacctgacg

base pairs

atacctcaaggcgaatgtattgaatgccatttaccggcgaccgctggcggtcgctggggcggaactgc

376 to 450

Bsh1285I
 BsiEI
 HindII

FIG. 12-3

44/173

AatII
 BbiII
 tcaatagtgacgtatgttcccatagtaacgccaataggactttccattgacgtcaatgggtgagattattacgg
 base pairs
 agttatcactgcatacaagggtatcattgcgggttatccctgaaaggtaactgcagttaccacctcataaatgcc
 451 to 525
 Hsp92I

Msp17I
 BsaHI
 Hsp92I

BbiII
 HinII
 AcyI AatII
 BglI NdeI
 taaactgccacttggcagtacatcaagtgtatcatatgcccaagtccgccccctattgacgtcaatgacggtaaa
 base pairs
 atttgacgggtgaaccgtcatgtagttcacatagatcacggttcaggcgggggataaactgcagttactgccattt
 526 to 600

FauNDI
 Msp17I
 BsaHI
 Hsp92I

FIG. 12-4

BstSNI
SnaBI

tggccgcctagcattatgcccagtagaccttacgggagtttcctacttggcagtagacatctacgtattagtc
base pairs
accggcggtacgtaatacgggtcatgtactggaatgccctcaaaggatgaaccgtcatgtagatgcataatcag
601 to 675

BsaAI
Eco105I

45/173

NcoI Bsp19I
StyI BstDSI
EcoT14I

atcgctattaccatgggtgatgcgggttttggcagtagacccaatgggcgtggatagcgggtttgactcacggggattt
base pairs
tagcgaataatggtagcactacgccaaccgtcatgtggttaccgcacacctatcgccaactgagtgccctaaa
676 to 750

BssT1I
ErhI Eco130I
DsaI MslI

FIG. 12-5

BbiII			
Hin1I		AccB1I	
		BshNI	
ACYI AatII			
ccaagctccaccattgacgtcaatgggagttgttttggcaccacaaaatcaacgggacttccccaaatgtcgt			
base pairs			
ggttcagagggtgggtaactgcagttaccctcaaacaaaaccgtggttttagttgccctgaaaggttttacagca			
751 to 825			
Msp17I		BanI	
BsaHI		Eco64I	
Hsp92I			
			46/173
			BanII
			Eco24I
			EcoICRI
aataaccgcccgttgacgcaaatgggtagggtgtacggtgggaggtctatataagcagagctcgttta			
base pairs			
ttattgggaggggcaactgcgtttaccggccatccgcacatgccaccctccagatataatcggtctcgagcaaat			
826 to 900			
HindII		Ecl136II	
		SacI	

FIG. 12-6

DsaI DrdI MfeI Asp700I
gatgatgagcccggtggaggaccctgtgtccgtgagaagcaatgacagcaggaattacttcttatccagcagca
base pairs
ctactactacgggacaccacctgggacaaacaggcactcttcgtaacgctcgtccttaatgaagaatagggtcgtcgt
1051 to 1125
BstDSI MunI XmnI

48/173

FIG. 12-8

AlwNI
 gcaacaatccagaagcagcttctgatagcagagtttcagaaacagcatgagaacttgacacggcagcaccaggc
 base pairs
 cgttgtttaggtcttcgtcgaagactatcgctctcaaagtctttgtcgactcttgaaactgtgccgtcggtggtccg
 1126 to 1200

49/173

BlpI	EcoNI	AlwNI
CellI	Eco57I	
		tcagcttcaggagcatatcaaggaacttctagccataaaacagcaacaagaactcctagaaaaggagcagaact
		base pairs
		agtcgaagtcctcgatagttccttgaagatcggatatttgtcgtttcttgaggatctttcctcgtctttga
		1201 to 1275
		Bsp1720I
		Bpu1102I

FIG. 12-9

50/173

BpmI
 BseRI
 ggagcagcagaggaagaacaggaagtagagagcgcagagagaacagcagcttcctcctctcagaggcaaga
 base pairs
 cctcgtcgtctccgcttctgtccttcattcctccgtagcgtctctgtcgtcgaaggaggagagctccgcttct
 1276 to 1350

EcoNI

GsuI

HindIII
 tagaggacgagaaagggcagtggaagtagcagaagtaagcag aagcttcaagagttcctactgagtaaatcagc
 base pairs
 atctcctgctcttcccgctcaccgcttcatgtcttcatttcgctc tcgaagttctcaaggatgactcatttagtcg
 1351 to 1425

FIG. 12-10

Van91I
AccB7I

aacgaaagacactccaactaatggaaaaaatcattccgtgagccgccatccaagctctggtacacggctgcccc
base pairs
ttgctttctgtgaggttgattaccttttttagtaaggcactcggcggtaggggttcgagaccatgtgccgacgggt
1426 to 1500

Esp1396I
PflMI

Esp1396I
PflMI

51/173

ccacacatcattggatcaaagctctccacccttagtggaacatctccatccctacaagtacacattaccaggagc
base pairs
gggtgtagtaacctagtttcgagaggtggggaatcaccttgtagaggtaggatgttcatgtgtaatggctcctcg
1501 to 1575

FIG. 12-11

Alw21I	BstBI		
AspHI	Bpu14I	FriOI	
	Csp45I	Eco24I	
acaagatgcaaaggatgattcccccttcgaaaaactgcctctgagcccaacttgaaggcggtccagggttaa			
base pairs			
tgttctacgttccctactaaaggggaagcttttgacggagactcgggttgaacttccacgcccagggtccaattt			
1576 to 1650			52/173
BsiHKAI	SfuI Bsp119I	BanII	
Bbv12I	NspV		
	LspI		
	BseRI	EcoNI	
acagaaaagtggcagagaggagaagcagccccttactcagggcgaaggatggaaatgtgtcacttcattcaagaa			
base pairs			
tgctcttcaccgtctctcctcttcgtaggggaatgagtcggccttcctacctttacaacagtgaaagtaagttctt			
1651 to 1725			

FIG. 12-12

Van91I
 AccB7I
 BpmI PflMI
 Van91I
 AccB7I
 gcgaatggttgagggtgacagaatcctcagtcagtagcagttctccaggctctgggtcccagttccaccaacaatgg
 base pairs
 cgcttacaactccactgtcttaggagtcagtcacgtcaagaggtccgagaccagggccaagtgggtttggttacc
 1726 to 1800

GsuI
 Esp1396I
 AlwNI
 Esp1396I
 PflMI
 53/173

gccaaaggaaagtgttactgaaaatgagacttcgggtttgccccctaccctcatgccgagcaaatggtttcaca
 base pairs
 cggttgaccttcacaatgacttttactctgaagccaaaacggggatggggagtagggctcgtttaccacaagtgt
 1801 to 1875

FIG. 12-13

BsaMI
 Mva1269I
 BspMI
 XcmI
 gcaacgcattctaattcatgaagattccatgaacctgctaagtctttataacctcctctcttggcccaacattac
 base pairs
 cgttgcgtaagattaagtacttctaaggtagctggacgattcagaaatatggagaggaagaaacgggttgtaatg
 1876 to 1950
 BsmI RcaI
 BspHI

54/173

ErhI
 BssT1I
 BstBI AcsI
 Bpu14I
 Csp45I
 Esp3I
 ctggggctcccgcagtgccatcccagctcaatgcttc gaattcactcaaagaaagcagaagtgtgagacgca
 base pairs
 gaaccccgaaagggcgtcacggtagggtcgagttacgaag ctttaagtgagttctttcttcactctgcgt
 1951 to 2025
 EcoT14I
 SfuI Bsp119I
 BsmBI
 StyI
 Eco130I
 NspV ApcI
 LspI EcoRI

FIG. 12-14

55/173

MslI

gacgcttaggcaaggtgttcctctgcctgggagtagggagcagcatccggcatcctccagccaccctcatgt
 base pairs
 ctggaatccgctccacaaggagacggaccgtcatacctccgtcgtagggccgtagaaggtcggtaggtaca
 2026 to 2100

PstI

SfcI

tactttagagggaaagccaccaaacagcagccaccaggctctc ctgcagcatttattgaaagaacaaatgcg
 base pairs
 atgaaatctccctttcgggtgtcgtcgggtgggtccgagag gacgtcgtaaataaacttcttgtttacgc
 2101 to 2175

BstSFI

FIG. 12-15

56/173

Eco130I
 StyI
 EcoT14I
 ApoI
 BssT1I
 ErhI
 Acsi

HindIII
 acagcaaaagcttctttagctggagggtcccttacatcctcagtcctcccttggcaacaaaagagagaatttc
 base pairs
 tgtcgtttgcgaagaacatgaccacctcaaggggaatgtaggagtcagagggaaaccgttggtttctctcttaaag
 2176 to 2250

Asp718I
 Acc65I
 BshNI
 BsgI
 acctggcattagaggtaccacaaaattgcccctcacagaccctgaaaccagctctgcacctttgacctca
 base pairs
 tggaccgtaatctccatgggtgttaacggggcagtgctggggacttggcttgggtcagacgtggaaacggaggt
 2251 to 2325
 Bani KpnI
 AccB1I
 Eco64I

FIG. 12-16

57/173

Bpu1102I
 Alw21I Bsp1720I
 AspHI CellI
 gagcacgttggctcagctgggtcattcaacagcaacaccagcaattcttgagagcagaagcaataaccagcagca
 base pairs
 ctcgtagcaaccgagtcgaccagtaagtgtcggtcggttaagaacctcttcgctcttcggttatggtcgctcgt
 2326 to 2400
 BsiHKAI PvuII
 Bbv12I BlpI MspA1I
 NspB1I
 BstBI
 Bpu14I
 Csp45I Eco57I
 gatccacatgaacaaactgcttgcgaaatctattgaacaactgaagcaaccaggcagtcaccttgaggaagcaga
 base pairs
 ctagggtgacttgtttgacgaaagcttttagataacttgttgacttcggttgggtccggtcagtggaactcccttcgctct
 2401 to 2475
 BstYI
 BstX2I
 SfuI Bsp119I
 NspV
 LspI

FIG. 12-17

58/173

EarI		
Eam1104I	Bbv16II	
Asp700I	BbsI	Bsp143II
ggaagagcttcaggggaccaggcgatgcaggaagacagagcgcctctctagtggaacagcactaggagcgacag		
base pairs		
cctctcgaagtcctccctggtcctcctctctcgcgggagatcaccttctcgtgatccctcgtc		
2476 to 2550		
XmnI	Eco57I	BpiI
Ksp632I		HaeII
SapI		BpuAI
		BstH2I
BcgI		
cagtgtgtgtggatgacacactgggacaagtggggctgtgaagggtcaagggaaccagtgacagtgatga		
base pairs		
gtcacgaacacacactactgtgtgacctgttcaaccccgacacttccagttcctccttggtcacctgtcactact		
2551 to 2625		

FIG. 12-18

MflI Van91I
 XhoII AccB7I
 agatgctcagatccaggaatggaatctggggagcaggctgctttatgcaacagcctttccttggaaacccacgca
 base pairs
 tctacgagctaggtcctttaccttagaccctcgtccgacgaaatacgttgtcggaaaggaccttgggtgcgt
 2626 to 2700
 BstYI Esp1396I
 BstX2I PflMI

59/173

PmaCI
 PmlI
 AflIII
 NspBII
 Esp3I
 cacacgtgcgctctctgtgcgccaagctccgctggctgcggttggcatggatggattagagaaacaccgtctcgt
 base pairs
 gtgtcacgcgagagacacgcggttcgagggaccgacgccaaccgtacctaacctctcttctgtggcagagca
 2701 to 2775
 MslI Eco72I
 MspA1I
 BsmBI

FIG. 12-19

60/173

EarI	BpmI	BsrDI	BpmI
Eam1104I			
ctccaggactcactcttcccctgctgcctctgttttacctcaccagcaatggaccgccccctccagcctggctc			
base pairs			
gaggtcctgagtgagaggacgacggagacaaaatggagtgggtcgttacctggcgggggaggtcggaccgag			
2776 to 2850			
GsuI	Ksp632I		GsuI

	XcmI
tgcaactggaattgcctatgacccttgatgctgaaacaccagtgcggttctgtggcaattccaccaccctga	
base pairs	
acgttgaccttaaccgatactgggaactacgactttgtggtcacgcaaacaccgttaaggtggtgggtgggact	
2851 to 2925	

FIG. 12-20

SphI
 BbuI
 ACSI
 ApOI
 gcatgctggacgaatacacagagtatctggtcacgactgcaagaaactgggctgctaaataaatgtgagc gaattca
 base pairs
 cgtacgacctgcttatgtctcatagaccagtgctgacgttctttgaccgacgatttattactactcg cttaagt
 2926 to 3000
 PaeI
 NspI
 EcoRI

61/173

BpmI
 AccB1I
 BshNI
 aggtcgaaaagccagcctggaggaaatacacagctgttcatctgaacatcactcactgttgtatggcaccacccc
 base pairs
 tccagcttttcggtcggacctcctttatgtcgaacaagtaagactttagtgagtgaacaacataccgtggttggg
 3001 to 3075
 GsuI
 BanI
 Eco64I

FIG. 12-21

62/173

ErhI
 StyI Eco130I
 EcoT14I

BstXI AlwNI
 cctggacggacagaagctggacccaggataactcctaggtgatgactctcaaaagtttttccctcattaccttg
 base pairs
 ggacctgcctgtcttcgacctggggcctatgaggatccactactgagagttttcaaaaaaaaaaggagtaaatggaac
 3076 to 3150

BssTII
 AvrII
 BlnI

BsaWI BsgI

tggtggacttgggggtggacagtgacaccatttggaaatgagctacactcgtccgggtgctgcacgcgatggctgttgg
 base pairs
 accacctgaacccccacctgtcactgtggtaaaccttactcgtatgtgagcaggccacgacgtgcgtaccgacaacc
 3151 to 3225

FIG. 12-22

CvnI	CfrI
AocI	DraII EaeI
Bsu36I	Eco57I

ctgtgatcagagctggcttccaaaagtggcctcaggagagctgaagaatgggtttgctgtgtgtagggccccctgg
 base pairs
 gacacagtagctcgaccgaagtttcaccggagtcctctcgacttcttaccaaacgacaacactccgggggacc
 3226 to 3300

Eco81I
 Bse21I
 Eco0109I

63/173

MscI

ErhI Eco130I
BssT1I BstXI
Eco57I MslI DsaI

ccatcacgctgaagaatccacagccatggggttctgctttttaaattcagttgcaattaccgccaataacttgag
 base pairs
 ggtagtgcgacttcttaggtgcgtaccccccaagacgaaaaaataagtcaacgttaatggcggtttatgaactc
 3301 to 3375

MluNI
 BlnI
 EcoT14I
 StyI BstDSI
 NcoI Bsp19I

FIG. 12-23

BstX2I NcoI Bsp19I Asp718I SseBI
 BstYI StyI BstDSI AccB1I Ecol47I

XhoII EcoT14I BshNI StuI
 agaccaataataaagaagataattgattgtagatctggatgttcaccatggaaacgggtaccaccagcaggcctt

base pairs
 tctggttgatttatattcgttctataactaacatctagacctgacccaagtgtacctttgccatgggtcgtccggaa

3376 to 3450
 Eco31I BglII BstT1I BanI KpnI AatI
 MflI ErhI Eco130I Eco64I Pme55I

DsaI Acc65I 64/173

SspBI Bsp1407I MslI Asp700I

ttatgctgacccagcatcctgtacatttcactccatcgctatgatgaagggaacttttccctggcagtgagc

base pairs
 aatacgaactgggtcgtaggacatgtaagtgaggtaggatataacttcccttgaaaaaggaccgtcacctcg

3451 to 3525
 BsrGI XmnI

FIG. 12-24

SseBI ErhI
 Eco147I
 StuI Bst1I SspI
 cccaatgagggtggaacaggccttggaagggtacaataataatattgcctggacaggtggccttgatcctcc
 base pairs
 gggttactccaaccttgtccggaacctctcccattgtataattataacggacctgtccaccggaactaggagg
 3526 to 3600
 AatI StyI
 Pme55I Eco130I
 EcoT14I
 NcoI Bsp19I
 StyI BstDSI
 EcoT14I
 MscI
 MluNI
 AspI
 65/173
 BsaMI
 Mva1269I
 EaeI
 AtsI
 catggagatggtgagtagccttgaagcattcaggaccatcgtgaagcctgtggccaaagagtttgatccagacat
 base pairs
 gtacccttacaactcatggaacttcgtaagtcctgtagcacttcggacacgggtttctcaaaactagggtctgta
 3601 to 3675
 Bst1I
 DsaI
 ErhI Eco130I
 CfrI
 BsmI
 Tth111I
 BalI

FIG. 12-25

66/173

Mph1103I
EcoT22I

EcoNI

Ppu10I

ggcttagtatctgctggatttgatgcattggaaggccacaccctcctctaggagggtacaaagtgacggcaaa
base pairs
ccagaatcatagacgacctaaactacgtaaccttcgggtgtggggaggagatcctcccatgtttcactgccgttt
3676 to 3750

NsiI
Zsp2I

BseRI

MfeI

AflIII

XbaI

atgttttggtcatttgacgaagcaattgatgacattggctgatggacgtgtggtgttggtctctagaaggagaca
base pairs
tacaaccagtaactgcttcgtaactactgtaaccgactacctgcacaccacaaccgagatcttcctcctgt
3751 to 3825

MunI

FIG. 12-26

Mph1103I
 EcoT22I
 Ppu10I
 BpmI
 tgatctcacagccatctgtgatgcatcagaagcctgtgtaaatgcccttctaggaatgagctggagccacttgc
 base pairs
 actagagtgcggtagacactacgtagtcttcggacacatttacgggaagatccttactcgacctcgggtgaacg
 3826 to 3900
 NsiI
 Zsp2I
 GsuI
 67/173
 Asp700I
 BsaMI
 Mva1269I
 ApoI
 agaagataattctccaccaaagccgaatatgaatgctgttatttcttacagaagatcattgaaattcaaagtat
 base pairs
 tcttctataagagggtggttcgggcttatacttacgacaataaagaatgtctctagtaactttaagtttcata
 3901 to 3975
 XmnI
 BsmI
 AcsiI

FIG. 12-27

MflI AccB1I
 BstI BsaWI KpnI
 BamHI BshNI
 DraI
 gtctttaagttctctggatccggtaccagattacaaggacgacgatgacaagtagat cccgggtggcatccctg
 base pairs
 cagaatttcaagagacctaggccatgggtctaatgttccctgctgctactgttcatcta gggcccaccgtagggac
 3976 to 4050

XhoII BanI Eco64I
 BstYI Acc65I
 BstX2I Asp718I

AvaI BcoI
 MflI Eco88I PspALI
 XhoII Cfr9I SmaI MslI

BstYI Ama87I
 BstX2I BsoBI
 XmaI PspAI

68/173

Eco130I
 StyI GsuI
 EcoT14I MslI
 tgaccctcccagtgccctctcctggccttggaagtggccactccagtgcccaccagccttgcctaataaaatt
 base pairs
 actggggaggggtcacggagagaccggaaccttcaacggtgagggtcacgggtgggtcggaacaggattattttaa
 4051 to 4125

BssT1I BpmI
 ErhI

FIG. 12-28

69/173

AspEI	DraII
Eam1105I	PspOMI
	SspI

aagttgcatcattttgtctgactaggtgtcctctataaataattatggggtggagggggtgtatggagcaaggggg
base pairs
ttcaacgtagtaaacagactgatccacaggagatattataataccccaccctccccaccatacctcgttcccc
4126 to 4200

EclHKI	Bsp120I
AhdI	Eco0I

Eco24I	SfcI	BpmI	BsgI
BanII	Bbv16II		
FriOI	BbsI	DraII	

cccaagttgggaagacaacctgtaggccctgcgggtctattcgggaaccaagctggagtgccagtgccacaatct
base pairs
gggttcaacccttctgttgacatcccggacgccccagataagcccttggttcgacctcacctcaccgtgtaga
4201 to 4275

BpiI	Eco0109I	GsuI
BpuAI		
	BstSFI	

09I	
ApaI	

FIG. 12-29

BcoI
Ama87I
AvaI

BcgI

tggctcactgcaatctcgcctcctgggttcaagcgattctcctcctcagcctcccgagttgttgggattccag
base pairs
accgagtgacgttagagcgaggaccacaagtctcgctaagaggacggagtcgagggctcaacaaccctaaggctc
4276 to 4350

Eco88I
BsoBI

70/173

NspI
PaeI Mph1103I
Ppu10I EcoT22I

MscI
MluNI
EaeI

Esp3I

gcatgcatgaccaggctcagctaatttttggttttttggttagagacggggtttcaccatattggccaggctggtc
base pairs
cgtacgtactgggtccgagtcgattaaaaacaaaaaacattctctgccccaaagtgtataaccgggtccgaccag
4351 to 4425

BbuI Zsp2I CelII
SphI Bsp1720I
NsiI Bpu1102I

CfrI
Bali

BsmBI

FIG. 12-30

Eco130I
StyI
EcoT14I
BsaI
tccaactcctaataatctcaggtgatctaccaccttggcctcccacaattgctgggattacaggtgaaccactgct
base pairs
aggttgaggattagagtagatgggtggaaccggagggtttaacgaccctaattgtccgcacttgggtgacga
4426 to 4500
Eco31I
BstXI
BssT1I
ErhI

71/173

FIG. 12-31

73/173

EaeI AlwNI
 cctgttgaattgggtacggccaggcttctgtggaatgtgtcagttaggggtggaaagtccccaggctcccc
 base pairs
 ggacaacttaaccatgcccgggtcgaagacaccttacacacagtcaatcccacacctttcaggggtccgagggg
 4651 to 4725
 CfrI

NspI
 PaeI Mph1103I
 Ppu10I EcoT22I SexAI
 agcaggcagaagtatgcaaagcatgcatctcaattagtcagcaaccagggtgtggaaaagtccccaggctccccag
 base pairs
 tcgtccgtcttcatacgtttcgtacgtagagttaatcagtcggtccacacctttcaggggtccgaggggtc
 4726 to 4800

BbuI Zsp2I
 SphI
 NsiI

FIG. 12-33

74/173

NspI
 PaeI Mph1103I
 Ppu10I EcoT22I
 caggcagaagtatgcaaaagcatgcatctcaattagtcagcaaccatagtagtcccccttaactccgcccattccccgc
 base pairs
 gtccgtcttcatacgtttcgtacgtagagttaatcagtcgcttggtatcagggcggggattgagggcgggtaggggcg
 4801 to 4875

BbuI Zsp2I
 SphI
 NsiI

NcoI Bsp19I
 StyI BstDSI
 EcoT14I
 ccctaactccgccagttccgccatttccgcccatggctgactaattttttttatttatgcagagggccgagg
 base pairs
 gggattgagggcgggtcaaggcgggtaagagggcgggtaccgactgataaaaaaaaaataaacgtctccggctcc
 4876 to 4950

BsstII
 ErhI Eco130I
 DsaI

FIG. 12-34

75/173

SseBI AVRII
 Eco147I BlnI
 StuI BsSTII
 BseRI
 BglI
 ccgcctcggcctctgagctattccagaagtagtgaggaggcttttttgaggcctaggcttttgcaaaaagctc c
 base pairs
 ggcggagccggagactcgataaaggcttccactcactcctccgaaaaaacctccggatccgaaaaacgtttttcgagg
 4951 to 5025
 SfiI
 AatI StyI
 Pme55I ErhI
 EcoT14I Eco130I
 Ama87I
 Eco88I BseRI
 AvaI BsoBI
 SfcI
 ApOI
 tcgaggaactgaaaaaccagaaagtttaattccctatagtgagtcgtattaattcgtaaatcatggatcatagctgt
 base pairs
 agctccttgacttttggctttcaattaaggatatacactcagcataaatttaagcattagtagcattaccgatacgcaca
 5026 to 5100
 XhoI BcoI
 BstSFI
 Acsi
 Sfr274I
 Paer7I

FIG. 12-35

76/173

AccBSI
BsrBI

ttcctgtgtaaattgttatccgctcacaaattccacacaacatacggagccggaagcataaaagtgtaaagcctggg
base pairs
aaggacacactttaacaataggcgagtgttaagggtgtgtatgctcggccttcgtatttcacatttcggacccc
5101 to 5175

BstD102I

VspI
PshBI

AccB1I
BshNI

gtgcctaataagtagtgagctaaactcacattaattgcgctgctcactgcccgccttccagtcgggaaacctgtcgt
base pairs
cacggattactcactcgattgagtgtaataacgcaacgagtgacgggcaaggtcagcccttggacagca
5176 to 5250

AsnI
AseI

BanI
Eco64I

FIG. 12-36

78/173

NspI
BspLUIII

ccacagaatcaggggataacgcaggaaagaacatgtgagcaaaaggccagcaaaaggccaggaccgtaaaaagg
base pairs
gggtcttagtcccctattgcgtcctttctgtacactcgtttccggtcggtttccggtccttggcatttttcc
5401 to 5475

AflIII

DrdI

ccgcgttgctggcgttttccataggctccgccccctgacgagcatcacaataatcgacgctcaagtcagaggt
base pairs
ggcgcaacgaccgcaaaaaaggatccgagggggggactgctcgtagtggttttagctgcgagttcagctctcca
5476 to 5550

FIG. 12-38

BsiI

ggcgaaccgacaggactataagataaccaggcgtttccccctggaagctccctcgtgcgtctcctgttccga
 base pairs
 ccgctttgggctgcctgatatcttatggtccgcaaaaggggaccttcgagggagcacgcgagaggacaaggct
 5551 to 5625

79/173

BssSI

BsaWI

ccctgccgttacccgatacctgtccgcctttctcccttcgggaagcgtggcgctttctcaatgctcacgctgta
 base pairs
 gggacggcgaatggcctatggacaggcggaaagagggaagcccttcgcaccgcaagagttacgagtgcgacat
 5626 to 5700

BstH2I SfcI
 Bsp143II

HaeII BstSFI

FIG. 12-39

BsiHKAI
 NspBII
 BstMCI
 BsaOI
 Alw44I
 VneI Bbv12I
 ggtatctcagttcgggttaggtcgctccaagctgggctgtgtgcacgaaccccccgcttcagccccgaccgct
 base pairs
 ccataaggtcaagccacatccagcaagcgaggttcgacccgacacacagtgcttggggggcaagtcgggctggcga
 5701 to 5775

ApaLI
 Bsh1285I
 AspHI
 BsiEI
 Alw21I
 MspAII
 80/173

BsaWI
 AlwNI
 ggccttatccggtaactatcgtcttgagtccaaccggtaagacacgacttatcgccactggcagcagccactg
 base pairs
 cgcggaataggccattgatagcagaactcaggttggccattctgtgctgaatagcggtgaccgtcgtcgggtgac
 5776 to 5850

FIG. 12-40

81/173

Sfci

gtaacaggattagcagagcgaggatgtaggggtgctacagagttcttgaagtggcctaactacggctaca
 base pairs
 cattgtcctaatacgtctcgctccatacatccgccacgatgtctcaagaacttcaccaccggattgatgcccgatgt
 5851 to 5925

BstSFI

Eco57I

ctagaagaacagtatcttggatctcgctctgctgaagccagttaccttcggaaaaagagttggtagctcttgat
 base pairs
 gatcttcttgcataaaaccatagacgcgagacgacttcggtcaatggaagccttttctcaaccatcgagaacta
 5926 to 6000

FIG. 12-41

MflI
XhoII

NspBII

ccggcaaaaccaccgctgtagcgggtgtttttgttgcaagcagagattacgcgcaaaaaaggat
base pairs
ggccggttggtagcaccatgccaccaccccccaaaaacgctcgtcgtctaatgcgcgcttttttccta
6001 to 6075

MspAII

BstYI
BstX2I

82/173

MflI
XhoII

ctcaagaagatcctttgatctttctacggggtctgacgctcagtggaacgaaaaactcagtttaaggattttgg
base pairs
gagttcttctaggaactagaaaagatgccccagactcgagtcaccttctgagtgcaattccctaaaacc
6076 to 6150

BstYI
BstX2I

FIG. 12-42

83/173

MflI MflI DraI
 XhoII XhoII DraI
 RcaI tcatgagattatcaaaaaggatccttcacctagatccttttaaaattaaaaatgaagttttaaatcaatctaaagta
 base pairs
 agtactctaataagttttccctagaagtgatctaggaaaaatttaatttttacttcaaaaatttagttagatttcat
 6151 to 6225
 BspHI BstYI BstX2I
 BstYI BstX2I

AccB1I
 BshNI
 tatatgagtaaacttggctgacagttaccaatgcttaatcagtgaggcacctatctcagcgatctgtctatttc
 base pairs
 atatactcatttgaaccagactgtcaatggttacgaatttagtcactccgtggatagagtcgctagacagataaag
 6226 to 6300
 BanI
 Eco64I

FIG. 12-43

84/173

Eam1105I
 AspEI
 gttcatccatagttgcctgactcccgtcgtagataactacgatacgggagggttaccatctggccccagtg
 base pairs
 caagtaggtatcaacggactgagggcagcacatctattgatgctatgcccctcccgaatggtagaccgggggtcac
 6301 to 6375

EclHKI
 AhdI

Cfr10I
 BsaI BssAI BpmI BglI
 ctgcaatgataccgcgagaccacgctcaccggctccagatttatcagcaataaaccagccggaagggccg
 base pairs
 gacgttactatggcgctctgggtgagtgccgaggtctaaatagtcgttatttggtcggccttcccggc
 6376 to 6450

Eco31I BsrFI GsuI
 Bse118I

FIG. 12-44

85/173

VspI
PshBI

agcgagaagtggtcctgcaactttatccgcctccatccagctctattaattgttgcgggaaagctagagtaagta
base pairs
tcgcgtcttcaccaggacggtgaaataggcggaggttaggtcagataattaacaacggcccttcgatctcattcat
6451 to 6525

AsnI
AseI

AviII BstSFI MslI
FspI SfcI

gttcgccagttaatagtttgcgcaacggttgccattgctacaggcatcggtgtcacgctcgcttggta
base pairs
caagcgggtcaattatcaaacggttgcaacaacggtaaacggtccgtagcaccacagtgcgagcagcaaacccat
6526 to 6600

Acc16I BsrDI
Psp1406I

FIG. 12-45

86/173

BsaWI
 tggcttcattcagctccggttcccaacgatcaaggcgagttacatgatcccccatgtgtgcaaaaaagcggtta
 base pairs
 accgaagtaagtcgagccaagggttgctagtccgctcaatgtactaggggtacaacacgttttttcgccaat
 6601 to 6675

BstMCI
 PvuI BsiEI
 BsaOI EaeI MslI
 gctccttcggtcctccgatcgttgtcagaagtaagttggccgcagtggtatcactcatggttatggcagcactgc
 base pairs
 cgaggaagccaggaggctagcaacagtccttcaaccggcgtcacaatagtgagtaccaataaccgtcgtgacg
 6676 to 6750

BspCI CfrI
 Bsh1285I
 P1e19I

FIG. 12-46

Acc113I
 Eco255I
 ataattcttactgtcatgccatccgtaagatgcttctgtgactgggtgagtactcaaccaagtcatcttgag
 base pairs
 tattaagagaatgacagtaggtaggcattctacgaaaagacactgaccactcatgagttggttcagtaagactc
 6751 to 6825
 ScaI

87/173

BstMCI BbiII
 BsaOI BcgI HinII
 AatI AcyI
 aatagtgtatgcccggaccgagtgctcttgcccggcgtcaatacgggataataccgcgccacatagcagaactt
 base pairs
 ttatcacatacgcgctggctcaacgagaacgggcccagttatgccctattatggcgggtgtatcgtcttgaa
 6826 to 6900
 Bsh1285I Msp17I
 BsiEI BsaHI
 Hsp92I

FIG. 12-47

88/173

Alw21I	XmnI	MflI	MflI
AspHI	Psp1406I	XhoII	NspBII XhoII
taaaagtctcatcattggaaaacgttcttcggggcgaaaactctcaaggatcttaccgctgttgagatccagtt			
base pairs			
atttcacgagtagtaaccttttgcaagaagccccgcttttgagagttcctagaatggcgacaactctaggtcaa			
6901 to 6975			
BsiHKAI	Asp700I	BstYI	MspAII BstYI
Bbv12I		BstX2I	BstX2I

BssSI	
Alw41I Bbv12I	
VneI BsiHKAI	Eco57I
cgatgaaccactcgtgcaccactgatcttcagcatcttttactttcaccagcgtttctgggtgagcaaaaa	
base pairs	
gctacattgggtgagcacgtgggttgactagaagtcgtagaaaaatgaaagtggcgcaaaagaccactcgttttt	
6976 to 7050	
ApaLI Alw21I	
BsiI	
AspHI	

FIG. 12-48

EarI
 MslI
 Fam1104I
 caggaaggcaaaatgccgcaaaaaagggaataaggcgacacggaaatggtgaataactcatactcttccttttc
 base pairs
 gtccttccgttttacggcgtttttcccttattcccgtgtgaccttacaacttatgagtatgagaaggaaaaag
 7051 to 7125
 Ksp632I

89/173

SspI
 RcaI
 AccBSI
 BsrBI
 aatatttgaagcatttatcagggttattgtctcatgagcggatacatatttgaatgtatttagaaaaataaac
 base pairs
 ttataaacttcgtaaatagtcccaataacagagtagtccctatgtataaaacttacataaatctttttatttg
 7126 to 7200
 BspHI
 BstD102I

FIG. 12-49

90/173

SfcI

aaataggggttccgcgcacatccccgaaaagtgccaccctgacgcgccctgtagcggcgcatatagcgcggcgg
 base pairs
 ttatccccaaaggcgcgtgtaaagggctttcacgggtggactgcgcgggacatcgcgcgtaattcgcgcggcc
 7201 to 7275

BstSFI

AccBSI

BstH2I HaeII BstD102I

Bsp143II BsrBI

gtgtggtggttacgcgcagcgtgaccgctacactgccagcgcctagcgcggcctccttcgcttcttccctt
 base pairs
 cacaccaccaatgcccgtcgactggcgatgtgaacggtcgcgggtcgcgggcgaggaagcgaagaaaggaa
 7276 to 7350

HaeII Bsp143II

BstH2I

FIG. 12-50

91/173

BsrFI
BssAI NaeI
MroNI Bse118I

ccttttctgccacggttcgccggctttccccgtcaagctctaaatcggggcatcccttttagggttccgatttagtg
base pairs
ggaaagcgggtgcaagggccgaaaagggcagttcgagatttagccccgtagggaaatccccaggctaaatcac
7351 to 7425

NgoAIV
NgoMI
Cfr10I

AccB1I
BshNI

ctttacggcacctcgacccccaaaaacttgattagggatggtcacgtagtggggccatcgccctgatagacgg
base pairs
gaaatgccgtggagctgggggttttttgaactaatcccactaccaagtgcacccggtagcgggactatctgcc
7426 to 7500

BsaAI

DraIII

BanI
Eco64I

FIG. 12-51

92/173

DrdI

ttttcgccctttgacgttggagtcacggtccttaataagtgactcttggtccaactggaacaacactcaacc
base pairs
aaaagcgggaaactgcaacctcaggtgcaagaattatcacctgagaacaaggtttgaccttgttgagttgg
7501 to 7575

ctatctcgggtctattcctttgattataaggattttgccgatttcggcctattggttaaaaaatgagctgattt
base pairs
gatagagccagataaagaaaactaaatatccctaaaacggctaagccggataaccaatttttactcgactaaa
7576 to 7650

FIG. 12-52

ApoI ApoI SspI Psp1406I
 aacaaaaatttaacgcaatttttaacaaaataatttaacgtttacaattt base pairs
 ttgttttaaatgctgcttaaaattgtttataaatttgcaaatgttaaa 7651 to 7699
 ACSI ACSI

Table by Enzyme Name

Enzyme name	No. cuts of sites	Positions	Recognition sequence
AatI	3	3446 3546 5002	agg/cct <u>More info</u>
AatII	5	451 504 587 773 4550	gacgt/c <u>More info</u>
Acc113I	1	6804	agt/act <u>More info</u>
Acc16I	2	21 6546	tgc/gca <u>More info</u>
Acc65I	3	2264 3434 3998	g/ gtacc <u>More info</u>
AccB1I	8	791 2264 3065 3434 3998 5175 6272 7432	g/ gyrcc <u>More info</u>
AccB7I	6	1445 1482 1775 1796 2644 4587	ccannnn/ntgg <u>More info</u>
AccBSI	4	5126 5367 7168 7332	gagcgg <u>More info</u>
Ac1NI	1	326	a/ ctagt <u>More info</u>
AcSI	8	912 1990 2244 2994 3963 5075 7656 7667	r/ aatty <u>More info</u>
AcyI	6	448 501 584 770 4547 6861	gr/cgyc <u>More info</u>

FIG. 12-53

AflIII	3	2702	3796	5431	a/ crygt	<u>More info</u>
AgeI	1	4584			a/ ccggt	<u>More info</u>
AhdI	2	4150	6324		gacnnn/nngtc	<u>More info</u>
Alw21I	6	894	1576	2330 5749 6910 6995	gwgcw/c	<u>More info</u>
Alw44I	2	5745	6991		g/ tgcac	<u>More info</u>
AlwNI	6	1147	1273	1775 3091 4678 5847	cagnnn/ctg	<u>More info</u>
Ama87I	3	4034	4330	5025	c/ ycgrg	<u>More info</u>
AocI	3	1034	1046	3256	cc/ tnagg	<u>More info</u>
Apal	1	4202			gggcc/c	<u>More info</u>
ApalI	2	5745	6991		g/ tgcac	<u>More info</u>
ApoI	8	912	1990	2244 2994 3963 5075	r/ aatty	<u>More info</u>
		7656	7667			
AseI	4	334	5202	5261 6496	at/ taat	<u>More info</u>
AsnI	4	334	5202	5261 6496	at/ taat	<u>More info</u>
Asp700I	5	1107	2481	3506 3906 6923	gaann/nnttc	<u>More info</u>
Asp718I	3	2264	3434	3998	g/ gtacc	<u>More info</u>

94/173

FIG. 12-54

AspEI	2	4150	6324				gacnnn/nngtc	<u>More info</u>
AspHI	6	894	1576	2330	5749	6910	gwgcw/c	<u>More info</u>
AspI	1	3674					gacn/nngtc	<u>More info</u>
AtsI	1	3674					gacn/nngtc	<u>More info</u>
AvaI	3	4034	4330	5025			c/ ycgrg	<u>More info</u>
AviII	2	21	6546				tgc/gca	<u>More info</u>
AvrII	2	3109	5003				c/ ctagg	<u>More info</u>
BalI	5	184	238	3300	3653	4414	tgg/cca	<u>More info</u>
BamHI	1	3992					g/ gatcc	<u>More info</u>
BanI	8	791	2264	3065	3434	3998	g/ gyrcc	<u>More info</u>
		6272	7432					
BanII	5	894	1017	1623	3526	4202	grgcy/c	<u>More info</u>
BanIII	1	939					at/ cgat	<u>More info</u>
BbiII	6	448	501	584	770	4547	gr/cgyc	<u>More info</u>
BbrPI	1	2705					cac/gtg	<u>More info</u>
BbsI	2	2512	4216				gaagac	<u>More info</u>
BbuI	4	2930	4355	4750	4823		gcatg/c	<u>More info</u>
Bbv12I	6	894	1576	2330	5749	6910	gwgcw/c	<u>More info</u>
Bbv16II	2	2512	4216				gaagac	<u>More info</u>
BcgI	4	941	2556	4321	6851		cgannnnntgc	<u>More info</u>

95/173

FIG. 12-55

BcII	1	969		t/ gatca	<u>More info</u>
BcoI	3	4034 4330 5025		c/ ycgrg	<u>More info</u>
BglI	5	14 417 538 4956 6444		gccnnnn/nggc	<u>More info</u>
BglII	2	932 3409		a/ gatct	<u>More info</u>
BlnI	2	3109 5003		c/ ctagg	<u>More info</u>
BlpI	3	1200 2337 4366		gc/tnagc	<u>More info</u>
BpiI	2	2512 4216		gaagac	<u>More info</u>
BpmI	10	1015 1279 1772 2781 2842 3022		ctggag	<u>More info</u>
		3892 4097 4259 6414			
Bpu1102I	3	1200 2337 4366		gc/tnagc	<u>More info</u>
Bpu14I	3	1603 1988 2423		tt/cgaa	<u>More info</u>
BpuAI	2	2512 4216		gaagac	<u>More info</u>
Bsa29I	1	939		at/ cgat	<u>More info</u>
BsaAI	3	666 2705 7473		yac/gtr	<u>More info</u>
BsaHI	6	448 501 584 770 4547 6861		gr/cgyc	<u>More info</u>
BsaI	3	3380 4427 6396		ggtctc	<u>More info</u>
BsaMI	3	1886 3631 3936		gaatgc	<u>More info</u>
BsaOI	7	42 424 928 5347 5771 6694 6843		cgry/cg	<u>More info</u>
BsaWI	6	3200 3995 4584 5637 5784 6615		w/ ccggw	<u>More info</u>
BsCI	1	939		at/ cgat	<u>More info</u>

96/173

FIG. 12-56

97/173

Bse118I	3	4584	6404	7368	r/ ccggy	<u>More info</u>
Bse21I	3	1034	1046	3256	cc/ tnagg	<u>More info</u>
BseCI	1	939			at/ cgat	<u>More info</u>
BseRI	5	1337	1671	3725 4989 5027	gaggag	<u>More info</u>
BsgI	3	2315	3212	4264	gtgcag	<u>More info</u>
Bsh1285I	7	42	424 928 5347 5771 6694 6843		cgry/cg	<u>More info</u>
BshNI	8	791	2264 3065 3434 3998 5175		g/ gyrc	<u>More info</u>
		6272	7432			
BsiEI	7	42	424 928 5347 5771 6694 6843		cgry/cg	<u>More info</u>
BsiHKAI	6	894	1576 2330 5749 6910 6995		gwgw/c	<u>More info</u>
BsiI	2	5609	6993		ctcgtg	<u>More info</u>
BsmBI	3	2023	2773 4397		cgcttc	<u>More info</u>
BsmI	3	1886	3631 3936		gaatgc	<u>More info</u>
BsoBI	3	4034	4330 5025		c/ ycgry	<u>More info</u>
Bsp106I	1	939			at/ cgat	<u>More info</u>
Bsp119I	3	1603	1988 2423		tt/cgaa	<u>More info</u>
Bsp120I	1	4198			g/ ggccc	<u>More info</u>
Bsp1407I	2	270	3471		t/ gtaca	<u>More info</u>
Bsp143II	5	2519	5309 5679 7318 7326		rgcgc/y	<u>More info</u>
Bsp1720I	3	1200	2337 4366		gc/tnagc	<u>More info</u>
Bsp19I	6	686	3324 3424 3600 4574 4910		c/ catgg	<u>More info</u>

FIG. 12-57

98/173

BspCI	2	42 6694	cgat/cg	<u>More info</u>
BspDI	1	939	at/ cgat	<u>More info</u>
BspHI	3	1891 6151 7159	t/ catga	<u>More info</u>
BspLU11I	1	5431	a/ catgt	<u>More info</u>
BspMI	2	1913 4574	acctgc	<u>More info</u>
BspXI	1	939	at/ cgat	<u>More info</u>
BsrBI	4	5126 5367 7168 7332	gagcgg	<u>More info</u>
BsrDI	4	245 2827 6383 6565	gcaatg	<u>More info</u>
BsrFI	3	4584 6404 7368	r/ ccggy	<u>More info</u>
BsrGI	2	270 3471	t/ gtaca	<u>More info</u>
BssAI	3	4584 6404 7368	r/ ccggy	<u>More info</u>
BssSI	2	5609 6993	ctcgtg	<u>More info</u>
BssT1I	13	686 1950 2226 3109 3324 3424 3547 3600 4077 4456 4574 4910 5003	c/ cwwgg	<u>More info</u>
BstBI	3	1603 1988 2423	tt/cgaa	<u>More info</u>
BstD102I	4	5126 5367 7168 7332	gagcgg	<u>More info</u>
BstDSI	7	686 1062 3324 3424 3600 4574 4910	c/ crygg	<u>More info</u>
BstH2I	5	2519 5309 5679 7318 7326	rgcgc/y	<u>More info</u>

FIG. 12-58

BstI	1	3992				g/ gatcc	<u>More info</u>
BstMCI	7	42 424 928 5347 5771 6694 6843				cgry/cg	<u>More info</u>
BstSFI	8	944 2144 4220 5058 5696 5887				c/ tryag	<u>More info</u>
		6565 7250					
BstSNI	1	666				tac/gta	<u>More info</u>
BstX2I	12	932 2400 2634 3409 3992 4030				r/ gatcy	<u>More info</u>
		6072 6083 6169 6181 6949 6966					
BstXI	3	3076 3325 4473				ccannnnn/ntgg	<u>More info</u>
BstYI	12	932 2400 2634 3409 3992 4030				r/ gatcy	<u>More info</u>
		6072 6083 6169 6181 6949 6966					
BstZI	1	925				c/ ggccg	<u>More info</u>
Bsu15I	1	939				at/ cgat	<u>More info</u>
Bsu36I	3	1034 1046 3256				cc/ tnagg	<u>More info</u>
CciNI	1	925				gc/ggccgc	<u>More info</u>
CelII	3	1200 2337 4366				gc/tnagc	<u>More info</u>
Cfr10I	3	4584 6404 7368				r/ ccggy	<u>More info</u>
Cfr9I	1	4034				c/ ccggg	<u>More info</u>
CfrI	10	152 182 236 925 3298 3651 4412				y/ ggccr	<u>More info</u>
		4669 5270 6712					
Clal	1	939				at/ cgat	<u>More info</u>
Csp45I	3	1603 1988 2423				tt/cgaa	<u>More info</u>
CvnI	3	1034 1046 3256				cc/ tnagg	<u>More info</u>

99/173

FIG. 12-59

DraI	5	3981	4523	6190	6209	6901	ttt/aaa	<u>More info</u>		
DraII	3	3291	4198	4225			rg/gnccy	<u>More info</u>		
DraIII	1	7476					cacnnn/gtg	<u>More info</u>		
DrdI	3	1076	5539	7520			gacnnnn/nngtc	<u>More info</u>		
DsaI	7	686	1062	3324	3424	3600	4574	c/ crygg	<u>More info</u>	
		4910								
EaeI	10	152	182	236	925	3298	3651	4412	y/ ggccr	<u>More info</u>
		4669	5270	6712						<u>More info</u>
EagI	1	925							c/ ggccg	<u>More info</u>
Eam1104I	5	58	2482	2793	5314	7118	ctcttc			<u>More info</u>
Eam1105I	2	4150	6324				gacnnn/nngtc			<u>More info</u>
EarI	5	58	2482	2793	5314	7118	ctcttc			<u>More info</u>
Ecl1136II	1	892					gag/ ctc			<u>More info</u>
EclHKI	2	4150	6324				gacnnn/nngtc			<u>More info</u>
EclXI	1	925					c/ ggccg			<u>More info</u>
Eco105I	1	666					tac/gta			<u>More info</u>
Eco130I	13	686	1950	2226	3109	3324	3424	c/ cwwgg		<u>More info</u>
		3547	3600	4077	4456	4574	4910			
		5003								
Eco147I	3	3446	3546	5002			agg/cct			<u>More info</u>

100/173

FIG. 12-60

101/173

Eco24I	5	894	1017	1623	3526	4202	grgcy/c	<u>More info</u>
Eco255I	1	6804					agt/act	<u>More info</u>
Eco31I	3	3380	4427	6396			ggtctc	<u>More info</u>
Eco32I	1	952					gat/ atc	<u>More info</u>
Eco52I	1	925					c/ ggccg	<u>More info</u>
Eco57I	7	1210	2446	2488	3271	3314	ctgaag	<u>More info</u>
		7011						
Eco64I	8	791	2264	3065	3434	3998	g/ gyrcc	<u>More info</u>
		6272	7432					
Eco72I	1	2705					cac/gtg	<u>More info</u>
Eco81I	3	1034	1046	3256			cc/ tnagg	<u>More info</u>
Eco88I	3	4034	4330	5025			c/ ycgrg	<u>More info</u>
EcoICRI	1	892					gag/ ctc	<u>More info</u>
EcoNI	4	1259	1338	1684	3723		cctnn/nnnagg	<u>More info</u>
EcoO109I	3	3291	4198	4225			rg/gnccy	<u>More info</u>
EcoRI	3	912	1990	2994			g/ aattc	<u>More info</u>
EcoRV	1	952					gat/ atc	<u>More info</u>
EcoT14I	13	686	1950	2226	3109	3324	c/ cwwgg	<u>More info</u>
		3547	3600	4077	4456	4574		
		5003						
EcoT22I	5	3703	3850	4357	4752	4825	atgca/t	<u>More info</u>

FIG. 12-61

ErhI	13	686 1950 2226 3109 3324 3424	c/ cwwgg	<u>More info</u>
		3547 3600 4077 4456 4574 4910		
		5003		
Esp1396I	6	1445 1482 1775 1796 2644 4587	ccannnn/ntgg	<u>More info</u>
Esp3I	3	2023 2773 4397	cgtctc	<u>More info</u>
FauNDI	1	560	ca/ tatg	<u>More info</u>
FbaI	1	969	t/ gatca	<u>More info</u>
FriOI	5	894 1017 1623 3526 4202	grgcy/c	<u>More info</u>
Fspi	2	21 6546	tgc/gca	<u>More info</u>
GsuI	10	1015 1279 1772 2781 2842 3022	ctggag	<u>More info</u>
		3892 4097 4259 6414		
HaeII	5	2519 5309 5679 7318 7326	rgcgc/y	<u>More info</u>
HinI	6	448 501 584 770 4547 6861	gr/cgyc	<u>More info</u>
HincII	3	311 446 842	gty/rac	<u>More info</u>
HindII	3	311 446 842	gty/rac	<u>More info</u>
HindIII	3	918 1394 2183	a/ agctt	<u>More info</u>
Hsp92I	6	448 501 584 770 4547 6861	gr/cgyc	<u>More info</u>
KpnI	3	2268 3438 4002	ggtac/c	<u>More info</u>
Ksp22I	1	969	t/ gatca	<u>More info</u>
Ksp632I	5	58 2482 2793 5314 7118	ctcttc	<u>More info</u>
LspI	3	1603 1988 2423	tt/cgaa	<u>More info</u>
MfeI	2	1091 3773	c/ aattg	<u>More info</u>
MflI	12	932 2400 2634 3409 3992 4030	r/gatcy	<u>More info</u>

102/173

FIG. 12-62

103/173

MluNI	5	6072	6083	6169	6181	6949	6966	tgg/cca	<u>More info</u>
Mph1103I	5	184	238	3300	3653	4414		atgca/t	<u>More info</u>
MronI	1	3703	3850	4357	4752	4825		g/ ccggc	<u>More info</u>
Msci	5	184	238	3300	3653	4414		tgg/cca	<u>More info</u>
MslI	10	691	2094	2703	3323	3489	4047	caynn/nnrtg	<u>More info</u>
		4094	6576	6735	7094				
Msp17I	6	448	501	584	770	4547	6861	gr/cgyc	<u>More info</u>
MspAlI	7	71	2341	2731	5255	5773	6018	cmg/ckg	<u>More info</u>
MunI	2	1091	3773					c/ aattg	<u>More info</u>
Mva1269I	3	1886	3631	3936				gaatgc	<u>More info</u>
NaeI	1	7370						gcc/ggc	<u>More info</u>
NcoI	6	686	3324	3424	3600	4574	4910	c/ catgg	<u>More info</u>
NdeI	1	560						ca/ tatg	<u>More info</u>
NgoAIV	1	7368						g/ ccggc	<u>More info</u>
NgomI	1	7368						g/ ccggc	<u>More info</u>
NotI	1	925						gc/ggccgc	<u>More info</u>
NsiI	5	3703	3850	4357	4752	4825		atgca/t	<u>More info</u>
NspBII	7	71	2341	2731	5255	5773	6018	cmg/ckg	<u>More info</u>
Nspi	5	2930	4355	4750	4823	5435		rcatg/y	<u>More info</u>
NspV	3	1603	1988	2423				tt/cgaa	<u>More info</u>
PaeI	4	2930	4355	4750	4823			gcatg/c	<u>More info</u>
Paer7I	1	5025						c/ tcgag	<u>More info</u>

FIG. 12-63

XhoI	1	5025			c/ tcgag	<u>More info</u>
XhoII	12	932 2400 2634 3409 3992 4030			r/ gatcy	<u>More info</u>
		6072 6083 6169 6181 6949 6966				
XmaI	1	4034			c/ ccggg	<u>More info</u>
XmaIII	1	925			c/ ggccg	<u>More info</u>
XmnI	5	1107 2481 3506 3906 6923			gaann/nnttc	<u>More info</u>
Zsp2I	5	3703 3850 4357 4752 4825			atgca/t	<u>More info</u>

106/173

The following endonucleases were selected but don't cut this sequence:

AccI, AccIII, AfeI, AflII, Aor51HI, AscI, BbeI, BfrI, BsaBI, Bse8I, BseAI, BsePI, Bsh1365I, BsiMI, BsiWI, Bsp13I, Bsp68I, BspEI, BspTI, BsrBRI, BssHII, Bst1107I, Bst98I, BstEII, BstPI, Cfr42I, CpoI, CspI, Eco47III, Eco91I, EcoO65I, EheI, FseI, HpaI, Kasi, Kpn2I, KspI, Mami, MluI, MroI, MspCI, NarI, NheI, NruI, PacI, Pfl23II, PmeI, PpuMI, PshAI, Psp5II, PspEI, PspLI, PstNHI, RsrII, SacII, Sali, SbfI, Sfr303I, Sgfi, SgrAI, SmiI, Sphi, SrfI, Sse8387I, SstII, SunI, Swai, Vha464I

FIG. 12-66

FIG. 13A
FIG. 13B
FIG. 13C
FIG. 13D
FIG. 13E

cccattgccattcaggctgcgcaactgttgggaaaggcgatcggggcctcttcgctattaccgccagctggcgaaaagggg
 ggatgtctgcaaggcgattaagtggtaacgcccaagggtttccagtcacgacggttgtaaaacgacggccagtgccaagct
 gatcfaatcaatattggccattagccatattattcattgggtatatagcataaatcaatattggctattggccattgcatacgttgatcca
 tacaataatgtacatttatattggctcatgtccaacattaccgccatgttgacattgattatgactagttattaatgtaataatcaattacg
 gggcattagttcatagccatataatggagttccggttacataactacggtaaatggcccgctggcgaccggccaggcagccc
 ccggcgttgacgtcaatagtagcgtatgttccatagtaacgccaataggactttccattgacgtcaatgggtggagattttacg
 gtaaacgtcccacttggcagtagacatcaaggtatcatalgccaagtccggccctattgacgtcaatgacggfaaatggcccgcct
 agcattatgcccagtagacaccittacgggagtttccctacttgcagtagtattagtcacgctattaccatgggtgatgcg
 gtttggcagtagaccatggcgtggatagcgggtttagctcagggattccaagtcaccaccattgacgtcaatgggaggtt
 tgtttggcaccaaaataacgggactttccaaaatgtcgtaaataacccccggcgtgacgcaaatggggcggtagggcgtgtacg
 gtggagggtctatataagcagagctcgttagtgaaccgtcagaattcaagcttggccggcagatctatcgtatctgcaggatatac
 (EcoRV)
 acc

107/173

FIG. 13A

108/173

ATGCACAGTATGATCAGCTCAGTGGATGTGAAGTCAGAAAGTTCCCTGTGGGCCCTGGAGCCCATCTCACCTTTA
 GACCTAAGGACAGACCTCAGGATGATGATGCCCGTGGTGGACCCCTGTTGTCCGTGAGAAGCAATTCAGCAGCAG
 GAATTACTTCTTATCCAGCAGCAGCAACAATCCAGAAGCAGCTTCTGATAGCAGAGTTTCAGAAACAGCAT
 GAGAACTTGACACGGCAGCACAGGCTCAGCTTCAGGAGCATATCAAGGAACTTCTAGCCATAAAAACAGCAA
 CAAGAACTCCTAGAAAAGGAGCAGAAAACCTGGAGCAGCAGAGGCAAGAACAGGAAGTAGAGAGGCATCGCAGA
 GAACAGCAGCTTCCCTCTCAGAGGCAAAAGATAGAGGACGAGAAAGGCGAGTGGCAAGTACAGAAAGTAAAG
 CAGAACTTCAAGAGTTCCCTACTGAGTAAATCAGCAACGAAAGACACTCCAACTAATGGAAAAAATCATTC
 GTGAGCCGCCATCCCAGCTCTGGTACACGGCTGCCACCCACACATCATTTGGATCAAAGCTCTCCACCCCTT
 AGTGGAAACATCTCCATCCTACAAGTACACATTAACAGGAGCACAAAGATGCAAAAGGATGATTTCCCCCTTCGA
 AAAACTGCCCTCTGAGCCCAAATTTGAAGGTGGTCCAGGTTAAACAGAAAGTGGCAGAGAGGAAAGCAGC
 CCCTTACTCAGGCGGAAGGATGGAATGTGTCACTTCAATCAAGAAAGCGAATGTTTGAGGTGACAGAAATCC
 TCAGTCAGTAGCAGTTCCAGGCTCTGGTCCAGTTCACCCAAACAATGGCCAACTGGAAAGTGTACTGAA
 AATGAGACTTCGGTTTTGCCCCCTACCCCTCATGCCGAGCAAAATGGTTTCACAGCAACGCAATCTAAATTCAT
 GAAGATTCATGAACCTGCTAAGTCTTTATACCTCTCCTTCTTTGCCCAACATFACCTTGGGGCTTCCCAGCA
 GTGCCATCCCAGCTCAAATGCTTCGAAATCACTCAAAGAAAGCAGAAAGTGTGAGACGACGCTTAGGCAA
 GGTGTTCCCTGCTGGCAGTATGGAGGCAGCATCCCAGGCACTTCCAGCCACCCCTCATGTACTTTAGAG
 GAAAGCCACCCAAACAGCAGCCACCAGGCTCTCCTGCAGCATTTATTAATGAAAGAACAAATGCCAGCAA
 AAGCTTCTTGTAGCTGGTGGAGTTCCCTTACATCCTCAGTCTCCCTTGGCAACAAGAGAGAAATTCACCT
 GGCAATTAGAGGTACCCACAATTTGCCCGTCAAGACCCCTGAAACCCAGTCTGCACCTTTGCCCCCAG
 AGCACGTTGGCTCAGCTGGTCAATCAAACAGCAACACAGCAATCTTGGAGAAAGCAGAAATACCAGCAG
 CAGATCCACATGAACAACACTGCTTTCGAAATCTATTGAACAACACTGAAGCAACCCAGGAGTCACTTGGAGAA
 GCAGAGGAAGAGCTTCAGGGGGACCCAGGCGATGCAGGAAGACAGAGCCCTCTAGTGGCAACAGCACTAGG
 AGCGACAGCAGTGTCTGTGTGGATGACACACTGGGACAAGTTGGGGCTGTGAAGGTCAAGGAGGAACCCAGTG
 GACAGTGAAGATGCTCAGATCCAGGAAATGGAATCTGGGGAGCAGGCTGCTTTTATGCAACAGCCCTTTC

FIG. 13B

109/173

CTGGAACCCACGCACACACGTGCGCTCTCTGTGGCCCAAGCTCCGCTGGCTGCGGTTGGCATGGATGGATTAA
GAGAAACACCCGTCTCGTCTCCAGGACTCACTTTCCCTGCTGCTCTGTGTTTACCCTCACCCAGCAATGGAC
CGCCCCCTCCAGCCTGGCTCTGCAACTGGAATTGCCATATGACCCCTTGATGCTGAAACACCCAGTCCGTTTGT
GGCAATTCCACCCACCCCTGAGCATGCTGGAACGAATACAGAGTATCTGGTCAACGACTGCAAGAAAATCTGGG
CTGCTAAAATAATGTGAGCGAATTCAAGTTCGAAAAGCCAGCCCTGGAGGAAAATACAGCTTGTTCATTTCTGAA
CATCACTCACTGTTGTATGGCACCAACCCCTGGACGGACAGAAAGCTGGACCCAGGATACTCCTAGGTGAT
GACTCTCAAAAAGTTTTTCTCTCATTACCTTGTGGTGGACTTGGGGTGGACAGTGACACCATTTGGAATGAG
CTACACTCGTCCGGTGTGCACGCATGGCTGTTGGCTGTGTCATCGAGCTGGCTTCCAAAAGTGGCCCTCAGGA
GAGCTGAAGAATGGGTTTGTGTGTGAGGCCCCCTGGCCATCACGCTGAAGAAATCCACAGCCATGGGGTTC
TGCTTTTAAATCAGTTGCAATTAACCGCCAAATACTTGAGAGACCAAATAAATAAAGCAAGATAATGATTT
GTAGATCTGGATGTTCAACCATGGAACCGGTACCCAGCAGCCCTTTTATGCTGACCCAGCATCCTGTACATT
TCACCTCCATCGCTATGATGAAGGAACTTTTTCTCCCTGGCAGTGGAGCCCAAATGAGGTTTCGGTTTATTCT
TTAGAGCCCCACTTTTAAATTTGTATCTTTTCAGGTAATTCATTTGCA

FIG. 13C

ttttggcaggcaggattacggcagaaaaaaaggatcacaagaaagatcctttgatcttttttacgggggtctgacgctcagtg
 gaacgaaaaactcacgftaaagggttttggatgattatcaaaaaaggatcttcaacctagatccttttaataaaaaaatgaaagtttta
 aatcaatctaaaagtataatgagtaaaacttgggtcagacagttaccaatgcttaatacagtgaccctatcagcggatctgtctctatttc
 gttcatccatagttgcccggactccccgctcgtgtgtatgataactacgatacgggagggccttaccatctgccccagagctgcaatgata
 ccgcgagacccacgctcaccggctcagattatcagcaataaacaggccagcccggaaaggcccgaagcagaaagtggctcct
 gcaactttatccgccctcagctatfaattggtccgggaaagctagagtaagttcggcagtttaatagttttggcgaacgfttgt
 tggcaattgctacaggcaticgggtgtcacggctcgtgtgtgggttgggttggcttcattcagctccggttcccaacgatcaaggcggagttac
 atgatccccatggtgtcaaaaaagggttagctctcggctcggatcgttgcagaagtaagttggccgaggtttatcact
 catggttatggcagcactgcataattcttactgtcatgccatccgtaagatgcttttctgtgactgggtgagtactcaaccaagtcatt
 ctgagaatagtgtatggcgaccgagttgctcttggccgctcaatacgggataataaccggccacatagcagaactttiaaaa
 gtgctcatcattggaaaaagttcttcggggcgaaaactctcaaggatcttaaccgctgttggagatccagttcggatgtaaccccactcgt
 gcacccaactgatcttcaggcatcttttacttttaccacagcgtttctgggtgagcaaaaaacagaaaggcaaaaatcccgaaaaaagg
 gaataaggcggacacggaaatgttgaatactcatactcttcttttcaatattatfagaagcattttatcagggtttattgctctcatgagcgg
 gatacatattfagaatgtatftagaataaaacaataaggggttccggcgcacatttccccgaaaaagtgccaccctgacggccccctgt
 agcggcgcattaagcggcgggtgtgtgtgttacggcagcgtgaccgctacacftggcagcccccttagcggccccctctttt
 cgccttctccttcttctcggcacgttcggccgttccccgcaagctcctaatacggggcctccttttaggggtccgatttagtgc
 tttagggcacctcgacccccaaaaacttgattagggtgattggttcaactgtagtggggccatcggcctgatagacgggttttcggccctt
 gacggttggagtcacgcttctttaatagtgacacttgttccaaactggaacaacactcaaccctatctcggctattcttttggattataa
 gggatttggcggatttcggcctattgggtiaaaaaatgactgatttaacaaaaatgacggcaattttaacaaaaatattaaacggtttac
 aattt

FIG. 13E




FIG. 14

pFLAG-CMV-5b-HDAC9a

7303 base pairs

Graphic map | Table by enzyme name

	BstMCI				
AviII	PvuI	BsiEI	EarI	MspAII	
BglI	FspI	BsaOI	Eam1104I	PvuII	
cccattcgccattcaggctgcgcaactgttgggaagggcgatcgggtcgggcctcttcgctattaccagctgg					113/173
base pairs					
gggtaagcggtaagtccgacggttgacaacccttcccgctagccaccgcccggagaagcgataatgcggtcgacc					
1 to 75					
Acc16I	BspCI		Ksp632I	NspBII	
	Bsh1285I				
	Ple19I				

FIG. 14-1

114/173

cgaaaggggatgtgctgcaaggcgattaagttgggtaacgcccagggtttcccagtcacgacggttgtaaaacg
 base pairs
 gctttcccctacacgacggttccgctaattcaaccattgggggtccaaaagggtcagtgctgcaacattttggc
 76 to 150

MscI

CfrI

SspI MluNI

EaeI

acggccagtgccaagctgatctaataatcaatattggccattagccataattattcattggttatatatagcataaaatcaa
 base pairs
 tgccggtcacgggtcgactagattagttataaccggtaatcgggtataataagtaaccaataatcgtatttagtt
 151 to 225

CfrI

EaeI

BalI

FIG. 14-2

115/173

MscI
 MluNI
 SspI FaeI BsrDI
 SspBI
 Bsp1407I
 tattggctattggccattggcattggtatccatataataatgtacatttataattggctcatgtccaacatt
 base pairs
 ataaccgataaccggtaacgtatgcaacataggtagtattatacatgtaaataaaccggagtacaggttgtaa
 226 to 300
 CfrI
 BsrGI
 BalI

VspI
 PshBI
 HincII SpeI
 accgccatgttgacattgattattgactagttattaatagtaatacaattacggggtcatttagttcatagcccata
 base pairs
 tggcggtaacaactgtaactaataactgatcaataattatcattagttaatgccccagtaatacaagtatcgggtat
 301 to 375
 HindII Ac1NI AsnI
 AseI

FIG. 14-3

Hin1I
AcyI
HincII

BstMCI
BsaOI
BglI

tatggagtccgcgttacataaacttacggtaaatggcccgcctggcgaccgcccagagacccccgccgttgacg
base pairs
atacctcaaggccaatgtattgaatgccattaccggcgaccgctggcgggtcgctggggggcgggcaactgc
376 to 450

HindII
Hsp92I
Msp17I

Bsh1285I
BsiEI

116/173

BsaHI
AatII
BbiII

BbiII
Hin1I
AcyI AatII

tcaatagtgacgtatgttcccatagtaacccaataggactttccattgacgtcaatgggtggagtatttacgg
base pairs
agttatcactgcatacaagggtatcattgcggttatccctgaaaggtaactgcagttaccacacctcataaatgcc
451 to 525

Msp17I
BsaHI
Hsp92I

FIG. 14-4

117/173

BbiII
 HinII
 ACYI AatII
 BglI
 NdeI
 taaactgcccacttggcagtagatcaagtgtatcatatgcccaagtcgccccctattgacgtcaatgacggtaaa
 base pairs
 atttgacgggtgaaccgtcatgtagttcacatagtagttagtccaggggggataactgcaggttactgccattt
 526 to 600

Msp17I
 BsaHI
 Hsp92I
 FauNDI

BstSNI
 SnaBI
 tggccccctagcattatgcccagtagatgaccttacgggagtttccctacttggcagtagatctacgtattagtc
 base pairs
 accgggaggatcgtaatacgggtcatgtactggaatgccctcaaaggatgaaccgtcatgtagatgcataatcag
 601 to 675

BsaAI
 Eco105I

FIG. 14-5

118/173

NcoI Bsp19I
StyI BstDSI
EcoT14I

atcgctattaccatggtgatgcggttttggcagtagcacaacatggcggtggatagcgggttgactcacggggattt
base pairs
tagcgataatggtaccactacgccaacacccgtcatgtggttaccggcacctatcgccaactgagtgccccctaaa
676 to 750

BssT1I
ErhI Eco130I
DsaI MslI

BbiII
HinII
AcyI AatII

AccB1I
BshNI

ccaagtctccaccattgacgtcaatgggagttgttttggcaccacaaatcaacgggactttccaaaatgtcgt
base pairs
ggttcagaggtgggtaactgcagttaccctcaaacacaaaccgtggtttagttgcccctgaaaggttttacagca
751 to 825

Msp17I
BsaHI
Hsp92I
BamI
Eco64I

FIG. 14-6

Eco24I
EcoICRI

HincII
aataacccgccccgttgacgcaaatggcggttagcggtgtacgggtgggaggtctataataagca gagctcgttta
base pairs
ttattgggggggcaactgcggtttaccggccatccgcacatccaccctccagatatattcgt ctcgagcaaat
826 to 900

HindII
Ecl136II
Bbv12I
AspHI
Psp124BI

119/173

SacI
FrioI
SstI
BanII
BsiHKAI

EagI XmaIII BstYI BspDI BcgI Eco32I
CciNI Bsh1285I BstX2I BanIII PstI
AcsI
Apoi HindIII BstZI BstMCI MflI Bsa29I SfcI
gtgaaccgtcagaattcaagcttgcgccgcagatctatcgtatctgcaggatatcaccatgcacagtatgatcag
base pairs

cacttggcagtttaagttcgaacgcccggctctagatagctagcgtcctatagtggtacgtgtcactactagtc
901 to 975

ECORI
EaeI Eco52I BglII Bsci BspXI BstSFI
Cfri EclXI BsiEI BseCI Bsu15I EcoRV
NotI BsaOI XhoII ClaI Bsp106I
FbaI

Alw21I

FIG. 14-7

FrIOI	CvnI	CvnI
ECO24I	AOCi	AOCi
BpmI	Bsu36I	Bsu36I

ctcagtggatggaagtcagaagttcctgtggccctggagcccatctcaccttttagacctaaaggacagacctcag
base pairs
gagtcacctacacttcagttcctcaaggacacccggacctcgggtagagtggaaatctggattcctgtctggagtc
976 to 1050

GsuI	Eco81I	Eco81I
BanII	Bse21I	Bse21I

120/173

DsaI	DrdI	MfeI	Asp700I
------	------	------	---------

gatgatgagcccggtggaccctgttgcgtgagaagaattgcagcaggaattacttcttatccagcagca
base pairs
ctactactacgggaccacctgggacaacaggcactcttcggttaacgctcgtcccttaatgaagaataggctcgtcgt
1051 to 1125

BstDSI	MunI	XmnI
--------	------	------

FIG. 14-8

121/173

AlwNI
 gcaacaaatccagaagcagcttctgatagcagaggttcagaacagcatgagaacttgacacggcagcaccaggc
 base pairs
 cgttgtttaggtcctcgtcgaagactatcgtctcaaagtcttgtcgactcttgaaactgtgccgtcgtggtccg
 1126 to 1200

BlpI Eco57I EconI AlwNI
 CellI
 tcagcttcaggagcatatcaaggaaacttctagccataaaacagcaacaagaactcctagaaaaggagcagaact
 base pairs
 agtcgaagtcctcgtatagttccttgaagatcggatatttgtcgttcttgaggatctttcctcgtctttga
 1201 to 1275
 Bsp1720I
 Bpu1102I

FIG. 14-9

122/173

BpmI
 ggagcagcagaggaacaggaaagtagagaggcatcgcagagaaacagcagcttcctcctctcagaggcaaga
 base pairs
 cctcgtcgtctccgttcttgtcccttcattctcctcgtagcgtctctgtcgaaggaggagagctccgtttct
 1276 to 1350

BseRI
 EcoNI

HindIII
 tagaggacgagaaagggcagtggaagtagcagaagtaagcag aagcttcaagagttcctactgagtaaatcagc
 base pairs
 atctcctgctcttcccgtcacccggttcattcgtcttcgaagttctcaaggatgactcatttagtcg
 1351 to 1425

FIG. 14-10

123/173

Van91I
 AccB7I
 aacgaaagacactccaactaatggaaaaaatcattccgtgagccgccatcccaagctctggtacacggctgcccc
 base pairs
 ttgcttttctgtgaggttgattaccttttttagtaaggcactcggcggtagggttcgagaccatgtgccgacgggt
 1426 to 1500

Esp1396I
 PflMI
 Esp1396I
 PflMI

ccacacatcattggtacaaagcttccacccttagtggaacatctccatcctacaagtacacattaccaggagc
 base pairs
 ggtgtagtaaccctagtttcgagaggtggggaatcacctttagtaggtaggatttcatgtgtaatgggtcctcg
 1501 to 1575

FIG. 14-11

124/173

Alw21I	BstBI		
AspHI	Bpu14I	FriOI	
	Csp45I	Eco24I	
acaagatgcaaaggatgattcccccttcgaaaaactgcctctgagcccaacttgaaggcggtccagggttaaa			
base pairs			
tgttctacgttccctactaaaggggaagcttttgacggagactcgggttgaacttccacgccagggtccaattt			
1576 to 1650	SfuI	Bsp119I	BanII
BsiHKAI	NspV		
Bbv12I	LspI		
		BseRI	EcoNI
acagaaagtggcagagaggagaagcagccccttactcagcggaaggatggaatgtgtcacttcaagaa			
base pairs			
tgtcttccaccgtctcctcttcgtcggggaatgagtcgccttccctacctttacaacagtgaagtaagtctt			
1651 to 1725			

FIG. 14-12

Van91I
 AccB7I
 BpmI PflMI
 Van91I
 AccB7I
 gcgaatgtttgagtgacagaatcctcagtcagtcagtagcagttctccaggctctggcccagttcaccaacaatgg
 base pairs
 cgcttacaactccactgtcttaggagtcagtcagtcagaggtccgagaccagggccaagtgttggttacc
 1726 to 1800
 GsuI

Esp1396I
 PflMI
 125/173

AlwNI
 Esp1396I

gccaaactggaagtgttactgaaaatgagacttcggttttgccccctaccctcatgccgagcaaatggtttcaca
 base pairs
 cggttgacctcacaatgacttttactctgaagccaaaacggggatggggagtagcggctcgttaccaaaagtgt
 1801 to 1875

FIG. 14-13

BsaMI
 Mva1269I
 BspMI
 XcmI
 gcaacgcattcttaattcatgaagattccatgaacctgcttaagtctttataacctctccttctttgccccaacattac
 base pairs
 cgttgcgtaagattaagtacttctaaggacttggacgattcagaaatatggagaggaagaaacgggttgtaatg
 1876 to 1950
 BsmI RcaI
 BspHI

126/173
 ErhI
 BssT1I
 BstBI AcsI
 Bpu14I
 Csp45I
 Esp3I

cttggggcttcccgcagtgccatcccagctcaatgctc gaattcactcaaagaaagcagaagtgtagagcgca
 base pairs
 gaaccccgaaggcggtcacggtagggtaggttacgaag ctttaagtgagtttctttcgtcttcacactctgcgt
 1951 to 2025
 EcoT14I
 SfuI Bsp119I

StyI
 Eco130I
 NspV ApoI
 LspI EcoRI
 BsmBI

FIG. 14-14

127/173

MsII
gacgcttaggcaagggtggtcctctgcctgggcagtagggaggcagcatcccggcatctccagccaccctcatgt
base pairs
ctgcgaatccggtccacaaggagacggaccggtcacaacctcgtcgttagggccgtagaaggctcgggtgggagtaca
2026 to 2100

PstI
Sfci
tacttttagagggaaagccaccacaacagcagccaccaggctctc ctgcagcatttatttgaaagaacaaatgcg
base pairs
atgaaatctcccttccggtgggtggtcgtcgggtgggtccgagag gacgtcgtaataataactttctgtttacgc
2101 to 2175

BstSFI

FIG. 14-15

128/173

Eco130I
 StyI
 EcoT14I
 ApoI
 HindIII
 acagcaaaagcttcttgtagctggagggtcccttacatcctcagtcctcccttggcaaaaaagagagaatttc
 base pairs
 tgtcggttttcgaagaacatcgaccacctcaagggaatgtaggagtcagaggggaaccggttggtttctctcttaaag
 2176 to 2250

BssT1I
 ErhI
 AcsI

Asp718I
 Acc65I
 BshNI
 BsgI
 acctggcattagaggtaccacaaaattgcccgcgtcacagaccctgaaccagctctgcacctttgcctca
 base pairs
 tggaccgtaatctccatgggtgttaacggggcagtgctggggacttggcttgggtcagacgtgggaaacggagt
 2251 to 2325

BanI
 KpnI
 ACCB1I
 ECO64I

FIG. 14-16

129/173

Bpu1102I
 Alw21I Bsp1720I
 AspHI CelII
 gagcacggttggctcagctgggtcattcaacagcaacaccagcaattcttgagagaagcagaagaataaccagcagca
 base pairs
 ctcgtagcaaccgagtcgaccagtaagttgtcgttggtcggttaagaacctcttcgtcttcggttatggtcggtcgt
 2326 to 2400
 BsiHKAI PvuII
 Bbv12I BlnI MspAII
 NspBII
 BstBI
 Bpu14I
 Csp45I Eco57I
 gatccacatgaacaactgcttctcgaaatctattgaacaactgaagcaaccaggcagtcaccttgaggaagcaga
 base pairs
 ctagggtgacttgttgacgaaagctttagataacttggtgacttcggtcggtccggtcagtggaactccttcgctct
 2401 to 2475
 BstYI SfuI Bsp119I
 BstX2I NspV
 LspI

FIG. 14-17

130/173

EarI		
Eam1104I	Bbv16II	
Asp700I	BbsI	Bsp143II
ggaagagcttcaggggaccaggcgatgcaggaagacagagcgccctctagtggaacacagcactaggagcgacag		
base pairs		
ccttctgaaagtccccctggtcgctacgtccttctgtctcggggagatcacccgttgtcgtgatcctcgctgtc		
2476 to 2550		
XmnI	Eco57I	BpiI
Ksp632I		HaeII
SapI		BpuAI
		BstH2I
BcgI		
cagtgtgtgtggatgacacactgggacaagttggggctgtgaaggtcaaggaggaaccagtggaacagtgatga		
base pairs		
gtcacgaaacacacctactgtgtgacctgttcaaccccgacacttccagttcctccttggtcacctgtcactact		
2551 to 2625		

FIG. 14-18

MfII Van91I
 XhoII AccB7I
 agatgctcagatccaggaaatggaatctggggagcaggctgcttttatgcaacagcctttcctggaaccaccgca
 base pairs
 tctacgagctaggtcctttaccttagaccctcgaccgaaatacgttgctggaaaggaccttgggtgctg
 2626 to 2700
 BstYI Esp1396I
 BSTX2I PFLMI

PmaCI
 PmlI
 AflIII
 cacacgtgctctctgtgcccaggctccgctggctggctggcattgagatggatgagaaacaccgtctcgt
 base pairs
 gtgtgcacgcgagagacacgcggttcgaggcaccgacgccaaccgtacctaatctcttggcagagca
 2701 to 2775
 MslI Eco72I
 MspA1I
 BsmBI
 Esp3I

FIG. 14-19

132/173

EarI
 BpmI BpmI
 Fam1104I BsrDI
 ctccaggactcactcttcccctgctgcctctgtttacctcaccagcaatggaccgccccctccagcctggctc
 base pairs
 gaggtcctgagtgagaaggggacgacggagacaaaatggagtgggtcgttacctggcgggggaggtcggaccgag
 2776 to 2850
 GsuI Ksp632I GsuI

XcmI
 tgcaactggaattgcctatgacccttgatgctgaacaccagtgcgtttgtggcaattccaccaccctga
 base pairs
 acgttgacctaacggatactggggaactacgactttgtggtcacgcaaacaccgtaagtggtgggtgggact
 2851 to 2925

FIG. 14-20

133/173

SphI
 BbuI
 AcsI
 ApoI
 gcatgctggacgaatacagagtatctggtcacgactgcaagaactgggctgctaataaatgtgagc gaattca
 base pairs
 cgtacgacctgcttatgtctcatagaccagtgctgacgttctttgacccgacgatttattacactcg cttaagt
 2926 to 3000

PaeI
 NspI
 EcoRI

BpmI
 AccB1I
 BshNI
 aggtcgaaaagccagcctggaggaaatacacagcttgttcatctgaacatcactcactgttgatggcaccaccc
 base pairs
 tccagcttttcggtcggacctcctttatgtcgaacaagtaagactttagtgagtgacaacataccgtggttggg
 3001 to 3075

GsuI
 BanI
 Eco64I

FIG. 14-21

134/173

ErhI
 StyI Eco130I
 EcoT14I

BstXI AlwNI

cctggacggacagaagctggaccccaggatactcctaggtgatgactctcaaaagttttttccctcattaccttg
 base pairs

ggacctgcctgtcttcgacctggggtccctatgaggatccactactgagagttttcaaaaaaggagtaatgggaac
 3076 to 3150

BssT1I
 AvrII
 BlnI

BsaWI BsgI

tggaggacttggggtggacagtgacaccatttggaatgagctacactcgtccggtgctgcacgcacatggctgttgg
 base pairs

accacctgaaccccacctgtcactgtggtaaccttactcgatgtgagcaggccacgacgtgcgtaccgacaacc
 3151 to 3225

FIG. 14-22

Eco147I
 BsaI
 agaccaactaaataaagaagataattgattgtagatctggatgttcaccatggaaacgggtaccaccagcaggcctt
 base pairs
 tctggttgatttatattctataactaactatctagacctacaagtggtagcctttgccatgggtcgtccggaa
 3376 to 3450
 Eco31I
 BstX2I
 BstYI
 XhoII
 NcoI Bsp19I Asp718I SseBI
 StyI BstDSI AccB1I
 EcoT14I BshNI StuI
 BglII
 MflI
 BssT1I BanI KpnI AatI
 ErhI Eco130I Eco64I Pme55I
 DsaI ACC65I

136/173

SspBI
 Bsp1407I MslI Asp700I
 ttatgctgacccagcatcctgtacatttcactccatcgctatgatgaagggaacttttccctggcagtgagg
 base pairs
 aatacactgggtcgtaggacatgtaaagtgagtagcatactacttcccttgaaaaaggaccgtcacctcg
 3451 to 3525

XmnI

BsrGI

FIG. 14-24

FriOI
 Eco24I
 cccaaatgagggttcggttatttcttagagcccacttttatttgatatctttcaggtaattgcattgca ggatc
 base pairs
 gggtttactccaagccaataaagaatctcggggtgaaaataaaacatagaaagtccattaacgtaacgt cctag
 3526 to 3600
 BanII
 BanII
 BstYI
 XhoII
 BsrDI
 BamHI
 BstI
 MflI

137/173

Acc65I
 Bani Eco64I
 BstX2I Asp718I
 cggtagcagattacaaggacgacgatgacaagtagat cccgggtggcatccctgtgacccctcccagtgccctc
 base pairs
 gccatgggtctaattcctgctgctactgttcatcta gggcccaccgttagggacactggggaggggtcacgggaga
 3601 to 3675
 BshNI
 BsaWI KpnI
 AccB1I
 AvaI BcoI
 MflI Eco88I PspALI
 XhoII Cfr9I SmaI MslI
 BstYI Ama87I
 BstX2I BsoBI
 XmaI PspAI

FIG. 14-25

BpmI BsgI

DraII
 gtagggcctgcgggtctattcgggaaccaagctggagtgagtggcacacaatcttggctcactgcaatctccgcc
 base pairs
 catcccggacgcccagataagcccttggttcgacctcacgtcacctggttagaacccagtgacgttagagggcgg
 3826 to 3900
 EcoO109I

GsuI

139/173

BcoI BspI BlnI
 Ama87I PaeI Mph1103I
 BcgI AvaI Ppu10I EcoT22I

tcctgggtcaagcgattctcctgcctcagcctcccggagttgttgggattccaggcatgcatgaccagggtcagc
 base pairs
 aggacccaagttcgctaagaggacggagtcggagggtcaacaaccctaaggtccgtactggtccgagtcg
 3901 to 3975

Eco88I BbuI Zsp2I CelII
 BsoBI SphI Bsp172
 NsiI Bpu11

FIG. 14-27

140/173

MscI
 MluNI
 Esp3I EaeI BsaI
 taatttttggtagagacgggtttcaccatattggccagggtctccaactcctaattctcagggtg
 base pairs
 attaaaaaaccatctctgtccccaaagtgtataaccgggtccgaccagaggttgaggattagagtcac
 3976 to 4050

BsmBI CfrI Eco31I
 0I BclI

Eco130I
 StyI
 EcoT14I BstXI
 atctaccaccttggcctcccaaatgtctgggattacaggcgtgaaccactgctcccttcccttctgatt
 base pairs
 tagatgggtggaaccggagggtttaacgaccctaattgtccgcacttggtagcaggggacaggaactaa
 4051 to 4125
 Bst1I
 ErhI

FIG. 14-28

142/173

AlwNI

ccagcttctgtggaatgtgtgtcagttaggggtggaaagtcccagggtcccagcaggcagaagtatgcaaaag
base pairs
ggtcgaagacaccttacacacagtcfaatcccacacctttcaggggtccgaggggtcgtccgtcttcatacgttttc
4276 to 4350

Nspi

PaeI Mph1103I

Ppu10I EcoT22I

SexAI

catgcatctcaattagtcagcaaccagggtggaaagtcccagggtcccagcaggcagaagtatgcaaaagca
base pairs
gtacgtagagttaatcagtcgttggtccacaccttttcaggggtccgaggggtcgtccgtcttcatacgttttcgt
4351 to 4425

BbuI Zsp2I

SphI

NsiI

FIG. 14-30

143/173

NspI
PaeI Mph1103I
Ppu10I EcoT22I
tgcattcatttagtcagcaaccatagtcccgccttaactccgcccattcccgccttaactccgcccagttccg
base pairs
acgtagagttaatcagtcggttggtatcagggcgggattgagggcgggtagggcgggattgagggcggggtcaaggc
4426 to 4500

BbuI Zsp2I
SphI
NsiI

NcoI Bsp19I
StyI BstDSI
EcoT14I
cccatctccgccccatggctgactaattttttttatgagagggccgagggccctcggcctctgagctat
base pairs
gggtaagagggcgggtaccgactgataaaaaataaatacgtctccggctccggcggagccggagactcgata
4501 to 4575

BssT1I
ErhI Eco130I
DsaI
SfiI

FIG. 14-31

144/173

SseBI AvrII Ama87I
 Eco147I BlnI Eco88I BseRI
 StuI BssTII AvaI BsoBI
 BseRI
 tccagaagtagtgaggaggctttttggaggcctaggcttttgcaaaaagctc ctcgaggaaactgaaaaaccaga
 base pairs
 aggtcttcactcctccgaaaaaacctccggatccgaaaacgtttttcgag gagctccttgactttttgggtct
 4576 to 4650

AatI StyI XhoI BcoI
 Pme55I ErhI Sfr274I
 EcoT14I Eco130I Paer7I

SfcI ApoI
 aagttaattccctatagtgagtcgtattaaattcgtaatcatggtcatagctgttctctgtgaaattggttattc
 base pairs
 ttcaattaagggatatacactcagcataatttaagcattagtagtaccagtagtgcgacaaaaggacacactttaacaatag
 4651 to 4725

BstSFI Acsi

FIG. 14-32

AccBSI
 BsrBI
 cgctcacaattccacacaacatacagagccggaagcataaaagtgaagcctgggggtgcctaataatgagtgagctaac
 base pairs
 gcgagtgttaagggtgtgtatgctcggcccttcgtattcacatttcggacccccacggattactcactcgcgattg
 4726 to 4800
 BstD102I
 AccBII
 BshNI
 BanI
 Eco64I

145/173

VspI
 PshBI
 MspAII
 PvuII PshBI
 EaeI
 tcacattaattgcgctcactgcccgcttccagtcgggaaacctgctgcccagctgcattaatgaatcg
 base pairs
 agtgaattaacgcaacgcgagtgacggcgaaaggcagcccttggacagcacggcgcgagtaattacttagc
 4801 to 4875
 AsnI
 NspBII
 CfrI
 AseI
 AsnI
 AseI

FIG. 14-33

146/173

Eam1104I
BstH2I
Bsp143II

gccaacgcgccccgggagagcggtttgcgtattgggcgctcttccgcttcctcgtcactgactcgtcgctcggctcgg
base pairs
cggttgcgcgccccctctccgcaaacgcataaacccgcgagaaaggcgaaggagtgactgagcgacgcgagcc
4876 to 4950

HaeII EarI
SapI
Ksp632I

AccBSI
BsrBI
BstD102I

BstMCI
BsaOI
tcgttcggctgcggcgggtatcagctcactcaaaggcggtaatacggttatccacagaatcaggggataaacg
base pairs
agcaagccgacgcgctccgcatagtcgagtgagttccgcccattatgccaatagggtgtcttagtcccctattgc
4951 to 5025

Bsh1285I
BsiEI

FIG. 14-34

147/173

NspI
 BspLU11I
 caggaagaacatgtgagcaaaaggccagcaaaaggccaggaaccgtaaaaaggccgcttgctggcgtttttcc
 base pairs
 gtcctttcttgtaactcgtttccggtcggtttccggtccttggcattttccggcgcaacgaccgcaaaaagg
 5026 to 5100
 AflIII

DrdI
 ataggctccgccccctgacgagcatcacaataatcgacgctcaagtcaagggtggcgaaccgacaggactat
 base pairs
 taccgagcgggggactgctcgtagtgttttagctcgagttcagttccaccgctttgggctgtcctgata
 5101 to 5175

FIG. 14-35

149/173

BsiHKAI
Alw44I
VneI Bbv12I

NspBII
BstMCI
BsaOI BsaWI

tcgttcgctccaagctgggctgtgtgcacgaaccccccggttcagcccgcaccgctgcgcccttatccggtaactatc
base pairs
agcaagcgagggttcgacccgacacacgtgcttgggggcaagtctgggctggcgacgcggaataggccattgatag
5326 to 5400

ApaLI
AspHI
Alw21I

Bsh1285I
BsiEI
MspAII

AlwNI

gtcttgagtcacaaccggtaagacacgacttatcgccactggcagcagccactggtaacaggattagcagagcga
base pairs
cagaactcaggttgggccattctgtgctgaatagcggtagccgtcgtcggtgaccattgtccctaatcgtctcgct
5401 to 5475

FIG. 14-37

150/173

SfcI

ggtatgtaggcggctacacagagttcttgaagtggcctaactacggctacactagaagaacacagtatattggta
 base pairs
 ccatacatccgccacgatgtctcaagaacttcaccaccggatgatgccgatgtgatcttcttgcataaacat
 5476 to 5550

BstSFI

Eco57I

tctgcgctctgctgaagccagttaccttcggaaaaagagttggtagctcttgatccggcaaacaccaccgctg
 base pairs
 agacgcgagacgacttcggtcaatggaagccttttctcaaccatcgagaactaggccgtttggttgggtggcgac
 5551 to 5625

NspBII

MspAII

FIG. 14-38

MfII MfII
 XhoII XhoII
 gtagcgggtggtttttgttgcaagcagcagattacgcgcagagaaaaaaaggatctcaagaagatccttttgatct
 base pairs
 catcgccaccaaaaaacaacgttcgctcgtctaatgcgctctttttcctagagttcttctaggaactaga
 5626 to 5700
 BstYI BstYI
 BstX2I BstX2I

151/173

RcaI MfII
 XhoII
 tttctacggggtctgacgctcagtggaacgaaaaactcacgtaaggattttgggtcatgagattatcaaaaagga
 base pairs
 aaagatgccccagactgcgagtcaccttgcttttgagtgcaatccctaaaaaccagtaacttaaatagtttttcct
 5701 to 5775
 BspHI BstYI
 BstX2I

FIG. 14-39

Eam1105I
 AspEI
 BsrDI
 tccccgtcgtgtagataaactacgatacgggagggttaccatctggccccagtgctgcaatgataccgcgagacc
 base pairs
 agggcagcacatctattgatgctatgccctcccgaatggtagaccgggtcacgacgttactatggcgctctggg
 5926 to 6000
 EclHKI
 AhdI

Cfr10I
 BsaI BssAI BpmI BglI
 cacgctcacccggctccagatttatcagcaataaacccagccagccggaaggccgagcagaagtggctcctgcaa
 base pairs
 gtgcgagtggccgagggtctaaaatagtcgttatttggtcggccttcccggctcgcgcttccaccaggacggtt
 6001 to 6075
 Eco31I BsrFI GsuI
 Bse118I

FIG. 14-41

154/173

VspI
PshBI
ctttatccgcctccatccagtcctattaattggtgccgggaagctagagtaagtagttcgccagttaatagtttgc
base pairs
gaaataggcgggtaggtcagataaattaacaacggcccttcgatctcattcatcaagcgggtcaattatcaaacg
6076 to 6150

AsnI
AseI

AviII
FspI
gcaacgttggtgccattgctacaggcatcgtggtgcacgctcgttggatggcttcattcagctccgggtt
base pairs
cgttgcaacaacggtaacgatgtccgtagcaccacagtgcgagcagcaaacaccataccggaagtaagtcgaggccaa
6151 to 6225
Acc16I
Psp1406I
BstSFI
SfcI
MslI
BsaWI
BsrDI

FIG. 14-42

155/173

BsiEI
PvuI
BstMCI
BsaOI

cccaacgatcaaggcgagttacatgatccccatgtgtgcaaaaaagcgggttagctccttcggtcctccgatcg
base pairs
gggttgctagttccgctcaatgtactaggggtacaacacgtttttcgccaatcgaggaagccaggaggctagc
6226 to 6300

BspCI
Bsh1285I
Ple19I

MslI

FaeI

ttgtcagaagtaagttggccgcagtggtatcactcatgggtatggcagcactgcataattcttactgtcatgc
base pairs
aacagtcttcattcaaccggcggtcacaatagtgagtaccacaataaccgtcgtgacgtattaagagaatgacagtagc
6301 to 6375

CfrI

FIG. 14-43

Acc113I
 Eco255I
 BstMCI
 BsaOI
 catccgtaagatgcttctgtgactggtgactcaaccaagtcattctgagaatagtgtatgcggcgaccga
 base pairs
 gtaggcattctacgaaaagacactgaccactcatgagttggttcagtaagactcttaccatacgcgcgctggct
 6376 to 6450

ScaI
 Bsh1285I
 BsiEI

156/173

BbiII
 HinfI
 BcgI
 AcyI
 Alw21I
 DraI
 AspHI
 gttgctcttgcggcgtcaatacgggataataccgcgcacatagcagaactttaaagtgctcatcattggaa
 base pairs
 caacgagaacggcgcagttatgccctattatggcgggtgtatcgtcttgaatttccacgagtagtaacctt
 6451 to 6525

Msp17I
 BsaHI
 Hsp92I
 BsiHKAI
 Bbv12I

FIG. 14-44

157/173

<p>XmnI Psp1406I aacgttcttcggggcgaaactctcaaggatcttaccgctgttgagatccaggtcgcgatgtaaccactcgtgcac base pairs ttgcaagaagccccgcttttgagagttcctagaatggcgacaactctaggtcaagctacattgggtgagcaagtg 6526 to 6600 Asp700I</p>	<p>MflI XhoII NspBII XhoII</p>	<p>MflI NspBII XhoII</p>	<p>BssSI Alw44I VneI</p>
<p>Bbv12I BsiHKAI ccaaactgatcttcagcatcttttactttcaccagcgtttctgggtgagcaaaaacaggaaggcaaaatgccgcaa base pairs ggttgactagaagtcgtagaaaatgaaagtggtcgcaaaagaccactcgttttgtccttccggttttacggcgtt 6601 to 6675 Alw21I</p>	<p>BstYI MspA1I BstYI BstX2I</p>	<p>ApalI BsiI AspHI</p>	<p>BssSI Alw44I VneI</p>

FIG. 14-45

158/173

EarI
 MslI
 Fam1104I SspI
 aaaaggaataagggcgacacgggaatggtgaatactcatactctccttttccaatatattgaagcatttattc
 base pairs
 tttcccttattcccgtgtgcctttacaacttatgagtatgagaaggaagttataataaacttcgtaaatag
 6676 to 6750
 Ksp632I

AccBSI
 RcaI BsrBI
 agggttattgtctcatgagcggatacatatttgaatgtatttagaaaaataaacaataaggggttccgcgcacat
 base pairs
 tccaataacagagtagctgcctatgtataaacttacataaatcttttatttatttcccccaaggcgtgta
 6751 to 6825
 BspHI BstD102I

FIG. 14-46

Sfci
 ttccccgaaaagtccacacctgacgcgccctgtagcggcgcatcattagcgcggcggtgtggtggttacgcgcagcg
 base pairs
 aagggccttttcacggtagcgcgggacatcgccgctaatcgcgcgcccccacacacccaatgcggtcgc
 6826 to 6900

BstSFI

159/173

BsrFI
 BssAI
 MroNI

AccBSI
 BstH2I HaeII BstD102I
 Bsp143II BsrBI

tgaccgtacacttgccagcgccttagcgcgcccttctgccttctcccttctcccttctcccaagcgttcgcgcg
 base pairs
 actggcgatgtgaacggtcgcgggacatcgccggcgaggaaagcgaagaaagggaaagcgggtgcaagcggc
 6901 to 6975

HaeII Bsp143II
 NgoAIV
 NgoMI
 Bse118I

BstH2I

FIG. 14-47

160/173

NaeI
 AccB1I
 BshNI
 gctttcccgtcaagctctaaatcggggcatcccttagggttccgatttagtgctttacggcacctcgacccca
 base pairs
 cgaaggggcagttcgagatttagccccgtagggaaatccccaggctaaatcacgaaatgccgtggagctgggggt
 6976 to 7050

BanI
 Eco64I

Cfr10I

BsaAI
 DrdI
 aaaaacttgattagggatggttcacgtagtgggccatcgccctgatagacgggttttcgccctttgacgttgg
 base pairs
 ttttgaactaatcccactaccaagtgcaccggtagcgggactatctccaaaaagcgggaaactgcaacc
 7051 to 7125

DraIII

FIG. 14-48

agtccacggttctttaatagtgactcttggactccttccaaactggaaacaactcaaccctatctcggctctattcttttg
 base pairs
 tcaggtgcaagaattatcacctgagaacaagggttgaccttggtgagttgggatagagccagataagaaaaac
 7126 to 7200

attataagggattttgccgatttcggcctattgggttaaaaaatgagctgatttaacaaaaaatttaacgcgaatt
 base pairs
 taaatattccctaaaacggctaaagccggataaccaatttttactcgactaaaattggttttaaatgcgcttaa
 7201 to 7275

161/173

ApoI ApoI

AcSI AcSI

SspI Psp1406I
 ttaacaaaatattaaacggtttacaattt base pairs
 aattgtttataatttgcaaatgtttaa 7276 to 7303

FIG. 14-49

Table by Enzyme Name

Enzyme name	No. cuts	Positions of sites	Recognition sequence	More info
AatI	2	3446 4606	agg/cct	<u>More info</u>
AatII	5	451 504 587 773 4154	gacgt/c	<u>More info</u>
Acc113I	1	6408	agt/act	<u>More info</u>
Acc16I	2	21 6150	tgc/gca	<u>More info</u>
Acc65I	3	2264 3434 3602	g/ gtacc	<u>More info</u>
AccB1I	8	791 2264 3065 3434 3602 4779 5876 7036	g/ gyrcc	<u>More info</u>
AccB7I	6	1445 1482 1775 1796 2644 4191	ccannnn/ntgg	<u>More info</u>
AccBSI	4	4730 4971 6772 6936	gagcgg	<u>More info</u>
ACLNI	1	326	a/ ctagt	<u>More info</u>
ACSI	7	912 1990 2244 2994 4679 7260 7271	r/ aatty	<u>More info</u>
ACYI	6	448 501 584 770 4151 6465	gr/cgyc	<u>More info</u>
AFLIII	2	2702 5035	a/ crygt	<u>More info</u>
AgeI	1	4188	a/ ccggt	<u>More info</u>
AhdI	2	3754 5928	gacnnn/nngtc	<u>More info</u>
Alw21I	6	894 1576 2330 5353 6514 6599	gwgwc/c	<u>More info</u>
Alw44I	2	5349 6595	g/ tgcac	<u>More info</u>

162/173

FIG. 14-50

163/173

AlwNI	6	1147	1273	1775	3091	4282	5451	cagnnn/ctg	<u>More info</u>
Ama87I	3	3638	3934	4629				c/ ycgrg	<u>More info</u>
AoCI	3	1034	1046	3256				cc/ tnagg	<u>More info</u>
Apal	1	3806						gggcc/c	<u>More info</u>
ApalI	2	5349	6595					g/ tgcac	<u>More info</u>
ApOI	7	912	1990	2244	2994	4679	7260	r/ aatty	<u>More info</u>
		7271							
AseI	4	334	4806	4865	6100			at/ taat	<u>More info</u>
AsnI	4	334	4806	4865	6100			at/ taat	<u>More info</u>
Asp700I	4	1107	2481	3506	6527			gaann/nnttc	<u>More info</u>
Asp718I	3	2264	3434	3602				g/ gtacc	<u>More info</u>
AspEI	2	3754	5928					gacnnn/nngtc	<u>More info</u>
AspHI	6	894	1576	2330	5353	6514	6599	gwgwc/c	<u>More info</u>
AvaI	3	3638	3934	4629				c/ ycgrg	<u>More info</u>
AviII	2	21	6150					tgc/gca	<u>More info</u>
AvrII	2	3109	4607					c/ ctagg	<u>More info</u>
BalI	4	184	238	3300	4018			tgg/cca	<u>More info</u>
BamHI	1	3596						g/ gatcc	<u>More info</u>
BanI	8	791	2264	3065	3434	3602	4779	g/ gyrcc	<u>More info</u>
		5876	7036						
BanII	6	894	1017	1623	3526	3558	3806	grgcy/c	<u>More info</u>
BanIII	1	939						at/ cgat	<u>More info</u>
BbiII	6	448	501	584	770	4151	6465	gr/cgyc	<u>More info</u>

FIG. 14-51

BbrPI	1	2705		cac/gtg	<u>More info</u>
BbsI	2	2512 3820		gaagac	<u>More info</u>
BbuI	4	2930 3959 4354 4427		gcatg/c	<u>More info</u>
Bbv12I	6	894 1576 2330 5353 6514 6599		gwgcw/c	<u>More info</u>
Bbv16II	2	2512 3820		gaagac	<u>More info</u>
Bcgl	4	941 2556 3925 6455		cgannnnntgc	<u>More info</u>
Bcli	1	969		t/ gatca	<u>More info</u>
BcoI	3	3638 3934 4629		c/ ycgrg	<u>More info</u>
BglI	5	14 417 538 4560 6048		gccnnnn/nggc	<u>More info</u>
BglII	2	932 3409		a/ gatct	<u>More info</u>
BlnI	2	3109 4607		c/ ctagg	<u>More info</u>
BlpI	3	1200 2337 3970		gc/tnagc	<u>More info</u>
BpiI	2	2512 3820		gaagac	<u>More info</u>
BpmI	9	1015 1279 1772 2781 2842 3022		ctggag	<u>More info</u>
		3701 3863 6018			
Bpu1102I	3	1200 2337 3970		gc/tnagc	<u>More info</u>
Bpu14I	3	1603 1988 2423		tt/cgaa	<u>More info</u>
BpuAI	2	2512 3820		gaagac	<u>More info</u>
Bsa29I	1	939		at/ cgat	<u>More info</u>
BsaAI	3	666 2705 7077		yac/gtr	<u>More info</u>
BsaHI	6	448 501 584 770 4151 6465		gr/cgyc	<u>More info</u>

164/173

FIG. 14-52

165/173

BsaI	3	3380	4031	6000		ggtctc	<u>More info</u>			
BsaMI	1	1886				gaatgc	<u>More info</u>			
BsaOI	7	42	424	928	4951	5375	6298	6447	cgry/cg	<u>More info</u>
BsaWI	6	3200	3599	4188	5241	5388	6219		w/ ccggw	<u>More info</u>
BsCI	1	939							at/ cgat	<u>More info</u>
Bse118I	3	4188	6008	6972					r/ ccggy	<u>More info</u>
Bse21I	3	1034	1046	3256					cc/ tnagg	<u>More info</u>
BseCI	1	939							at/ cgat	<u>More info</u>
BseRI	4	1337	1671	4593	4631				gaggag	<u>More info</u>
BsgI	3	2315	3212	3868					gtgcag	<u>More info</u>
Bsh1285I	7	42	424	928	4951	5375	6298	6447	cgry/cg	<u>More info</u>
BshNI	8	791	2264	3065	3434	3602	4779		g/ gyrcc	<u>More info</u>
		5876	7036							
BsiEI	7	42	424	928	4951	5375	6298	6447	cgry/cg	<u>More info</u>
BsiHKAI	6	894	1576	2330	5353	6514	6599		gwgw/c	<u>More info</u>
BsiI	2	5213	6597						ctcgtg	<u>More info</u>
BsmBI	3	2023	2773	4001					cgtctc	<u>More info</u>
BsmI	1	1886							gaatgc	<u>More info</u>
BsOBI	3	3638	3934	4629					c/ ycgrg	<u>More info</u>
Bsp106I	1	939							at/ cgat	<u>More info</u>
Bsp119I	3	1603	1988	2423					tt/cgaa	<u>More info</u>
Bsp120I	1	3802							g/ ggccc	<u>More info</u>
Bsp1407I	2	270	3471						t/ gtaca	<u>More info</u>

FIG. 14-53

Bsp143II	5	2519	4913	5283	6922	6930	rgcgc/y	<u>More info</u>
Bsp1720I	3	1200	2337	3970			gc/tnagc	<u>More info</u>
Bsp19I	5	686	3324	3424	4178	4514	c/ catgg	<u>More info</u>
BspCI	2	42	6298				cgat/cg	<u>More info</u>
BspDI	1	939					at/ cgat	<u>More info</u>
BspHI	3	1891	5755	6763			t/ catga	<u>More info</u>
BspLU11I	1	5035					a/ catgt	<u>More info</u>
BspMI	2	1913	4178				acctgc	<u>More info</u>
BspXI	1	939					at/ cgat	<u>More info</u>
BsrBI	4	4730	4971	6772	6936		gagcgg	<u>More info</u>
BsrDI	5	245	2827	3594	5987	6169	gcaatg	<u>More info</u>
BsrFI	3	4188	6008	6972			r/ ccggy	<u>More info</u>
BsrGI	2	270	3471				t/ gtaca	<u>More info</u>
BssAI	3	4188	6008	6972			r/ ccggy	<u>More info</u>
Bssi	2	5213	6597				ctcgtg	<u>More info</u>
BsST1I	11	686	1950	2226	3109	3324	c/ cwwgg	<u>More info</u>
		3681	4060	4178	4514	4607		
BstBI	3	1603	1988	2423			'tt/cgaa	<u>More info</u>
BstD102I	4	4730	4971	6772	6936		gagcgg	<u>More info</u>
BstDSI	6	686	1062	3324	3424	4178	c/ crygg	<u>More info</u>
BstH2I	5	2519	4913	5283	6922	6930	rgcgc/y	<u>More info</u>
BstI	1	3596					g/ gatcc	<u>More info</u>

FIG. 14-54

BstMCI	7	42 424 928 4951 5375 6298 6447	cgry/cg	<u>More info</u>
BstSFI	8	944 2144 3824 4662 5300 5491	c/ tryag	<u>More info</u>
		6169 6854		
BstSNI	1	666	tac/gta	<u>More info</u>
BstX2I	12	932 2400 2634 3409 3596 3634	r/ gatcy	<u>More info</u>
		5676 5687 5773 5785 6553 6570		
BstXI	3	3076 3325 4077	ccannnnn/ntgg	<u>More info</u>
BstYI	12	932 2400 2634 3409 3596 3634	r/ gatcy	<u>More info</u>
		5676 5687 5773 5785 6553 6570		
BstZI	1	925	c/ ggccg	<u>More info</u>
Bsu15I	1	939	at/ cgat	<u>More info</u>
Bsu36I	3	1034 1046 3256	cc/ tnagg	<u>More info</u>
CciNI	1	925	gc/ggccgc	<u>More info</u>
CelII	3	1200 2337 3970	gc/tnagc	<u>More info</u>
Cfr10I	3	4188 6008 6972	r/ ccggy	<u>More info</u>
Cfr9I	1	3638	c/ ccggg	<u>More info</u>
CfrI	9	152 182 236 925 3298 4016 4273	y/ ggccr	<u>More info</u>
		4874 6316		
Clai	1	939	at/ cgat	<u>More info</u>
Csp45I	3	1603 1988 2423	tt/cgaa	<u>More info</u>
CvnI	3	1034 1046 3256	cc/ tnagg	<u>More info</u>

167/173

FIG. 14-55

DraI	4	4127	5794	5813	6505	ttt/aaa	<u>More info</u>
DraII	3	3291	3802	3829		rg/gnccy	<u>More info</u>
DraIII	1	7080				cacnnn/gtg	<u>More info</u>
DrdI	3	1076	5143	7124		gacnnnn/nngtc	<u>More info</u>
DsaI	6	686	1062	3324	3424 4178 4514	c/ crygg	<u>More info</u>
EaeI	9	152	182	236	925 3298 4016 4273	y/ ggccr	<u>More info</u>
		4874	6316				
EagI	1	925				c/ ggccg	<u>More info</u>
Eam1104I	5	58	2482	2793	4918 6722	ctcttc	<u>More info</u>
Eam1105I	2	3754	5928			gacnnn/nngtc	<u>More info</u>
EaRI	5	58	2482	2793	4918 6722	ctcttc	<u>More info</u>
Ecl136II	1	892				gag/ ctc	<u>More info</u>
EclHKI	2	3754	5928			gacnnn/nngtc	<u>More info</u>
EclXI	1	925				c/ ggccg	<u>More info</u>
Eco105I	1	666				tac/gta	<u>More info</u>
Eco130I	11	686	1950	2226	3109 3324 3424	c/ cwwgg	<u>More info</u>
		3681	4060	4178	4514 4607		
Eco147I	2	3446	4606			agg/cct	<u>More info</u>
Eco24I	6	894	1017	1623	3526 3558 3806	grgcy/c	<u>More info</u>
Eco255I	1	6408				agt/act	<u>More info</u>
Eco31I	3	3380	4031	6000		ggtctc	<u>More info</u>
Eco32I	1	952				gat/ atc	<u>More info</u>
Eco52I	1	925				c/ ggccg	<u>More info</u>

168/173

FIG. 14-56

Eco57I	7	1210 2446 2488 3271 3314 5567 6615	ctgaag	<u>More info</u>
Eco64I	8	791 2264 3065 3434 3602 4779 5876 7036	g/ gyrcc	<u>More info</u>
Eco72I	1	2705	cac/gtg	<u>More info</u>
Eco81I	3	1034 1046 3256	cc/ tnagg	<u>More info</u>
Eco88I	3	3638 3934 4629	c/ ycgrg	<u>More info</u>
EcoICRI	1	892	gag/ ctc	<u>More info</u>
EcoNI	3	1259 1338 1684	cctnn/nnnagg	<u>More info</u>
EcoO109I	3	3291 3802 3829	rg/gnccy	<u>More info</u>
EcoRI	3	912 1990 2994	g/ aattc	<u>More info</u>
EcoRV	1	952	gat/ atc	<u>More info</u>
EcoT14I	11	686 1950 2226 3109 3324 3424 3681 4060 4178 4514 4607	c/ cwwgg	<u>More info</u>
EcoT22I	3	3961 4356 4429	atgca/t	<u>More info</u>
ErhI	11	686 1950 2226 3109 3324 3424 3681 4060 4178 4514 4607	c/ cwwgg	<u>More info</u>
Esp1396I	6	1445 1482 1775 1796 2644 4191	ccannnn/ntgg	<u>More info</u>
Esp3I	3	2023 2773 4001	cgtctc	<u>More info</u>
FauNDI	1	560	ca/ tatg	<u>More info</u>
FbaI	1	969	t/ gatca	<u>More info</u>
FriOI	6	894 1017 1623 3526 3558 3806	grgcy/c	<u>More info</u>
Fspi	2	21 6150	tgc/gca	<u>More info</u>

169/173

FIG. 14-57

170/173

GsuI	9	1015 1279 1772 2781 2842 3022	ctggag	<u>More info</u>
HaeII	5	3701 3863 6018	rgcgc/y	<u>More info</u>
HinII	6	2519 4913 5283 6922 6930	gr/cgyc	<u>More info</u>
HincII	3	448 501 584 770 4151 6465	gty/rac	<u>More info</u>
HindII	3	311 446 842	gty/rac	<u>More info</u>
HindIII	3	311 446 842	a/ agctt	<u>More info</u>
Hsp92I	6	918 1394 2183	gr/cgyc	<u>More info</u>
KpnI	3	448 501 584 770 4151 6465	ggtac/c	<u>More info</u>
Ksp22I	1	2268 3438 3606	t/ gatca	<u>More info</u>
Ksp632I	5	969	ctcttc	<u>More info</u>
LspI	3	58 2482 2793 4918 6722	tt/cgaa	<u>More info</u>
MfeI	1	1603 1988 2423	c/ aattg	<u>More info</u>
MflI	12	1091	r/ gatcy	<u>More info</u>
MluNI	4	932 2400 2634 3409 3596 3634	tgg/cca	<u>More info</u>
Mph1103I	3	5676 5687 5773 5785 6553 6570	atgca/t	<u>More info</u>
MronI	1	184 238 3300 4018	g/ ccggc	<u>More info</u>
MscI	4	3961 4356 4429	tgg/cca	<u>More info</u>
MslI	10	6972	caynn/nrtrg	<u>More info</u>
Msp17I	6	184 238 3300 4018	gr/cgyc	<u>More info</u>
MspAlI	7	691 2094 2703 3323 3489 3651	cmg/ckg	<u>More info</u>
		3698 6180 6339 6698		
		448 501 584 770 4151 6465		
		71 2341 2731 4859 5377 5622 6563		

FIG. 14-58

171/173

MunI	1	1091		c/ aattg	More info
MvaI269I	1	1886		gaatgc	More info
NaeI	1	6974		gcc/ggc	More info
NcoI	5	686	3324 3424 4178 4514	c/ catgg	More info
NdeI	1	560		ca/ tatg	More info
NgoAIV	1	6972		g/ ccggc	More info
NgomI	1	6972		g/ ccggc	More info
NotI	1	925		gc/ggccgc	More info
NsiI	3	3961	4356 4429	atgca/t	More info
NspBII	7	71	2341 2731 4859 5377 5622 6563	cmg/ckg	More info
NspI	5	2930	3959 4354 4427 5039	rcatg/y	More info
NspV	3	1603	1988 2423	tt/cgaa	More info
PaeI	4	2930	3959 4354 4427	gcatg/c	More info
Paer7I	1	4629		c/ tcgag	More info
PflMI	6	1445	1482 1775 1796 2644 4191	ccannnn/ntgg	More info
PinAI	1	4188		a/ ccggt	More info
Ple19I	2	42	6298	cgat/cg	More info
PmaCI	1	2705		cac/gtg	More info
Pme55I	2	3446	4606	agg/cct	More info
PmlI	1	2705		cac/gtg	More info
Ppu10I	3	3957	4352 4425	a/ tgcac	More info
PshBI	4	334	4806 4865 6100	at/ taat	More info
Psp124BI	1	894		gagct/c	More info
Psp1406I	3	6154	6527 7291	aa/cgct	More info

FIG. 14-59

172/173

PspAI	1	3638		c/ ccggg	<u>More info</u>
PspALI	1	3640		ccc/ggg	<u>More info</u>
PspOMI	1	3802		g/ ggccc	<u>More info</u>
PstI	2	948 2148		ctgca/g	<u>More info</u>
PvuI	2	42 6298		cgat/cg	<u>More info</u>
PvuII	3	71 2341 4859		cag/ctg	<u>More info</u>
RcaI	3	1891 5755 6763		t/ catga	<u>More info</u>
SacI	1	894		gagct/c	<u>More info</u>
SapI	2	2483 4918		gctcttc	<u>More info</u>
ScaI	1	6408		agt/act	<u>More info</u>
SexAI	1	4373		a/ ccwggg	<u>More info</u>
SfCI	8	944 2144 3824 4662 5300 5491 6169 6854		c/ tryag	<u>More info</u>
SfiI	1	4560		ggccnnnn/nggcc	<u>More info</u>
Sfr274I	1	4629		c/ tcgag	<u>More info</u>
SfuI	3	1603 1988 2423		tt/cgaa	<u>More info</u>
SmaI	1	3640		ccc/ggg	<u>More info</u>
SnaBI	1	666		tac/gta	<u>More info</u>
SpeI	1	326		a/ ctagt	<u>More info</u>
SphI	4	2930 3959 4354 4427		gcatg/c	<u>More info</u>
SseBI	2	3446 4606		agg/cct	<u>More info</u>
SspBI	2	270 3471		t/ gtaca	<u>More info</u>
SspI	5	179 226 3768 6732 7285		aat/att	<u>More info</u>
SstI	1	894		gagct/c	<u>More info</u>

FIG. 14-60

StuI	2	3446	4606			agg/cct	<u>More info</u>	
StyI	11	686	1950	2226	3109	3324	3424	<u>More info</u>
		3681	4060	4178	4514	4607		
Van91I	6	1445	1482	1775	1796	2644	4191	<u>More info</u>
VneI	2	5349	6595					<u>More info</u>
Vspi	4	334	4806	4865	6100			<u>More info</u>
XcmI	2	1948	2897					<u>More info</u>
XhoI	1	4629						<u>More info</u>
XhoII	12	932	2400	2634	3409	3596	3634	<u>More info</u>
		5676	5687	5773	5785	6553	6570	
XmaI	1	3638						<u>More info</u>
XmaIII	1	925						<u>More info</u>
XmnI	4	1107	2481	3506	6527			<u>More info</u>
Zsp2I	3	3961	4356	4429				<u>More info</u>

173/173

The following endonucleases were selected but don't cut this sequence:

AccI, AccIII, AfeI, AflII, Aor51HI, AscI, AspI, AtsI, BbeI, BfrI, BsaBI, Bse8I, BseAI, BsePI, Bsh1365I, BsiMI, BsiWI, Bsp13I, Bsp68I, BspEI, BspTI, BsrBRI, BssHII, Bst1107I, Bst98I, BstEII, BstPI, Cfr42I, CpoI, CspI, Eco47III, Eco91I, EcoO65I, EheI, FseI, HpaI, Kasi, Kpn2I, KspI, Mami, MluI, MroI, MspCI, NarI, NheI, NruI, PacI, Pfl23II, PmeI, PpuMI, PshAI, Psp5II, PspEI, PspLI, PstNHI, RsrII, SacII, Sali, SbfI, Sfr303I, Sgfi, SgrAI, SmiI, SplI, SrfI, Sse8387I, SstII, SunI, SwaI, Tth111I, Vha464I, XbaI

FIG. 14-61

SEQUENCE LISTING

<110> Sloan-Kettering Institute for Cancer Research
 Richon, Victoria
 Zhou, Xianbo
 Rifkind, Richard A.
 Marks, Paul A.

<120> HDAC9 Polypeptides and Polynucleotides
 and Uses Thereof

<130> 3254.1000005

<150> 60/298,173

<151> 2001-06-14

<150> 60/311,686

<151> 2001-08-10

<150> 60/316,995

<151> 2001-09-04

<160> 22

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 3186

<212> DNA

<213> Homo sapiens

<400> 1

```

ggggaagaga ggacacagaca cagataggag aagggcaccg gctggagcca cttgcaggac 60
tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact ctaagccaga tgggggtggct 120
ggacgagagc agctcttggc tcagcaaaga atgcacagta tgatcagctc agtggatgtg 180
aagtcagaag ttctgtggg cctggagccc atctcacctt tagacctaa gacagacctc 240
aggatgatga tgcccgtggg ggacctgtt gtccgtgaga agcaattgca gcaggaatta 300
cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga gtttcagaaa 360
cagcatgaga acttgacacg gcagcaccag gctcagcttc aggagcatat caaggaactt 420
ctagccataa aacagcaaca agaactccta gaaaaggagc agaaactgga gcagcagagg 480
caagaacagg aagtagagag gcatcgaga gaacagcagc ttctctctct cagaggcaaa 540
gatagaggac gagaaagggc agtggcaagt acagaagtaa agcagaagct tcaagagttc 600
ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca ttccgtgagc 660
cgccatccca agctctggta cacggctgcc caccacacat cattggatca aagctctcca 720
ccccttagtg gaacatctcc atctacaag tacacattac caggagcaca agatgcaaag 780
gatgatttcc cccttcgaaa aactgcctct gagcccaact tgaaggtgcg gtccaggtta 840
aaacagaaaag tggcagagag gagaagcagc cccttactca ggcggaagga tggaaatggt 900
gtcacttcat tcaagaagcg aatgtttgag gtgacagaat cctcagtcag tagcagttct 960
ccaggctctg gtcccagttc accaaacaat gggccaactg gaagtgttac tgaaaatgag 1020
acttcggttt tgccccctac ccctcatgcc gagcaaatgg ttccacagca acgcattcta 1080
attcatgaag attccatgaa cctgctaagt ctttatacct ctcttcttt gcccaacatt 1140
accttggggc ttcccgcagt gccatcccag ctcaatgctt cgaattcact caaagaaaag 1200
cagaagtgtg agacgcagac gcttaggcaa ggtgttctc tgcctgggca gtatggaggc 1260
agcatcccgg catctccag ccaccctcat gttacttag agggaaagcc acccaacagc 1320
agccaccagg ctctcctgca gcatttatta ttgaaagaac aaatgcgaca gcaaaagctt 1380
ctttagactg gtggagttcc cttacatcct cagtctccct tggcaacaaa agagagaatt 1440
tcacctggca ttagaggtac ccacaaatg ccccgtcaca gacccctgaa ccgaaccag 1500
tctgcacctt tgctcagag cacgttggct cagctgttca ttcaacagca acaccagcaa 1560
ttcttgagga agcagaagca ataccagcag cagatccaca tgaacaaact gctttcgaaa 1620
tctattgaac aactgaagca accaggcagt caccttgagg aagcagagga agagcttcag 1680
ggggaccagg cgatgcagga agacagagcg ccctctagtg gcaacagcac taggagcgac 1740

```

```

agcagtgcct gtgtggatga cactctggga caagtgggg ctgtgaaggt caaggaggaa 1800
ccagtggaca gtgatgaaga tgctcagatc caggaatgg aatctgggga gcaggctgct 1860
tttatgcaac agcctttcct ggaacccacg cacacacgtg cgctctctgt gcgccaagct 1920
ccgctggctg cggttggcat ggatggatta gagaacacc gtctcgtctc caggactcac 1980
tcttccctctg ctgcctctgt tttacctcac ccagcaatgg accgccccct ccagcctggc 2040
tctgcaactg gaattgccta tgacccttg atgctgaaac accagtgcgt ttgtggcaat 2100
tccaccacc accctgagca tgctggacga atacagagta tctggtcacg actgcaagaa 2160
actgggctgc taaataaatg tgagcgaatt caaggtcgaa aagccagcct ggaggaaata 2220
cagcttggtc attctgaaca tcaactactg ttgtatggca ccaacccccct ggacggacag 2280
aagctggacc ccaggatact cctaggtgat gactctcaaa agtttttttc ctcattacct 2340
tgtggtggac ttgggtggga cagtgcaccc atttggaatg agctacactc gtccggtgct 2400
gcacgcatgg ctggtggctg tgtcatcgag ctggcttcca aagtggcctc aggagagctg 2460
aagaatgggt ttgctgtgtg gaggccccct ggccatcacg ctgaagaatc cacagccatg 2520
gggttctgct tttttaattc agttgcaatt accgccaat acttgagaga ccaactaaat 2580
ataagcaaga tattgattgt agatctggat gttcaccatg gaaacggtac ccagcaggcc 2640
ttttatgctg accccagcat cctgtacatt tcaactcacc gctatgatga agggaaacttt 2700
ttccctggca gtggagcccc aaatgaggtt ggaacaggcc ttggagaagg gtacaatata 2760
aatattgcct ggacaggtgg ccttgatcct cccatgggag atgtttagta ccttgaagca 2820
ttcaggacca tcgtgaagcc tgtggccaaa gagtttgatc cagacatggt cttagtatct 2880
gctggatttg atgcattgga aggccacacc cctcctctag gagggtaaaa agtgacggca 2940
aaatgttttg gtcatttgac gaagcaattg atgacattgg ctgatggacg tgtggtgttg 3000
gctctagaag gaggacatga tctcacagcc atctgtgatg catcagaagc ctgtgtaaat 3060
gcccttctag gaaatgagct ggagccactt gcagaagata ttctccacca aagcccgaat 3120
atgaatgctg ttatttcttt acagaagatc attgaaatc aaagtatgtc tttaaagttc 3180
tcttaa
    
```

```

<210> 2
<211> 1011
<212> PRT
<213> Homo sapiens
    
```

```

<400> 2
Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
1 5 10 15
Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
20 25 30
Met Met Pro Val Val Asp Pro Val Arg Glu Lys Gln Leu Gln Gln
35 40 45
Glu Leu Leu Leu Ile Gln Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
50 55 60
Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
65 70 75 80
Ala Gln Leu Gln Glu His Ile Lys Glu Leu Leu Ala Ile Lys Gln Gln
85 90 95
Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
100 105 110
Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
115 120 125
Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
130 135 140
Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
145 150 155 160
Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
165 170 175
Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Pro Leu
180 185 190
Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
195 200 205
Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Ala Ser Glu Pro Asn Leu
210 215 220
Lys Val Arg Ser Arg Leu Lys Gln Lys Val Ala Glu Arg Arg Ser Ser
225 230 235 240
    
```

Pro Leu Leu Arg Arg Lys Asp Gly Asn Val Val Thr Ser Phe Lys Lys
 245 250 255
 Arg Met Phe Glu Val Thr Glu Ser Ser Val Ser Ser Ser Ser Pro Gly
 260 265 270
 Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly Ser Val Thr Glu
 275 280 285
 Asn Glu Thr Ser Val Leu Pro Thr Pro His Ala Glu Gln Met Val
 290 295 300
 Ser Gln Gln Arg Ile Leu Ile His Glu Asp Ser Met Asn Leu Leu Ser
 305 310 315 320
 Leu Tyr Thr Ser Pro Ser Leu Pro Asn Ile Thr Leu Gly Leu Pro Ala
 325 330 335
 Val Pro Ser Gln Leu Asn Ala Ser Asn Ser Leu Lys Glu Lys Gln Lys
 340 345 350
 Cys Glu Thr Gln Thr Leu Arg Gln Gly Val Pro Leu Pro Gly Gln Tyr
 355 360 365
 Gly Gly Ser Ile Pro Ala Ser Ser Ser His Pro His Val Thr Leu Glu
 370 375 380
 Gly Lys Pro Pro Asn Ser Ser His Gln Ala Leu Leu Gln His Leu Leu
 385 390 395 400
 Leu Lys Glu Gln Met Arg Gln Gln Lys Leu Leu Val Ala Gly Gly Val
 405 410 415
 Pro Leu His Pro Gln Ser Pro Leu Ala Thr Lys Glu Arg Ile Ser Pro
 420 425 430
 Gly Ile Arg Gly Thr His Lys Leu Pro Arg His Arg Pro Leu Asn Arg
 435 440 445
 Thr Gln Ser Ala Pro Leu Pro Gln Ser Thr Leu Ala Gln Leu Val Ile
 450 455 460
 Gln Gln Gln His Gln Gln Phe Leu Glu Lys Gln Lys Gln Tyr Gln Gln
 465 470 475 480
 Gln Ile His Met Asn Lys Leu Leu Ser Lys Ser Ile Glu Gln Leu Lys
 485 490 495
 Gln Pro Gly Ser His Leu Glu Glu Ala Glu Glu Glu Leu Gln Gly Asp
 500 505 510
 Gln Ala Met Gln Glu Asp Arg Ala Pro Ser Ser Gly Asn Ser Thr Arg
 515 520 525
 Ser Asp Ser Ser Ala Cys Val Asp Asp Thr Leu Gly Gln Val Gly Ala
 530 535 540
 Val Lys Val Lys Glu Glu Pro Val Asp Ser Asp Glu Asp Ala Gln Ile
 545 550 555 560
 Gln Glu Met Glu Ser Gly Glu Gln Ala Ala Phe Met Gln Gln Pro Phe
 565 570 575
 Leu Glu Pro Thr His Thr Arg Ala Leu Ser Val Arg Gln Ala Pro Leu
 580 585 590
 Ala Ala Val Gly Met Asp Gly Leu Glu Lys His Arg Leu Val Ser Arg
 595 600 605
 Thr His Ser Ser Pro Ala Ala Ser Val Leu Pro His Pro Ala Met Asp
 610 615 620
 Arg Pro Leu Gln Pro Gly Ser Ala Thr Gly Ile Ala Tyr Asp Pro Leu
 625 630 635 640
 Met Leu Lys His Gln Cys Val Cys Gly Asn Ser Thr Thr His Pro Glu
 645 650 655
 His Ala Gly Arg Ile Gln Ser Ile Trp Ser Arg Leu Gln Glu Thr Gly
 660 665 670
 Leu Leu Asn Lys Cys Glu Arg Ile Gln Gly Arg Lys Ala Ser Leu Glu
 675 680 685
 Glu Ile Gln Leu Val His Ser Glu His His Ser Leu Leu Tyr Gly Thr
 690 695 700
 Asn Pro Leu Asp Gly Gln Lys Leu Asp Pro Arg Ile Leu Leu Gly Asp
 705 710 715 720
 Asp Ser Gln Lys Phe Phe Ser Ser Leu Pro Cys Gly Gly Leu Gly Val
 725 730 735

Asp Ser Asp Thr Ile Trp Asn Glu Leu His Ser Ser Gly Ala Ala Arg
 740 745 750
 Met Ala Val Gly Cys Val Ile Glu Leu Ala Ser Lys Val Ala Ser Gly
 755 760 765
 Glu Leu Lys Asn Gly Phe Ala Val Val Arg Pro Pro Gly His His Ala
 770 775 780
 Glu Glu Ser Thr Ala Met Gly Phe Cys Phe Phe Asn Ser Val Ala Ile
 785 790 795 800
 Thr Ala Lys Tyr Leu Arg Asp Gln Leu Asn Ile Ser Lys Ile Leu Ile
 805 810 815
 Val Asp Leu Asp Val His His Gly Asn Gly Thr Gln Gln Ala Phe Tyr
 820 825 830
 Ala Asp Pro Ser Ile Leu Tyr Ile Ser Leu His Arg Tyr Asp Glu Gly
 835 840 845
 Asn Phe Phe Pro Gly Ser Gly Ala Pro Asn Glu Val Gly Thr Gly Leu
 850 855 860
 Gly Glu Gly Tyr Asn Ile Asn Ile Ala Trp Thr Gly Gly Leu Asp Pro
 865 870 875 880
 Pro Met Gly Asp Val Glu Tyr Leu Glu Ala Phe Arg Thr Ile Val Lys
 885 890 895
 Pro Val Ala Lys Glu Phe Asp Pro Asp Met Val Leu Val Ser Ala Gly
 900 905 910
 Phe Asp Ala Leu Glu Gly His Thr Pro Pro Leu Gly Gly Tyr Lys Val
 915 920 925
 Thr Ala Lys Cys Phe Gly His Leu Thr Lys Gln Leu Met Thr Leu Ala
 930 935 940
 Asp Gly Arg Val Val Leu Ala Leu Glu Gly Gly His Asp Leu Thr Ala
 945 950 955 960
 Ile Cys Asp Ala Ser Glu Ala Cys Val Asn Ala Leu Leu Gly Asn Glu
 965 970 975
 Leu Glu Pro Leu Ala Glu Asp Ile Leu His Gln Ser Pro Asn Met Asn
 980 985 990
 Ala Val Ile Ser Leu Gln Lys Ile Glu Ile Gln Ser Met Ser Leu
 995 1000 1005
 Lys Phe Ser
 1010

<210> 3
 <211> 3499
 <212> DNA
 <213> Homo sapiens

<400> 3
 ggggaagaga ggcacagaca cagataggag aagggcaccg gctggagcca cttgcaggac 60
 tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact ctaagccaga tgggggtggct 120
 ggacgagagc agctcttggc tcagcaaaga atgcacagta tgatcagctc agtggatgtg 180
 aagtcagaag ttctgtggg cctggagccc atctcacctt tagacctaaag gacagacctc 240
 aggatgatga tgcccgtggt ggaccctggt gtccgtgaga agcaattgca gcaggaatta 300
 cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga gtttcagaaa 360
 cagcatgaga acttgacacg gcagcaccag gctcagcttc aggagcatat caaggaactt 420
 ctagccataa aacagcaaca agaactccta gaaaaggagc agaaactgga gcagcagagg 480
 caagaacagg aagtagagag gcatcgcaga gaacagcagc ttctctctct cagaggcaaa 540
 gatagaggac gagaaggggc agtggcaagt acagaagtaa agcagaagct tcaagagttc 600
 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca ttccgtgagc 660
 cgccatccca agctctggta cacggctgcc caccacacat cattggatca aagctctcca 720
 ccccttagtg gaacatctcc atcctacaag tacacattac caggagcaca agatgcaaaag 780
 gatgatttcc cccttcgaaa aactgcctct gagcccaact tgaaggtgcg gtccaggtta 840
 aaacagaaag tggcagagag gagaagcagc cccttactca ggcggaagga tggaaatggt 900
 gtcaactcat tcaagaagcg aatgtttgag gtgacagaat cctcagtcag tagcagttct 960
 ccaggctctg gtcccagttc accaaacaat gggccaactg gaagtgttac tgaaaatgag 1020
 acttcggttt tgcccctac ccctcatgcc gagcaaatgg tttcacagca acgcattcta 1080


```

atccatgaag attccatgaa cctgctaagt ctttatacct ctccttcttt gcccaacatt 1140
accttggggc ttcccgcagt gccatcccag ctcaatgctt cgaattcact caaagaaaag 1200
cagaagtgtg agacgcagac gcttaggcaa ggtgttctc tgctgggca gtatggaggc 1260
agcatcccgg catcttccag ccaccctcat gttactttag agggaaagcc acccaacagc 1320
agccaccagg ctctcctgca gcatttatta ttgaaagaac aaatgcgaca gcaaaagctt 1380
ctttagactg gtggagttcc cttacatcct cagtctccct tggcaacaaa agagagaatt 1440
tcacctggca ttagaggtag ccacaaattg ccccgtcaca gaccctgaa ccgaaccagg 1500
tctgcacctt tgcctcagag cacgttggtc cagctggtca ttcaacagca acaccagcaa 1560
ttcttggaga agcagaagca ataccagcag cagatccaca tgaacaaact gctttcgaaa 1620
tctattgaac aactgaagca accaggcagt caccttgagg aagcagagga agagcttcag 1680
ggggaccagg cgatgcagga agacagagcg ccctctagtg gcaacagcac taggagcgac 1740
agcagtgcct gtgtggatga cacactggga caagttgggg ctgtgaaggt caaggaggaa 1800
ccagtggaca gtgatgaaga tgctcagatc caggaaatgg aatctgggga gcaggctgct 1860
tttatgcaac agcctttcct ggaacccacg cacacacgtg cgctctctgt gcgccaagct 1920
ccgctggctg cggttggcat ggatggatta gagaaacacc gtctcgtctc caggactcac 1980
tcttcccctg ctgcctctgt tttacctcac ccagcaatgg accgccccct ccagcctggc 2040
tctgcaactg gaattgccta tgacccttg atgctgaaac accagtgcgt ttgtggcaat 2100
tccaccacc accctgagca tgctggagca atacagagta tctggtcacg actgcaagaa 2160
actgggctgc taaataaatg tgagcgaatt caaggtcgaa aagccagcct ggaggaaata 2220
cagcttgctt attctgaaca tcaactcactg ttgtatggca ccaacccccct ggacggacag 2280
aagctggacc ccaggatact cctaggtgat gactctcaaa agtttttttc ctattacct 2340
tgtgtgggac ttgggtgga cagtgcaccc atttggaatg agctacactc gtccgggtgct 2400
gcacgcattg ctggtggctg tgtcatcgag ctggctcca aagtggcctc aggagagctg 2460
aagaatgggt ttgctgtgtg gaggccccct ggccatcacg ctgaagaatc cacagccatg 2520
gggttctgct ttttaattc agttgcaatt accgccaat acttgagaga ccaactaaat 2580
ataagcaaga tattgattgt agatctggat gttcaccatg gaaacggtac ccagcaggcc 2640
ttttatgctg accccagcat cctgtacatt tcaactccatc gctatgatga agggaaactt 2700
ttccctggca gtggagcccc aaatgaggtt cggtttattt ctttagagcc ccacttttat 2760
ttgatcttt caggtaattg cattgcatga ttaccctaa ttttcttgtc ctttgctggt 2820
gttttaaat acacgagatt actgaattgt cccatgggac caagaaccag tgcagaacaa 2880
gtgcataacc cagagcactg tttgtcaggg aaggttgggc tgatttgatg tgttgtttga 2940
tgtttatttc aagagctccc atgtgcttgt tttcctctct tcttgctttc ttccatttgc 3000
tctcttctct gccaccctg gtgtgtcttt ctcttcccag gttggaacag gccttggaga 3060
agggtacaat ataatattg cctggacagg tggccttgat cctcccattg gagatggtga 3120
gtaccttga cattcagga ccactcgtgaa gcctgtggcc aaagagtttg atccagacat 3180
ggctctagta tctgctggat ttgatgcatt ggaaggccac acccctctc taggagggta 3240
caaagtgcag gcaaaatggt ttggctcatt gacgaagcaa ttgatgacat tggctgatgg 3300
acgtgtggta ttggctctag aaggaggaca tgatctcaca gccatctgtg atgcatcaga 3360
agcctgtgta aatgccttc taggaaatga gctggagcca cttgcagaag atattctcca 3420
ccaaagcccg aatatgaaatg ctgttatttc tttacagaag atcattgaaa ttcaaagtat 3480
gtctttaaag ttctcttaa 3499

```

```

<210> 4
<211> 879
<212> PRT
<213> Homo sapiens

```

```

<400> 4
Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
1 5 10 15
Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
20 25 30
Met Met Pro Val Val Asp Pro Val Arg Glu Lys Gln Leu Gln Gln
35 40 45
Glu Leu Leu Leu Ile Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
50 55 60
Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
65 70 75 80
Ala Gln Leu Gln Glu His Ile Lys Glu Leu Leu Ala Ile Lys Gln Gln
85 90 95
Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
100 105 110

```

Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
 115 120 125
 Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
 130 135 140
 Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
 145 150 155 160
 Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
 165 170 175
 Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Pro Leu
 180 185 190
 Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
 195 200 205
 Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Ala Ser Glu Pro Asn Leu
 210 215 220
 Lys Val Arg Ser Arg Leu Lys Gln Lys Val Ala Glu Arg Arg Ser Ser
 225 230 235 240
 Pro Leu Leu Arg Arg Lys Asp Gly Asn Val Val Thr Ser Phe Lys Lys
 245 250 255
 Arg Met Phe Glu Val Thr Glu Ser Ser Val Ser Ser Ser Ser Pro Gly
 260 265 270
 Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly Ser Val Thr Glu
 275 280 285
 Asn Glu Thr Ser Val Leu Pro Pro Thr Pro His Ala Glu Gln Met Val
 290 295 300
 Ser Gln Gln Arg Ile Leu Ile His Glu Asp Ser Met Asn Leu Leu Ser
 305 310 315 320
 Leu Tyr Thr Ser Pro Ser Leu Pro Asn Ile Thr Leu Gly Leu Pro Ala
 325 330 335
 Val Pro Ser Gln Leu Asn Ala Ser Asn Ser Leu Lys Glu Lys Gln Lys
 340 345 350
 Cys Glu Thr Gln Thr Leu Arg Gln Gly Val Pro Leu Pro Gly Gln Tyr
 355 360 365
 Gly Gly Ser Ile Pro Ala Ser Ser Ser His Pro His Val Thr Leu Glu
 370 375 380
 Gly Lys Pro Pro Asn Ser Ser His Gln Ala Leu Leu Gln His Leu Leu
 385 390 395 400
 Leu Lys Glu Gln Met Arg Gln Gln Lys Leu Leu Val Ala Gly Gly Val
 405 410 415
 Pro Leu His Pro Gln Ser Pro Leu Ala Thr Lys Glu Arg Ile Ser Pro
 420 425 430
 Gly Ile Arg Gly Thr His Lys Leu Pro Arg His Arg Pro Leu Asn Arg
 435 440 445
 Thr Gln Ser Ala Pro Leu Pro Gln Ser Thr Leu Ala Gln Leu Val Ile
 450 455 460
 Gln Gln Gln His Gln Gln Phe Leu Glu Lys Gln Lys Gln Tyr Gln Gln
 465 470 475 480
 Gln Ile His Met Asn Lys Leu Leu Ser Lys Ser Ile Glu Gln Leu Lys
 485 490 495
 Gln Pro Gly Ser His Leu Glu Glu Ala Glu Glu Glu Leu Gln Gly Asp
 500 505 510
 Gln Ala Met Gln Glu Asp Arg Ala Pro Ser Ser Gly Asn Ser Thr Arg
 515 520 525
 Ser Asp Ser Ser Ala Cys Val Asp Asp Thr Leu Gly Gln Val Gly Ala
 530 535 540
 Val Lys Val Lys Glu Glu Pro Val Asp Ser Asp Glu Asp Ala Gln Ile
 545 550 555 560
 Gln Glu Met Glu Ser Gly Glu Gln Ala Ala Phe Met Gln Gln Pro Phe
 565 570 575
 Leu Glu Pro Thr His Thr Arg Ala Leu Ser Val Arg Gln Ala Pro Leu
 580 585 590
 Ala Ala Val Gly Met Asp Gly Leu Glu Lys His Arg Leu Val Ser Arg
 595 600 605

Thr His Ser Ser Pro Ala Ala Ser Val Leu Pro His Pro Ala Met Asp
 610 615 620
 Arg Pro Leu Gln Pro Gly Ser Ala Thr Gly Ile Ala Tyr Asp Pro Leu
 625 630 635 640
 Met Leu Lys His Gln Cys Val Cys Gly Asn Ser Thr Thr His Pro Glu
 645 650 655
 His Ala Gly Arg Ile Gln Ser Ile Trp Ser Arg Leu Gln Glu Thr Gly
 660 665 670
 Leu Leu Asn Lys Cys Glu Arg Ile Gln Gly Arg Lys Ala Ser Leu Glu
 675 680 685
 Glu Ile Gln Leu Val His Ser Glu His His Ser Leu Leu Tyr Gly Thr
 690 695 700
 Asn Pro Leu Asp Gly Gln Lys Leu Asp Pro Arg Ile Leu Leu Gly Asp
 705 710 715 720
 Asp Ser Gln Lys Phe Phe Ser Ser Leu Pro Cys Gly Gly Leu Gly Val
 725 730 735
 Asp Ser Asp Thr Ile Trp Asn Glu Leu His Ser Ser Gly Ala Ala Arg
 740 745 750
 Met Ala Val Gly Cys Val Ile Glu Leu Ala Ser Lys Val Ala Ser Gly
 755 760 765
 Glu Leu Lys Asn Gly Phe Ala Val Val Arg Pro Pro Gly His His Ala
 770 775 780
 Glu Glu Ser Thr Ala Met Gly Phe Cys Phe Phe Asn Ser Val Ala Ile
 785 790 795 800
 Thr Ala Lys Tyr Leu Arg Asp Gln Leu Asn Ile Ser Lys Ile Leu Ile
 805 810 815
 Val Asp Leu Asp Val His His Gly Asn Gly Thr Gln Gln Ala Phe Tyr
 820 825 830
 Ala Asp Pro Ser Ile Leu Tyr Ile Ser Leu His Arg Tyr Asp Glu Gly
 835 840 845
 Asn Phe Phe Pro Gly Ser Gly Ala Pro Asn Glu Val Arg Phe Ile Ser
 850 855 860
 Leu Glu Pro His Phe Tyr Leu Tyr Leu Ser Gly Asn Cys Ile Ala
 865 870 875

<210> 5
 <211> 3054
 <212> DNA
 <213> Homo sapiens

<400> 5
 ggggaagaga ggcacagaca cagataggag aagggcaccg gctggagcca cttgcaggac 60
 tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact ctaagccaga tgggggtggct 120
 ggacgagagc agctcttggc tcagcaaaga atgcacagta tgatcagctc agtggatgtg 180
 aagtcagaag ttctctgtggg cctggagccc atctcacctt tagacctag gacagacctc 240
 aggatgatga tgcccgtggt ggaccctggt gtccgtgaga agcaattgca gcaggaatta 300
 cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga gtttcagaaa 360
 cagcatgaga acttgacacg gcagcaccag gctcagcttc aggagcatat caaggaactt 420
 ctagccataa aacagcaaca agaactccta gaaaaggagc agaaactgga gcagcagagg 480
 caagaacagg aagtagagag gcatcgcaga gaacagcagc ttctctctct cagaggcaaa 540
 gatagaggac gagaaagggc agtggaagt acagaagtaa agcagaagct tcaagagttc 600
 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca ttccgtgagc 660
 cgccatccca agctctggtg cacggctgcc caccacacat cattggatca aagctctcca 720
 ccccttagtg gaacatctcc atcctacaag tacacattac caggagcaca agatgcaaa 780
 gatgatttcc cccttcgaaa aactgaatcc tcagtcagta gcagttctcc aggctctggt 840
 cccagttcac caacaatgg gccactgga agtggtactg aaaatgagac ttcggttttg 900
 ccccctaccc ctcatgccga gcaaatgggt tcacagcaac gcattctaatt tcatgaagat 960
 tccatgaacc tgctaagtct ttatacctct ccttctttgc ccaacattac cttggggcctt 1020
 cccgcagtcg catcccagct caatgcttcg aattcactca aagaaaagca gaagtgtgag 1080
 acgcagagc ttaggcaagg tgttcctctg cctgggcagc atggaggcag catcccggca 1140
 tcttccagcc accctcatgt tactttagag ggaaagccac ccaacagcag ccaccaggct 1200

ctcctgcagc atttattatt gaaagaacaa atgcgacagc aaaagcttct tgtagctggt 1260
 ggagttccct tacatcctca gtctcccttg gcaacaaaag agagaatttc acctggcatt 1320
 agaggtaccc acaaattgcc ccgtcacaga cccctgaacc gaaccagtc tgcacctttg 1380
 cctcagagca cgttggtca gctggtcatt caacagcaac accagcaatt cttggagaag 1440
 cagaagcaat accagcagca gatccacatg aacaaactgc tttcgaaatc tattgaacaa 1500
 ctgaagcaac caggcagtc ccttgaggaa gcagaggaag agcttcaggg ggaccaggcg 1560
 atgcaggaag acagagcgcc ctctagtggc aacagcacta ggagcgacag cagtgcctgt 1620
 gtggatgaca cactgggaca agttggggct gtgaaggtca aggaggaacc agtggacagt 1680
 gatgaagatg ctcagatcca ggaaatggaa tctggggagc aggctgcttt tatgcaacag 1740
 cctttcctgg aaccacgca cacacgtgcg ctctctgtgc gccaaactcc gctggctgcg 1800
 gttggcatgg atggattaga gaaacaccgt ctctgtctca ggactcactc tccccctgct 1860
 gcctctgttt tacctcacc agcaatggac cgccccctcc agcctggctc tgcaactgga 1920
 attgcctatg accccttgat gctgaaacac cagtgcgctt gtggcaattc caccaccac 1980
 cctgagcatg ctggacgaat acagagtatc tggtcacgac tgcaagaaac tgggctgcta 2040
 aataaatgtg agcgaattca aggtcgaaaa gccagcctgg aggaaatata gcttgttcat 2100
 tctgaacatc actcactggt gtatggcacc aacccccctgg acggacagaa gctggacccc 2160
 aggatactcc taggtgatga ctctcaaaaag tttttttcct cattaccttg tggtgactt 2220
 ggggtggaca gtgacacat ttggaatgag ctacactcgt cgggtgctgc acgcatggct 2280
 gttggctgtg tcatcgagct ggcttccaaa gtggcctcag gagagctgaa gaatggggtt 2340
 gctgtgtgga ggccccctgg ccatcacgct gaagaatcca cagccatggg gttctgcttt 2400
 ttttaattcag ttgcaattac cgccaaatc ttgagagacc aactaaatat aagcaagata 2460
 ttgattgtag atctggatgt tcaccatgga aacgggtacc agcaggcctt ttatgtgac 2520
 cccagcatcc tgtacattc actccatcgc tatgatgaag ggaacttttt ccctggcagt 2580
 ggagcccaa atgagggttg aacaggcctt ggagaagggt acaatataaa tattgcctgg 2640
 acaggtggcc ttgatcctcc catgggatg gttgagtacc ttgaagcatt caggaccatc 2700
 gtgaagcctg tggccaaaga gtttgatcca gacatggtct tagtatctgc tggatgtgat 2760
 gcattggaag gccacacccc tcctctagga gggtacaaag tgacggcaaa atgttttgg 2820
 catttgacga agcaattgat gacattggct gatggacgtg tgggtgtggc tctagaagga 2880
 ggacatgatc tcacagccat ctgtgatgca tcagaagcct gtgtaaagtc ccttctagga 2940
 aatgagctgg agccacttgc agaagatatt ctccaccaa gcccgaaat gaatgctggt 3000
 atttctttac agaagatcat tgaattcaaa agtatgtctt taaagttctc ttaa 3054

<210> 6
 <211> 967
 <212> PRT
 <213> Homo sapiens

<400> 6
 Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
 1 5 10 15
 Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
 20 25 30
 Met Met Pro Val Val Asp Pro Val Arg Glu Lys Gln Leu Gln Gln
 35 40 45
 Glu Leu Leu Leu Ile Gln Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
 50 55 60
 Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
 65 70 75 80
 Ala Gln Leu Gln Glu His Ile Lys Glu Leu Leu Ala Ile Lys Gln Gln
 85 90 95
 Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
 100 105 110
 Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
 115 120 125
 Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
 130 135 140
 Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
 145 150 155 160
 Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
 165 170 175
 Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Pro Leu
 180 185 190

9/25

Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
 195 200 205
 Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Glu Ser Ser Val Ser Ser
 210 215 220
 Ser Ser Pro Gly Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly
 225 230 235 240
 Ser Val Thr Glu Asn Glu Thr Ser Val Leu Pro Pro Thr Pro His Ala
 245 250 255
 Glu Gln Met Val Ser Gln Gln Arg Ile Leu Ile His Glu Asp Ser Met
 260 265 270
 Asn Leu Leu Ser Leu Tyr Thr Ser Pro Ser Leu Pro Asn Ile Thr Leu
 275 280 285
 Gly Leu Pro Ala Val Pro Ser Gln Leu Asn Ala Ser Asn Ser Leu Lys
 290 295 300
 Glu Lys Gln Lys Cys Glu Thr Gln Thr Leu Arg Gln Gly Val Pro Leu
 305 310 315 320
 Pro Gly Gln Tyr Gly Gly Ser Ile Pro Ala Ser Ser Ser His Pro His
 325 330 335
 Val Thr Leu Glu Gly Lys Pro Pro Asn Ser Ser His Gln Ala Leu Leu
 340 345 350
 Gln His Leu Leu Leu Lys Glu Gln Met Arg Gln Gln Lys Leu Leu Val
 355 360 365
 Ala Gly Gly Val Pro Leu His Pro Gln Ser Pro Leu Ala Thr Lys Glu
 370 375 380
 Arg Ile Ser Pro Gly Ile Arg Gly Thr His Lys Leu Pro Arg His Arg
 385 390 395 400
 Pro Leu Asn Arg Thr Gln Ser Ala Pro Leu Pro Gln Ser Thr Leu Ala
 405 410 415
 Gln Leu Val Ile Gln Gln Gln His Gln Gln Phe Leu Glu Lys Gln Lys
 420 425 430
 Gln Tyr Gln Gln Gln Ile His Met Asn Lys Leu Leu Ser Lys Ser Ile
 435 440 445
 Glu Gln Leu Lys Gln Pro Gly Ser His Leu Glu Glu Ala Glu Glu Glu
 450 455 460
 Leu Gln Gly Asp Gln Ala Met Gln Glu Asp Arg Ala Pro Ser Ser Gly
 465 470 475 480
 Asn Ser Thr Arg Ser Asp Ser Ser Ala Cys Val Asp Asp Thr Leu Gly
 485 490 495
 Gln Val Gly Ala Val Lys Val Lys Glu Glu Pro Val Asp Ser Asp Glu
 500 505 510
 Asp Ala Gln Ile Gln Glu Met Glu Ser Gly Glu Gln Ala Ala Phe Met
 515 520 525
 Gln Gln Pro Phe Leu Glu Pro Thr His Thr Arg Ala Leu Ser Val Arg
 530 535 540
 Gln Ala Pro Leu Ala Ala Val Gly Met Asp Gly Leu Glu Lys His Arg
 545 550 555 560
 Leu Val Ser Arg Thr His Ser Ser Pro Ala Ala Ser Val Leu Pro His
 565 570 575
 Pro Ala Met Asp Arg Pro Leu Gln Pro Gly Ser Ala Thr Gly Ile Ala
 580 585 590
 Tyr Asp Pro Leu Met Leu Lys His Gln Cys Val Cys Gly Asn Ser Thr
 595 600 605
 Thr His Pro Glu His Ala Gly Arg Ile Gln Ser Ile Trp Ser Arg Leu
 610 615 620
 Gln Glu Thr Gly Leu Leu Asn Lys Cys Glu Arg Ile Gln Gly Arg Lys
 625 630 635 640
 Ala Ser Leu Glu Glu Ile Gln Leu Val His Ser Glu His His Ser Leu
 645 650 655
 Leu Tyr Gly Thr Asn Pro Leu Asp Gly Gln Lys Leu Asp Pro Arg Ile
 660 665 670
 Leu Leu Gly Asp Asp Ser Gln Lys Phe Phe Ser Ser Leu Pro Cys Gly
 675 680 685

10/25

Gly Leu Gly Val Asp Ser Asp Thr Ile Trp Asn Glu Leu His Ser Ser
 690 695 700
 Gly Ala Ala Arg Met Ala Val Gly Cys Val Ile Glu Leu Ala Ser Lys
 705 710 715 720
 Val Ala Ser Gly Glu Leu Lys Asn Gly Phe Ala Val Val Arg Pro Pro
 725 730 735
 Gly His His Ala Glu Glu Ser Thr Ala Met Gly Phe Cys Phe Phe Asn
 740 745 750
 Ser Val Ala Ile Thr Ala Lys Tyr Leu Arg Asp Gln Leu Asn Ile Ser
 755 760 765
 Lys Ile Leu Ile Val Asp Leu Asp Val His His Gly Asn Gly Thr Gln
 770 775 780
 Gln Ala Phe Tyr Ala Asp Pro Ser Ile Leu Tyr Ile Ser Leu His Arg
 785 790 795 800
 Tyr Asp Glu Gly Asn Phe Phe Pro Gly Ser Gly Ala Pro Asn Glu Val
 805 810 815
 Gly Thr Gly Leu Gly Glu Gly Tyr Asn Ile Asn Ile Ala Trp Thr Gly
 820 825 830
 Gly Leu Asp Pro Pro Met Gly Asp Val Glu Tyr Leu Glu Ala Phe Arg
 835 840 845
 Thr Ile Val Lys Pro Val Ala Lys Glu Phe Asp Pro Asp Met Val Leu
 850 855 860
 Val Ser Ala Gly Phe Asp Ala Leu Glu Gly His Thr Pro Pro Leu Gly
 865 870 875 880
 Gly Tyr Lys Val Thr Ala Lys Cys Phe Gly His Leu Thr Lys Gln Leu
 885 890 895
 Met Thr Leu Ala Asp Gly Arg Val Val Leu Ala Leu Glu Gly His
 900 905 910
 Asp Leu Thr Ala Ile Cys Asp Ala Ser Glu Ala Cys Val Asn Ala Leu
 915 920 925
 Leu Gly Asn Glu Leu Glu Pro Leu Ala Glu Asp Ile Leu His Gln Ser
 930 935 940
 Pro Asn Met Asn Ala Val Ile Ser Leu Gln Lys Ile Ile Glu Ile Gln
 945 950 955 960
 Ser Met Ser Leu Lys Phe Ser
 965

<210> 7
 <211> 3367
 <212> DNA
 <213> Homo sapiens

<400> 7
 ggggaagaga ggcacagaca cagataggag aagggcaccg gctggagcca cttgcaggac 60
 tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact ctaagccaga tgggggtggct 120
 ggacgagagc agctcttggc tcagcaaaaga atgcacagta tgatcagctc agtggatgtg 180
 aagtcagaag ttctctgtggg cctggagccc atctcacctt tagacctaaag gacagacctc 240
 aggatgatga tgcccgtggg ggaccctggt gtccgtgaga agcaattgca gcaggaatta 300
 cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga gtttcagaaa 360
 cagcatgaga acttgacacg gcagcaccag gctcagcttc aggagcatat caaggaactt 420
 ctagccataa aacagcaaca agaactccta gaaaaggagc agaaactgga gcagcagagg 480
 caagaacagg aagtagagag gcatcgcaga gaacagcagc ttctctctct cagaggcaaa 540
 gatagaggac gagaagggc agtggcaagt acagaagtaa agcagaagct tcaagagttc 600
 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca ttccgtgagc 660
 cgccatccca agctctggta cacgggtgcc caccacacat cattggatca aagctctcca 720
 ccccttagtg gaacatctcc atcctacaag tacacattac caggagcaca agatgcaaaag 780
 gatgatttcc cccttcgaaa aactgaatcc tcagtcagta gcagttctcc aggctctggg 840
 cccagttcac caacaatgg gccaaactgga agtgttactg aaaatgagac ttcggttttg 900
 ccccctaccc ctatcgcca gcaaatggtt tcacagcaac gcatttctaat tcatgaagat 960
 tccatgaacc tgctaagtct ttatacctct ccttctttgc ccaacattac cttggggctt 1020
 cccgcagtgc catcccagct caatgcttcg aattcactca aagaaaagca gaagtgtgag 1080

acgcagacgc ttaggcaagg tgttcctctg cctgggcagt atggaggcag catccccgca 1140
 tcttccagcc acctcatgt tactttagag ggaaagccac ccaacagcag ccaccaggct 1200
 ctccctgcagc atttattatt gaaagaacaa atgcgacagc aaaagcttct tgtagctggt 1260
 ggagttccct tacatcctca gtctcccttg gcaacaaaag agagaatttc acctggcatt 1320
 agaggtaccc acaaattgcc ccgtcacaga cccctgaacc gaaccagtc tgcaccttg 1380
 cctcagagca cgttggctca gctggtcatt caacagcaac accagcaatt cttggagaag 1440
 cagaagcaat accagcagca gatccacatg aacaaactgc tttcgaatc tattgaacaa 1500
 ctgaagcaac caggcagtc ccttgaggaa gcagaggaag agcttcaggg ggaccaggcg 1560
 atgcaggaag acagagcgcc ctctagtggc aacagcacta ggagcgacag cagtgtctgt 1620
 gtggatgaca cactgggaca agttggggct gtgaaggta aggaggaacc agtggacagt 1680
 gatgaagatg ctcatatcca ggaaatggaa tctggggagc aggctgcttt tatgcaacag 1740
 cctttcctgg aaccacgca cacacgtgcg ctctctgtgc gccaaagctcc gctggctgcg 1800
 gttggcatgg atggattaga gaaacaccgt ctctctcca ggactcactc tccccctgt 1860
 gcctctggtt tacctcacc agcaatggac cgccccctcc agcctggctc tgcaactgga 1920
 attgcctatg accccttgat gctgaaacac cagtgcgttt gtggcaattc caccacccac 1980
 cctgagcatg ctggacgaat acagagtatc tggtcacgac tgcaagaac tgggctgcta 2040
 aataaatgtg agcgaattca aggtcgaaaa gccagcctgg aggaaataca gcttgttcat 2100
 tctgaacatc actcactggt gtagggcacc aaccctctgg acggacagaa gctggacccc 2160
 aggatactcc tagtgatga ctctcaaaag ttttttctc cattaccttg tgggtgactt 2220
 ggggtggaca gtgacacat ttggaatgag ctacactcgt ccggtgctgc acgcatggt 2280
 gttggctgtg tcatcgagct ggcttccaaa gtggcctcag gagagctgaa gaatggggtt 2340
 gctgttgatg ggccccctgg ccatcacgct gaagaatcca cagccatggg gttctgctt 2400
 ttaattcag ttgcaattac cgccaaatac ttgagagacc aactaaatat aagcaagata 2460
 ttgattgtag atctggatgt tcaccatgga aacggtaccc agcaggcctt ttatgctgac 2520
 cccagcatcc tgtacattc actccatcgc tatgatgaag ggaacttttt cctggcagt 2580
 ggagcccaa atgaggttcg gtttatttct ttagagcccc acttttattt gtatctttca 2640
 ggtaattgca ttgcatgatt acccctaatt ttcttgcct ttgctggtgt tttaaattac 2700
 acgagattac tgaattgtcc catgggacca agaaccagtg cagaacaagt gcataaccca 2760
 gagcactggt tgcagggaa gtttggctg atttgatgt ttgtttgatg tttatttcaa 2820
 gagctcccat gtgcttgttt tctctcttc ttgctttctt ccatttctc tcttctctgc 2880
 ccaccgtggt gtgtctttct cttcccagg tggaaacaggc cttggagaag ggtacaatat 2940
 aaatattgcc tggacaggtg gccttgatcc tcccatggga gatgttgagt accttgaagc 3000
 attcaggacc atcgtgaagc ctgtggccaa agagtttgat ccagacatgg tcttagtacc 3060
 tgctggattt atgcattgg aaggccacac ccctctcta ggagggtaca aagtgcaggc 3120
 aaaatgtttt ggtcatttga cgaagcaatt gatgacattg gctgatggac gtgtggtgtt 3180
 ggctctagaa ggaggacatg atctcacagc catctgtgat gcatcagaag cctgtgtaaa 3240
 tgccttctca ggaatgagc tggagccact tgcagaagat attctccacc aaagcccga 3300
 tatgaatgct gttatttctt tacagaagat cattgaaatt caaagtatgt ctttaaagtt 3360
 ctcttaa 3367

<210> 8
 <211> 835
 <212> PRT
 <213> Homo sapiens

<400> 8
 Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
 1 5 10 15
 Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
 20 25 30
 Met Met Pro Val Val Asp Pro Val Val Arg Glu Lys Gln Leu Gln Gln
 35 40 45
 Glu Leu Leu Leu Ile Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
 50 55 60
 Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
 65 70 75 80
 Ala Gln Leu Gln Glu His Ile Lys Glu Leu Leu Ala Ile Lys Gln Gln
 85 90 95
 Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
 100 105 110
 Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
 115 120 125

12/25

Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
 130 135 140
 Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
 145 150 155 160
 Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
 165 170 175
 Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Pro Leu
 180 185 190
 Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
 195 200 205
 Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Glu Ser Ser Val Ser Ser
 210 215 220
 Ser Ser Pro Gly Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly
 225 230 235 240
 Ser Val Thr Glu Asn Glu Thr Ser Val Leu Pro Pro Thr Pro His Ala
 245 250 255
 Glu Gln Met Val Ser Gln Gln Arg Ile Leu Ile His Glu Asp Ser Met
 260 265 270
 Asn Leu Leu Ser Leu Tyr Thr Ser Pro Ser Leu Pro Asn Ile Thr Leu
 275 280 285
 Gly Leu Pro Ala Val Pro Ser Gln Leu Asn Ala Ser Asn Ser Leu Lys
 290 295 300
 Glu Lys Gln Lys Cys Glu Thr Gln Thr Leu Arg Gln Gly Val Pro Leu
 305 310 315 320
 Pro Gly Gln Tyr Gly Gly Ser Ile Pro Ala Ser Ser Ser His Pro His
 325 330 335
 Val Thr Leu Glu Gly Lys Pro Pro Asn Ser Ser His Gln Ala Leu Leu
 340 345 350
 Gln His Leu Leu Leu Lys Glu Gln Met Arg Gln Gln Lys Leu Leu Val
 355 360 365
 Ala Gly Gly Val Pro Leu His Pro Gln Ser Pro Leu Ala Thr Lys Glu
 370 375 380
 Arg Ile Ser Pro Gly Ile Arg Gly Thr His Lys Leu Pro Arg His Arg
 385 390 395 400
 Pro Leu Asn Arg Thr Gln Ser Ala Pro Leu Pro Gln Ser Thr Leu Ala
 405 410 415
 Gln Leu Val Ile Gln Gln Gln His Gln Gln Phe Leu Glu Lys Gln Lys
 420 425 430
 Gln Tyr Gln Gln Gln Ile His Met Asn Lys Leu Leu Ser Lys Ser Ile
 435 440 445
 Glu Gln Leu Lys Gln Pro Gly Ser His Leu Glu Glu Ala Glu Glu Glu
 450 455 460
 Leu Gln Gly Asp Gln Ala Met Gln Glu Asp Arg Ala Pro Ser Ser Gly
 465 470 475 480
 Asn Ser Thr Arg Ser Asp Ser Ser Ala Cys Val Asp Asp Thr Leu Gly
 485 490 495
 Gln Val Gly Ala Val Lys Val Lys Glu Glu Pro Val Asp Ser Asp Glu
 500 505 510
 Asp Ala Gln Ile Gln Glu Met Glu Ser Gly Glu Gln Ala Ala Phe Met
 515 520 525
 Gln Gln Pro Phe Leu Glu Pro Thr His Thr Arg Ala Leu Ser Val Arg
 530 535 540
 Gln Ala Pro Leu Ala Ala Val Gly Met Asp Gly Leu Glu Lys His Arg
 545 550 555 560
 Leu Val Ser Arg Thr His Ser Ser Pro Ala Ala Ser Val Leu Pro His
 565 570 575
 Pro Ala Met Asp Arg Pro Leu Gln Pro Gly Ser Ala Thr Gly Ile Ala
 580 585 590
 Tyr Asp Pro Leu Met Leu Lys His Gln Cys Val Cys Gly Asn Ser Thr
 595 600 605
 Thr His Pro Glu His Ala Gly Arg Ile Gln Ser Ile Trp Ser Arg Leu
 610 615 620

Gln Glu Thr Gly Leu Leu Asn Lys Cys Glu Arg Ile Gln Gly Arg Lys
 625 630 635 640
 Ala Ser Leu Glu Glu Ile Gln Leu Val His Ser Glu His His Ser Leu
 645 650 655
 Leu Tyr Gly Thr Asn Pro Leu Asp Gly Gln Lys Leu Asp Pro Arg Ile
 660 665 670
 Leu Leu Gly Asp Asp Ser Gln Lys Phe Phe Ser Ser Leu Pro Cys Gly
 675 680 685
 Gly Leu Gly Val Asp Ser Asp Thr Ile Trp Asn Glu Leu His Ser Ser
 690 695 700
 Gly Ala Ala Arg Met Ala Val Gly Cys Val Ile Glu Leu Ala Ser Lys
 705 710 715 720
 Val Ala Ser Gly Glu Leu Lys Asn Gly Phe Ala Val Val Arg Pro Pro
 725 730 735
 Gly His His Ala Glu Glu Ser Thr Ala Met Gly Phe Cys Phe Phe Asn
 740 745 750
 Ser Val Ala Ile Thr Ala Lys Tyr Leu Arg Asp Gln Leu Asn Ile Ser
 755 760 765
 Lys Ile Leu Ile Val Asp Leu Asp Val His His Gly Asn Gly Thr Gln
 770 775 780
 Gln Ala Phe Tyr Ala Asp Pro Ser Ile Leu Tyr Ile Ser Leu His Arg
 785 790 795 800
 Tyr Asp Glu Gly Asn Phe Phe Pro Gly Ser Gly Ala Pro Asn Glu Val
 805 810 815
 Arg Phe Ile Ser Leu Glu Pro His Phe Tyr Leu Tyr Leu Ser Gly Asn
 820 825 830
 Cys Ile Ala
 835

<210> 9
 <211> 1791
 <212> DNA
 <213> Homo sapiens

<400> 9
 ggggaagaga ggcacagaca cagataggag aagggcaccg gctggagcca cttgcaggac 60
 tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact ctaagccaga tgggggtggct 120
 ggacgagagc agctccttggc tcagcaaaaga atgcacagta tgatcagctc agtggatgtg 180
 aagtcaagaag ttccctgtggg cctggagccc atctcacctt tagacctaa gacagacctc 240
 aggatgatga tgcccgtggt ggaccctgtt gtccgtgaga agcaattgca gcaggaatta 300
 cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga gtttcagaaa 360
 cagcatgaga acttgacacg gcagcaccag gctcagcttc aggagcatat caaggaactt 420
 ctagccataa aacagcaaca agaactccta gaaaaggagc agaaactgga gcagcagagg 480
 caagaacagg aagtagagag gcatcgcaga gaacagcagc ttcctcctct cagaggcaaa 540
 gatagaggac gagaaagggc agtggcaagt acagaagtaa agcagaagct tcaagagttc 600
 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca ttccgtgagc 660
 cgccatccca agctctggta cacggctgcc caccacacat cattggatca aagctctcca 720
 ccccttagtg gaacatctcc atcctacaag tacacattac caggagcaca agatgcaaa 780
 gatgatttcc cccttcgaaa aactgaatcc tcagtcagta gcagttctcc aggtctgtgt 840
 cccagttcac caaacaatgg gccaaactgga agtgttactg aaaatgagac ttcgggtttg 900
 ccccctaccc ctcatgccga gcaaatggtt tcacagcaac gcatttctaat tcatgaagat 960
 tccatgaacc tgctaagtct ttatacctct ccttctttgc ccaacattac cttggggcct 1020
 ccgcagtgcc catcccagct caatgcttcg aattcactca aagaaaagca gaagtgtgag 1080
 acgcagagc ctatggcaagg tgttcctctg cctgggcagt atggaggcag catcccggca 1140
 tctccagcc accctcatgt tacttttagag ggaaagccac ccaacagcag ccaccaggct 1200
 ctctcgagc atttattatt gaaagaacaa atgcgacagc aaaagcttct tgtagctggt 1260
 ggagttccct tacatcctca gtctcccttg gcaacaaaag agagaatttc acctggcatt 1320
 agaggtacca acaaatggcc ccgtcacaga cccctgaacc gaaccagtc tgcaccttg 1380
 cctcagagca cgttggctca gctggtcatt caacagcaac accagcaatt cttggagaag 1440
 cagaagcaat accagcagca gatcccatg aacaaactgc tttcgaaatc tattgaacaa 1500
 ctgaagcaac caggcagtc ccttgaggaa gcagaggaag agcttcaggg ggaccaggcg 1560

atgcaggaag acagagcgcc ctctagtggc aacagcacta ggagcgacag cagtgttgt 1620
 gtggatgaca cactgggaca agttggggct gtgaaggta aggaggaacc agtggacagt 1680
 gatgaagatg ctcagatcca ggaaatggaa tctggggagc aggctgcttt tatgcaacag 1740
 gtaataggca aagatttagc tccaggattt gtaattaaag tcattatctg a 1791

<210> 10
 <211> 546
 <212> PRT
 <213> Homo sapiens

<400> 10
 Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
 1 5 10 15
 Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
 20 25 30
 Met Met Pro Val Val Asp Pro Val Val Arg Glu Lys Gln Leu Gln Gln
 35 40 45
 Glu Leu Leu Leu Ile Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
 50 55 60
 Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
 65 70 75 80
 Ala Gln Leu Gln Glu His Ile Lys Glu Leu Ala Ile Lys Gln Gln
 85 90 95
 Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
 100 105 110
 Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
 115 120 125
 Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
 130 135 140
 Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
 145 150 155 160
 Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
 165 170 175
 Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Pro Leu
 180 185 190
 Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
 195 200 205
 Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Glu Ser Ser Val Ser Ser
 210 215 220
 Ser Ser Pro Gly Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly
 225 230 235 240
 Ser Val Thr Glu Asn Glu Thr Ser Val Leu Pro Pro Thr Pro His Ala
 245 250 255
 Glu Gln Met Val Ser Gln Gln Arg Ile Leu Ile His Glu Asp Ser Met
 260 265 270
 Asn Leu Leu Ser Leu Tyr Thr Ser Pro Ser Leu Pro Asn Ile Thr Leu
 275 280 285
 Gly Leu Pro Ala Val Pro Ser Gln Leu Asn Ala Ser Asn Ser Leu Lys
 290 295 300
 Glu Lys Gln Lys Cys Glu Thr Gln Thr Leu Arg Gln Gly Val Pro Leu
 305 310 315 320
 Pro Gly Gln Tyr Gly Gly Ser Ile Pro Ala Ser Ser Ser His Pro His
 325 330 335
 Val Thr Leu Glu Gly Lys Pro Pro Asn Ser Ser His Gln Ala Leu Leu
 340 345 350
 Gln His Leu Leu Leu Lys Glu Gln Met Arg Gln Gln Lys Leu Leu Val
 355 360 365
 Ala Gly Gly Val Pro Leu His Pro Gln Ser Pro Leu Ala Thr Lys Glu
 370 375 380
 Arg Ile Ser Pro Gly Ile Arg Gly Thr His Lys Leu Pro Arg His Arg
 385 390 395 400
 Pro Leu Asn Arg Thr Gln Ser Ala Pro Leu Pro Gln Ser Thr Leu Ala

405 410 415
 Gln Leu Val Ile Gln Gln Gln His Gln Gln Phe Leu Glu Lys Gln Lys
 420 425 430
 Gln Tyr Gln Gln Gln Ile His Met Asn Lys Leu Leu Ser Lys Ser Ile
 435 440 445
 Glu Gln Leu Lys Gln Pro Gly Ser His Leu Glu Glu Ala Glu Glu Glu
 450 455 460
 Leu Gln Gly Asp Gln Ala Met Gln Glu Asp Arg Ala Pro Ser Ser Gly
 465 470 475 480
 Asn Ser Thr Arg Ser Asp Ser Ser Ala Cys Val Asp Asp Thr Leu Gly
 485 490 495
 Gln Val Gly Ala Val Lys Val Lys Glu Glu Pro Val Asp Ser Asp Glu
 500 505 510
 Asp Ala Gln Ile Gln Glu Met Glu Ser Gly Glu Gln Ala Ala Phe Met
 515 520 525
 Gln Gln Val Ile Gly Lys Asp Leu Ala Pro Gly Phe Val Ile Lys Val
 530 535 540
 Ile Ile
 545

<210> 11
 <211> 590
 <212> PRT
 <213> Homo sapiens

<400> 11
 Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
 1 5 10 15
 Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
 20 25 30
 Met Met Pro Val Val Asp Pro Val Val Arg Glu Lys Gln Leu Gln Gln
 35 40 45
 Glu Leu Leu Leu Ile Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
 50 55 60
 Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
 65 70 75 80
 Ala Gln Leu Gln Glu His Ile Lys Glu Leu Ala Ile Lys Gln Gln
 85 90 95
 Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
 100 105 110
 Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
 115 120 125
 Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
 130 135 140
 Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
 145 150 155 160
 Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
 165 170 175
 Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Leu
 180 185 190
 Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
 195 200 205
 Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Ala Ser Glu Pro Asn Leu
 210 215 220
 Lys Val Arg Ser Arg Leu Lys Gln Lys Val Ala Glu Arg Arg Ser Ser
 225 230 235 240
 Pro Leu Leu Arg Arg Lys Asp Gly Asn Val Val Thr Ser Phe Lys Lys
 245 250 255
 Arg Met Phe Glu Val Thr Glu Ser Ser Val Ser Ser Ser Ser Pro Gly
 260 265 270
 Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly Ser Val Thr Glu

275 280 285
 Asn Glu Thr Ser Val Leu Pro Pro Thr Pro His Ala Glu Gln Met Val
 290 295 300
 Ser Gln Gln Arg Ile Leu Ile His Glu Asp Ser Met Asn Leu Leu Ser
 305 310 315 320
 Leu Tyr Thr Ser Pro Ser Leu Pro Asn Ile Thr Leu Gly Leu Pro Ala
 325 330 335
 Val Pro Ser Gln Leu Asn Ala Ser Asn Ser Leu Lys Glu Lys Gln Lys
 340 345 350
 Cys Glu Thr Gln Thr Leu Arg Gln Gly Val Pro Leu Pro Gly Gln Tyr
 355 360 365
 Gly Gly Ser Ile Pro Ala Ser Ser Ser His Pro His Val Thr Leu Glu
 370 375 380
 Gly Lys Pro Pro Asn Ser Ser His Gln Ala Leu Leu Gln His Leu Leu
 385 390 395 400
 Leu Lys Glu Gln Met Arg Gln Gln Lys Leu Leu Val Ala Gly Gly Val
 405 410 415
 Pro Leu His Pro Gln Ser Pro Leu Ala Thr Lys Glu Arg Ile Ser Pro
 420 425 430
 Gly Ile Arg Gly Thr His Lys Leu Pro Arg His Arg Pro Leu Asn Arg
 435 440 445
 Thr Gln Ser Ala Pro Leu Pro Gln Ser Thr Leu Ala Gln Leu Val Ile
 450 455 460
 Gln Gln Gln His Gln Gln Phe Leu Glu Lys Gln Lys Gln Tyr Gln Gln
 465 470 475 480
 Gln Ile His Met Asn Lys Leu Leu Ser Lys Ser Ile Glu Gln Leu Lys
 485 490 495
 Gln Pro Gly Ser His Leu Glu Glu Ala Glu Glu Leu Gln Gly Asp
 500 505 510
 Gln Ala Met Gln Glu Asp Arg Ala Pro Ser Ser Gly Asn Ser Thr Arg
 515 520 525
 Ser Asp Ser Ser Ala Cys Val Asp Asp Thr Leu Gly Gln Val Gly Ala
 530 535 540
 Val Lys Val Lys Glu Glu Pro Val Asp Ser Asp Glu Asp Ala Gln Ile
 545 550 555 560
 Gln Glu Met Glu Ser Gly Glu Gln Ala Ala Phe Met Gln Gln Val Ile
 565 570 575
 Gly Lys Asp Leu Ala Pro Gly Phe Val Ile Lys Val Ile Ile
 580 585 590

<210> 12
 <211> 1084
 <212> PRT
 <213> Homo sapiens

<400> 12
 Met Ser Ser Gln Ser His Pro Asp Gly Leu Ser Gly Arg Asp Gln Pro
 1 5 10 15
 Val Glu Leu Leu Asn Pro Ala Arg Val Asn His Met Pro Ser Thr Val
 20 25 30
 Asp Val Ala Thr Ala Leu Pro Leu Gln Val Ala Pro Ser Ala Val Pro
 35 40 45
 Met Asp Leu Arg Leu Asp His Gln Phe Ser Leu Pro Val Ala Glu Pro
 50 55 60
 Ala Leu Arg Glu Gln Gln Leu Gln Gln Glu Leu Leu Ala Leu Lys Gln
 65 70 75 80
 Lys Gln Gln Ile Gln Arg Gln Ile Leu Ile Ala Glu Phe Gln Arg Gln
 85 90 95
 His Glu Gln Leu Ser Arg Gln His Glu Ala Gln Leu His Glu His Ile
 100 105 110
 Lys Gln Gln Gln Glu Met Leu Ala Met Lys His Gln Gln Glu Leu Leu

		115						120						125	
Glu	His	Gln	Arg	Lys	Leu	Glu	Arg	His	Arg	Gln	Glu	Gln	Glu	Leu	Glu
	130													140	
Lys	Gln	His	Arg	Glu	Gln	Lys	Leu	Gln	Gln	Leu	Lys	Asn	Lys	Glu	Lys
145					150					155					160
Gly	Lys	Glu	Ser	Ala	Val	Ala	Ser	Thr	Glu	Val	Lys	Met	Lys	Leu	Gln
				165						170					175
Glu	Phe	Val	Leu	Asn	Lys	Lys	Lys	Ala	Leu	Ala	His	Arg	Asn	Leu	Asn
				180						185				190	
His	Cys	Ile	Ser	Ser	Asp	Pro	Arg	Tyr	Trp	Tyr	Gly	Lys	Thr	Gln	His
		195						200				205			
Ser	Ser	Leu	Asp	Gln	Ser	Ser	Pro	Pro	Gln	Ser	Gly	Val	Ser	Thr	Ser
		210						215				220			
Tyr	Asn	His	Pro	Val	Leu	Gly	Met	Tyr	Asp	Ala	Lys	Asp	Asp	Phe	Pro
225					230					235					240
Leu	Arg	Lys	Thr	Ala	Ser	Glu	Pro	Asn	Leu	Lys	Leu	Arg	Ser	Arg	Leu
				245						250				255	
Lys	Gln	Lys	Val	Ala	Glu	Arg	Arg	Ser	Ser	Pro	Leu	Leu	Arg	Arg	Lys
				260						265				270	
Asp	Gly	Pro	Val	Val	Thr	Ala	Leu	Lys	Lys	Arg	Pro	Leu	Asp	Val	Thr
		275								280				285	
Asp	Ser	Ala	Cys	Ser	Ser	Ala	Pro	Gly	Ser	Gly	Pro	Ser	Ser	Pro	Asn
		290						295				300			
Asn	Ser	Ser	Gly	Ser	Val	Ser	Ala	Glu	Asn	Gly	Ile	Ala	Pro	Ala	Val
305					310					315					320
Pro	Ser	Ile	Pro	Ala	Glu	Thr	Ser	Leu	Ala	His	Arg	Leu	Val	Ala	Arg
				325						330				335	
Glu	Gly	Ser	Ala	Ala	Pro	Leu	Pro	Leu	Tyr	Thr	Ser	Pro	Ser	Leu	Pro
				340						345				350	
Asn	Ile	Thr	Leu	Gly	Leu	Pro	Ala	Thr	Gly	Pro	Ser	Ala	Gly	Thr	Ala
		355								360				365	
Gly	Gln	Gln	Asp	Thr	Glu	Arg	Leu	Thr	Leu	Pro	Ala	Leu	Gln	Gln	Arg
		370								375				380	
Leu	Ser	Leu	Phe	Pro	Gly	Thr	His	Leu	Thr	Pro	Tyr	Leu	Ser	Thr	Ser
385					390					395					400
Pro	Leu	Glu	Arg	Asp	Gly	Gly	Ala	Ala	His	Ser	Pro	Leu	Leu	Gln	His
				405						410				415	
Met	Val	Leu	Leu	Glu	Gln	Pro	Pro	Ala	Gln	Ala	Pro	Leu	Val	Thr	Gly
				420						425				430	
Leu	Gly	Ala	Leu	Pro	Leu	His	Ala	Gln	Ser	Leu	Val	Gly	Ala	Asp	Arg
		435						440						445	
Val	Ser	Pro	Ser	Ile	His	Lys	Leu	Arg	Gln	His	Arg	Pro	Leu	Gly	Arg
		450						455				460			
Thr	Gln	Ser	Ala	Pro	Leu	Pro	Gln	Asn	Ala	Gln	Ala	Leu	Gln	His	Leu
465					470					475					480
Val	Ile	Gln	Gln	Gln	His	Gln	Gln	Phe	Leu	Glu	Lys	His	Lys	Gln	Gln
				485						490				495	
Phe	Gln	Gln	Gln	Gln	Leu	Gln	Met	Asn	Lys	Ile	Ile	Pro	Lys	Pro	Ser
				500						505				510	
Glu	Pro	Ala	Arg	Gln	Pro	Glu	Ser	His	Pro	Glu	Glu	Thr	Glu	Glu	Glu
		515						520						525	
Leu	Arg	Glu	His	Gln	Ala	Leu	Leu	Asp	Glu	Pro	Tyr	Leu	Asp	Arg	Leu
		530						535				540			
Pro	Gly	Gln	Lys	Glu	Ala	His	Ala	Gln	Ala	Gly	Val	Gln	Val	Lys	Gln
545					550					555					560
Glu	Pro	Ile	Glu	Ser	Asp	Glu	Glu	Glu	Ala	Glu	Pro	Pro	Arg	Glu	Val
				565						570				575	
Glu	Pro	Gly	Gln	Arg	Gln	Pro	Ser	Glu	Gln	Glu	Leu	Leu	Phe	Arg	Gln
				580						585				590	
Gln	Ala	Leu	Leu	Leu	Glu	Gln	Gln	Arg	Ile	His	Gln	Leu	Arg	Asn	Tyr
		595						600						605	
Gln	Ala	Ser	Met	Glu	Ala	Ala	Gly	Ile	Pro	Val	Ser	Phe	Gly	Gly	His

610						615						620					
Arg	Pro	Leu	Ser	Arg	Ala	Gln	Ser	Ser	Pro	Ala	Ser	Ala	Thr	Phe	Pro		
625					630					635					640		
Val	Ser	Val	Gln	Glu	Pro	Pro	Thr	Lys	Pro	Arg	Phe	Thr	Thr	Gly	Leu		
				645					650					655			
Val	Tyr	Asp	Thr	Leu	Met	Leu	Lys	His	Gln	Cys	Thr	Cys	Gly	Ser	Ser		
			660					665					670				
Ser	Ser	His	Pro	Glu	His	Ala	Gly	Arg	Ile	Gln	Ser	Ile	Trp	Ser	Arg		
		675					680					685					
Leu	Gln	Glu	Thr	Gly	Leu	Arg	Gly	Lys	Cys	Glu	Cys	Ile	Arg	Gly	Arg		
		690				695					700						
Lys	Ala	Thr	Leu	Glu	Glu	Leu	Gln	Thr	Val	His	Ser	Glu	Ala	His	Thr		
705					710					715					720		
Leu	Leu	Tyr	Gly	Thr	Asn	Pro	Leu	Asn	Arg	Gln	Lys	Leu	Asp	Ser	Lys		
				725					730					735			
Lys	Leu	Leu	Gly	Ser	Leu	Ala	Ser	Val	Phe	Val	Arg	Leu	Pro	Cys	Gly		
			740					745					750				
Gly	Val	Gly	Val	Asp	Ser	Asp	Thr	Ile	Trp	Asn	Glu	Val	His	Ser	Ala		
		755					760					765					
Gly	Ala	Ala	Arg	Leu	Ala	Val	Gly	Cys	Val	Val	Glu	Leu	Val	Phe	Lys		
		770				775					780						
Val	Ala	Thr	Gly	Glu	Leu	Lys	Asn	Gly	Phe	Ala	Val	Val	Arg	Pro	Pro		
785					790					795					800		
Gly	His	His	Ala	Glu	Glu	Ser	Thr	Pro	Met	Gly	Phe	Cys	Tyr	Phe	Asn		
			805						810					815			
Ser	Val	Ala	Val	Ala	Ala	Lys	Leu	Leu	Gln	Gln	Arg	Leu	Ser	Val	Ser		
			820					825					830				
Lys	Ile	Leu	Ile	Val	Asp	Trp	Asp	Val	His	His	Gly	Asn	Gly	Thr	Gln		
		835					840					845					
Gln	Ala	Phe	Tyr	Ser	Asp	Pro	Ser	Val	Leu	Tyr	Met	Ser	Leu	His	Arg		
		850				855					860						
Tyr	Asp	Asp	Gly	Asn	Phe	Pro	Gly	Ser	Gly	Ala	Pro	Asp	Glu	Val			
865					870					875				880			
Gly	Thr	Gly	Pro	Gly	Val	Gly	Phe	Asn	Val	Asn	Met	Ala	Phe	Thr	Gly		
				885					890					895			
Gly	Leu	Asp	Pro	Pro	Met	Gly	Asp	Ala	Glu	Tyr	Leu	Ala	Ala	Phe	Arg		
			900					905					910				
Thr	Val	Val	Met	Pro	Ile	Ala	Ser	Glu	Phe	Ala	Pro	Asp	Val	Val	Leu		
			915					920					925				
Val	Ser	Ser	Gly	Phe	Asp	Ala	Val	Glu	Gly	His	Pro	Thr	Pro	Leu	Gly		
			930			935					940						
Gly	Tyr	Asn	Leu	Ser	Ala	Arg	Cys	Phe	Gly	Tyr	Leu	Thr	Lys	Gln	Leu		
945					950					955					960		
Met	Gly	Leu	Ala	Gly	Gly	Arg	Ile	Val	Leu	Ala	Leu	Glu	Gly	Gly	His		
				965					970					975			
Asp	Leu	Thr	Ala	Ile	Cys	Asp	Ala	Ser	Glu	Ala	Cys	Val	Ser	Ala	Leu		
			980					985					990				
Leu	Gly	Asn	Glu	Leu	Asp	Pro	Leu	Pro	Glu	Lys	Val	Leu	Gln	Gln	Arg		
		995					1000						1005				
Pro	Asn	Ala	Asn	Ala	Val	Arg	Ser	Met	Glu	Lys	Val	Met	Glu	Ile	His		
					1010			1015					1020				
Ser	Lys	Tyr	Trp	Arg	Cys	Leu	Gln	Arg	Thr	Thr	Ser	Thr	Ala	Gly	Arg		
1025					1030					1035					1040		
Ser	Leu	Ile	Glu	Ala	Gln	Thr	Cys	Glu	Asn	Glu	Glu	Ala	Glu	Thr	Val		
				1045					1050					1055			
Thr	Ala	Met	Ala	Ser	Leu	Ser	Val	Gly	Val	Lys	Pro	Ala	Glu	Lys	Arg		
			1060					1065						1070			
Pro	Asp	Glu	Pro	Met	Glu	Glu	Glu	Pro	Pro	Leu							
			1075				1080										

19/25

<211> 3550

<212> DNA

<213> Homo sapiens

<400> 13

```

ggggaagaga  ggacagaca  cagataggag  aagggcaccg  gctggagcca  cttgcaggac  60
tgagggtttt  tgcaacaaaa  ccctagcagc  ctgaagaact  ctaagccaga  tgggggtggc  120
ggacgagagc  agctcttggc  tcagcaaaga  atgcacagta  tgatcagctc  agtggatgtg  180
aagtcaagaag  ttctctgtgg  cctggagccc  atctcacctt  tagacctaa  gacagacctc  240
aggatgatga  tgcccggtgg  ggacctgtt  gtccgtgaga  agcaattgca  gcaggaatta  300
cttcttatcc  agcagcagca  acaaatccag  aagcagcttc  tgatagcaga  gtttcagaaa  360
cagcatgaga  acttgacacg  gcagcaccag  gctcagcttc  aggagcatat  caaggaactt  420
ctagccataa  aacagcaaca  agaactccta  gaaaaggagc  agaaactgga  gcagcagagg  480
caagaacagg  aagtagagag  gcctcgcaga  gaacagcagc  ttctctctct  cagaggcaaa  540
gatagaggac  gagaaagggc  agtggcaagt  acagaagtaa  agcagaagct  tcaagagttc  600
ctactgagta  aatcagcaac  gaaagacact  ccaactaatg  gaaaaaatca  ttccgtgagc  660
cgccatccga  agctctggta  cacggctgcc  caccacacat  cattggatca  aagctctcca  720
ccccttagtg  gaacatctcc  atctacaag  tacacattac  caggagcaca  agatgcaaaa  780
gatgatttcc  cccttcgaaa  aactgcctct  gagcccaact  tgaagggtcg  gtccaggtta  840
aaacagaaag  tggcagagag  gagaagcagc  cccttactca  ggcggaagga  tggaaatggt  900
gtcacttcat  tcaagaagcg  aatgtttgag  gtgacagaat  cctcagtcag  tagcagttct  960
ccaggctctg  gtcccagttc  accaaacaat  gggccaactg  gaagtgttac  tgaaaatgag  1020
acttcggttt  tgccccctac  ccctcatgcc  gagcaaatgg  tttcacagca  acgcattcta  1080
attcatgaag  attccatgaa  cctgctaagt  ctttatacct  ctcctctttt  gcccaacatt  1140
accttggggc  ttcccgcagt  gccatcccag  ctcaatgctt  cgaattcact  caaagaaaag  1200
cagaagtgtg  agacgcagac  gcttaggcaa  ggtgttctc  tgcctgggca  gtatggaggc  1260
agcatcccgg  catcttccag  ccacctcat  gttactttag  agggaaagcc  acccaacagc  1320
agccaccagg  ctctcctgca  gcatttatta  ttgaaagaac  aaatgcgaca  gcaaaaagct  1380
cttgtagctg  gtggagttcc  cttacatcct  cagtctccct  tggcaacaaa  agagagaatt  1440
tcacctggca  ttagaggtag  ccacaaattg  ccccgtcaca  gaccctgaa  ccgaaccag  1500
tctgcacctt  tgctcagag  cacgttggct  cagctggtca  ttcaacagca  acaccagcaa  1560
ttcttggaga  agcagaagca  ataccagcag  cagatccaca  tgaacaaact  gctttcgaaa  1620
tctattgaac  aactgaagca  accaggcagt  caccttgagg  aagcagagga  agagcttcag  1680
ggggaccagg  cgatgcagga  agacagagcg  ccctctagtg  gcaacagcac  taggagcgag  1740
agcagtgcct  gtgtggatga  cacactggga  caagtggggg  ctgtgaaggt  caaggaggaa  1800
ccagtggaca  gtgatgaaga  tgctcagatc  caggaaatgg  aatctgggga  gcaggctgct  1860
tttatgcaac  aggtaatagg  caaagattta  gctccaggat  ttgtaattaa  agtcattatc  1920
tgacctttcc  tggaaaccac  gcacacacgt  gcgctctctg  tgcgccaagc  tccgctggct  1980
gcggttggca  tggatggatt  agagaaacac  cgtctcgtct  ccaggactca  ctctcccct  2040
gctgcctctg  ttttacctca  cccagcaatg  gaccgcccc  tccagcctgg  ctctgcaact  2100
ggaattgcct  atgaccctt  gatgctgaaa  caccagtgcg  tttgtggcaa  ttccaccacc  2160
caccctgagc  atgctggagc  aatacagagt  atctggtcac  gactgcaaga  aactggctg  2220
ctaaataaat  gtgagcgaat  tcaaggtcga  aaagccagcc  tggaggaaat  acagcttgt  2280
cattctgaac  atcactcact  gttgtatggc  accaaccacc  tggacggaca  gaagctggac  2340
cccaggatac  tcctaggtga  tgactctcaa  aagtttttt  cctcattacc  ttgtgtgga  2400
cttgggggtg  acagtgcac  catttggaa  gagctacact  cgtccggtgc  tgcacgcatg  2460
gctgttggct  gtgtcatcga  gctggcttcc  aaagtggcct  caggagagct  gaagaatggg  2520
tttgctgttg  tgaggcccc  tggccatcac  gctgaagaat  ccacagccat  ggggttctgc  2580
ttttttaatt  cagttgcaat  taccgcaaaa  tacttgagag  accaactaaa  tataagcaag  2640
atattgattg  tagatctgga  tgttcaccat  ggaaacggta  ccagcaggc  cttttatgct  2700
gacccagca  tcctgtacat  ttactccat  cgctatgatg  aagggaaact  ttccctggc  2760
agtggagccc  caaatgaggt  tcggtttatt  tcttagagc  cccacttta  tttgtatctt  2820
tcaggtaatt  gcattgcatg  attaccctca  atttcttgt  cctttgctgg  tgttttaaat  2880
tacacgagat  tactgaattg  tcccatggga  ccaagaacca  gtgcagaaca  agtgcataac  2940
ccagagcact  gtttgcagg  gaaggttggg  ctgatttgat  gtgtgtttg  atgtttatt  3000
caagagctcc  catgtgcttg  tttctctct  tctcttctc  ctccatttg  ctctctctc  3060
tgccaccgt  ggtgtgtct  tctcttcca  ggttgaaca  ggcctggag  aaggttaca  3120
tataaatatt  gcctggacag  gtggccttga  tctcccctg  ggagatgttg  agtaccttga  3180
agcattcagg  accatcgtga  agcctgtggc  caaagagttt  gatccagaca  tggcttagt  3240
atctgtgga  tttgatgcat  tgaaggcca  caccctcct  ctaggagggt  acaaagtgac  3300
ggcaaaatgt  tttggtcatt  ttgacgaagc  atgatgaca  ttggctgatg  gacgtgtggt  3360
gttggctcta  gaaggaggac  atgatctcac  agccatctgt  gatgcatcag  aagcctgtgt  3420

```

aatgccctt ctaggaaatg agctggagcc acttgcaaaa gatattctcc accaaagccc 3480
 gaatatgaat gctgttattt ctttacagaa gatcattgaa attcaaagta tgtctttaa 3540
 gttctcttaa 3550

<210> 14

<211> 7699

<212> DNA

<213> Homo sapiens

<400> 14

cccattcgcc attcaggctg cgcaactggt ggggaagggcg atcgggtgcg gcctcttcgc 60
 tattacgccca gctggcgaaa ggggatgtg ctgcaagggcg attaagttgg gtaacgccca 120
 gggttttccc agtcacgacg ttgtaaaacg acggccagtg ccaagctgat ctaatcaata 180
 ttggccatta gccatattat tcattgggta tatagcataa atcaatattg gctattggcc 240
 attgcatacg ttgtatccat atcataatat gtacatttat attggctcat gtccaacatt 300
 accgccatgt tgacattgat tattgactag ttattaatag taatcaatta cgggggtcatt 360
 agtccatagc ccataatatt agttccgctg tacataaact acggtaaatg gcccgccctgg 420
 cgaccgccca ggcacccccg cccgttgacg tcaatagtga cgtatgttcc catagtaacg 480
 ccaatagggga cttccattg acgtcaatgg gtggagtatt tacgggtaaac tgcccacttg 540
 gcagtacatc aagtgtatca tatgccaaagt cggcccccta ttgacgtcaa tgacggtaaa 600
 tggcccgcct agcattatgc ccagtacatg acctacggg agtttccctac ttggcagtac 660
 atctacgtat tagtcatcgc tattaccatg gtgatgagggt tttggcagta caccaatggg 720
 cgtggatagc ggtttgactc acggggattt ccaagtctcc acccattga cgtcaatggg 780
 agtttgtttt ggcaccaaaa tcaacgggac ttccaaaaat gtcgtaataa cccccccccg 840
 ttgacgcaaa tgggcggtag gcgtgtacgg tgggaggtct atataagcag agctcgttta 900
 gtgaaccgct agaattcaag cttgcccggc cagatctatc gatctgcagg atatccaccat 960
 gcacagtatg atcagctcag tggatgtgaa gtcagaagtt cctgtggggc tggagcccat 1020
 ctcaccttta gacctaagga cagacctcag gatgatgatg cccgtgggtg accctgttgt 1080
 ccgtgagaag caattgcagc aggaattact tcttatccag cagcagcaac aatccagaa 1140
 gcagcttctg atagcagagt ttcagaaaca gcatgagaac ttgacacggc agcaccaggc 1200
 tcagcttcag gagcatatca aggaacttct agccataaaa cagcaacaag aactcctaga 1260
 aaaggagcag aaactggagc agcagaggca agaacaggaa gtagagaggc atcgagaga 1320
 acagcagctt cctcctctca gaggcaaaag tagaggacga gaaagggcag tggcaagtac 1380
 agaagtaaaag cagaagcttc aagagttcct actgagtaaa tcagcaacga aagacactcc 1440
 aactaatgga aaaaatcatt ccgtgagccg ccatcccaag ctctggtaca cggctgcca 1500
 ccacacatca ttggatcaaa gctctccacc ccttagtgga acatctccat cctacaagta 1560
 cacattacca ggagcacaag atgcaaaagg tgatttcccc cttcgaaaaa ctgcctctga 1620
 gcccaacttg aaggtgcccgt ccagggttaa acagaaagt gcagagagga gaagcagccc 1680
 cttactcagg cggaaggatg gaaatgttgt cacttcattc aagaagcga tgtttgaggt 1740
 gacagaatcc tcagtcagta gcagttctcc aggtctctgg cccagttcac caacaatgg 1800
 gccaaactgga agtggtactg aaaatgagac ttccggtttg ccccctacc ctcatgccga 1860
 gcaaatggtt tcacagcaac gcattctaatt tcatgaagat tccatgaacc tgctaagtct 1920
 ttatacctct ccttctttgc ccaacattac cttggggctt cccgcagtgc catcccagct 1980
 caatgcttcg aattcactca aagaaaagca gaagtgtgag acgcagacgc ttaggcaagg 2040
 tgttccctcg cctgggcagt atggaggcag catcccggca tcttcagcc accctcatgt 2100
 tacttttagag ggaaagccac ccaacagcag ccaccaggct ctccctgcagc atttattatt 2160
 gaaagaacaa atgagcagcgc aaaagcttct tgtagctggg ggagttccct tacatcctca 2220
 gtctcccttg gcaacaaaag agagaatttc acctggcatt agaggtacc acaaattgcc 2280
 ccgtcacaga cccctgaacc gaaccagtc tgcaccttg cctcagagca cgttggctca 2340
 gctggctcatt caacagcaac accagcaatt cttggagaag cagaagcaat accagcagca 2400
 gatccacatg acaaaactgc tttcgaaatc tattgaacaa ctgaagcaac caggcagtc 2460
 ccttgaggaa gcagaggaag agcttcaggg ggaccaggcg atgcaggaag acagagcgc 2520
 ctctagtggc aacagcacta ggagcgacag cagtgttgg gtggatgaca cactgggaca 2580
 agttggggct gtgaaggtca aggaggaacc agtggacagt gatgaagat ctcagatcca 2640
 ggaaatggaa tctggggagc aggtgctttt tatgcaacag cctttctctg aaccacgca 2700
 cacacgtgag ctctctgtgc gccaaactcc gctggctgag gttggcatgg atggattaga 2760
 gaaacaccgt ctctctcca ggactcactc tccccctgct gcctctgttt tacctcacc 2820
 agcaatggac cgccccctcc agcctggctc tgcaactgga attgcctatg acccctgat 2880
 gctgaaacac cagtgcgttt gtggcaattc caccaccac cctgagcatg ctggacgaat 2940
 acagagtatc tggtcacgac tgcaagaaac tgggctgcta aataaatgtg agcgaattca 3000
 aggtcgaaaa gccagcctgg aggaaataca gcttgttcat tctgaacatc actcactggt 3060
 gtatggcacc aacccccctg acggacagaa gctggaccce aggatactcc taggtgatga 3120

ctctcaaaag	tttttttctt	cattaccttg	tgggtggactt	ggggtggaca	gtgacaccat	3180
ttggaatgag	ctacactcgt	ccgggtgctgc	acgcatggct	gttggctgtg	tcacfcagact	3240
ggcttccaaa	gtggcctcag	gagagctgaa	gaatgggttt	gctgttgtga	ggccccctgg	3300
ccatcacgct	gaagaatcca	cagccatggg	gttctgcttt	tttaattcag	ttgcaattac	3360
cgccaaatac	ttgagagacc	aactaaatat	aagcaagata	ttgattgtag	atctggatgt	3420
tcaccatgga	aacggtaccc	agcaggcctt	ttatgctgac	cccagcatcc	tgtacatttc	3480
actccatcgc	tatgatgaag	ggaacttttt	ccctggcagt	ggagcccaaa	atgaggttgg	3540
aacaggcctt	ggagaagggt	acaatataaa	tattgcctgg	acagggtggc	ttgatcctcc	3600
catgggagat	gttgagtacc	ttgaagcatt	caggaccatc	gtgaagcctg	tggccaaaga	3660
gtttgatcca	gacatggtct	tagtatctgc	tggatttgat	gcattggaag	gccacacccc	3720
tcctctagga	gggtacaaag	tgacggcaaa	atgttttgg	catttgacga	agcaattgat	3780
gacattggct	gatggacgtg	tgggtgtggc	tctagaagga	ggacatgatc	tcacagccat	3840
ctgtgatgca	tcagaagcct	gtgtaaatgc	ccttctagga	aatgagctgg	agccacttgc	3900
agaagatatt	ctccacaaa	gcccgaatat	gaatgctgtt	atttctttac	agaagatcat	3960
tgaaattcaa	agtatgtcct	taaagttctc	tggatccggt	accagattac	aaggacgacg	4020
atgacaagta	gatcccgggt	ggcatccctg	tgaccctcc	ccagtgcctc	tcctggcctt	4080
ggaagttgcc	actccagtcg	ccaccagcct	tgtcctaata	aaattaagtt	gcacatttt	4140
gcttgactag	gtgtcctcta	taatattatg	gggtggaggg	gggtggatg	gagcaagggg	4200
cccaagtgg	gaagacaacc	tgtagggcct	gcgggtcta	ttcgggaacc	aagctggatg	4260
gcagtggcac	aatcctggct	cactgcaatc	tcgcctcct	gggttcaagc	gattctcctg	4320
cctcagcctc	ccgagttggt	gggattccag	gcacatgca	ccaggctcag	ctaatttttg	4380
tttttttgg	agagacgggg	tttcaccata	tggccaggc	tggctcctca	ctcctaactc	4440
caggtgatct	accaccttg	gcctcccaaa	ttgctgggat	tacaggcgtg	aaccactgct	4500
cccttccctg	tccttctgat	tttaaaataa	ctataccagc	aggaggacgt	ccagacacag	4560
cataggctac	ctgccatggc	ccaaccgggt	ggacatttga	gttgcttggc	tggcactgtc	4620
ctctcatgcg	ttgggtccac	tcagtagatg	cctgttgaat	tgggtacgcg	gccagcttct	4680
gtggaatgtg	tgtcagttag	ggtgtggaaa	gtccccaggc	tccccagcag	gcagaagtat	4740
gcaaagcatg	catctcaatt	agtcagcaac	caggtgtgga	aaagtcccca	ggctccccag	4800
caggcagaag	tatgcaaagc	atgcatctca	attagtcagc	aaccatagtc	ccgcccctaa	4860
ctccgcccac	cccgcctca	actccgcccc	gttccgcccc	ttctccgccc	catggctgac	4920
taattttttt	tatttatgca	gaggccgagg	ccgcctcggc	ctctgagcta	ttccagaagt	4980
agtgaggagg	cttttttggg	ggcctaggct	tttgcaaaaa	gctcctcgag	gaactgaaaa	5040
accagaaagt	taattcccta	tagtgagtcg	tattaaattc	gtaatcatgg	tcacatgctg	5100
ttcctgtgtg	aaattgttat	ccgctcacia	ttccacacia	catacgagcc	ggaagcataa	5160
agtgtaaaag	ctgggtgctc	taatgagtga	gctaactcac	attaattgcg	ttgcgctcac	5220
tgcccgcctt	ccagtcggga	aacctgtcgt	gccagctgca	ttaatgaatc	ggccaacgcg	5280
cggggagagg	cggtttgctg	attggggcgt	cttccgcttc	ctcgcctcact	gactcgtgct	5340
gctcggctgt	tcggctgcgg	cgagcgggat	cagctcactc	aaaggcggta	atacggttat	5400
ccacagaatc	aggggataac	gcaggaaaaga	acatgtgagc	aaaaggccag	caaaaggcca	5460
ggaaccgtaa	aaaggccgcg	ttgctggcgt	ttttccatag	gctccgcccc	cctgacgagc	5520
atcacaaaaa	tcgagctca	agtcagaggt	ggcgaaaccc	gacaggacta	taaagatacc	5580
agggcgtttc	ccctggaagc	tcctcctgct	gctctcctgt	tccgaccctg	ccgcttaccg	5640
gatacctgtc	cgctttctc	ccttcgggaa	gcgtggcgt	ttctcaatgc	tcacgctgta	5700
ggatctcag	ttcgggtgtag	gtcgttcgct	ccaagctggg	ctgtgtgcac	gaaccccccg	5760
ttcagcccga	ccgctgcgcc	ttatccggtg	actatcgtct	tgagtcaca	ccggtaagac	5820
acgacttatc	gccactggca	gcagccactg	gtaacaggat	tagcagagcg	aggtatgtag	5880
gcgggtgctac	agagttcttg	aagtgggtggc	ctaactacgg	ctacactaga	agaacagtat	5940
ttggtatctg	cgctctgctg	aagccagtta	ccttcggaaa	aagagttgg	agctcttgat	6000
ccggcaaaaa	aaccaccgct	ggtagcgggt	gtttttttgt	ttgcaagcag	cagattacgc	6060
cgcaaaaaaa	aggatctcaa	gaagatcctt	tgatcttttc	tacggggctc	gacgctcagt	6120
ggaacgaaaa	ctcacgttaa	gggatttttg	tcacatgatt	atcaaaaagg	atcttcacct	6180
agatcctttt	aaattaaaaa	tgaagtttta	aatcaatcta	aagtataat	gagtaaaact	6240
ggtctgacag	ttaccaatgc	ttaatcagtg	aggcacctat	ctcagcagtc	tgtctatttc	6300
gttcatccat	agttgcctga	ctccccgctg	tgtagataac	tacgatacgg	gagggtttac	6360
catctggccc	cagtcctgca	atgataccgc	gagaccacgc	ctcacccggt	ccagatttat	6420
cagcaataaa	ccagccagcc	ggaagggcgg	agcgcagaag	tggctctgca	actttatccg	6480
cctccatcca	gtctattaat	tgttgccggg	aagctagagt	aagtagttcg	ccagtttaata	6540
gtttgcgcaa	cgttgttgcc	attgctacag	gcacgtgtgt	gtcacgctcg	tcgtttggta	6600
tggcttcatt	cagctccggt	tcccacagat	caagggcag	tacatgatcc	cccatggtgt	6660
gcaaaaaagc	ggttagctcc	ttcggctctc	cgatcgttgt	cagaagtaag	ttggccgcag	6720
tgttatcact	catggttatg	gcagcactgc	ataattctct	tactgtcatg	ccatccgtaa	6780
gatgcttttc	tgtgactggt	gagtactcaa	ccaagtcatt	ctgagaatag	tgtatgcccc	6840

gaccgagttg ctcttgcccc gcgtcaatac gggataatac cgcgccacat agcagaactt 6900
 taaaagtgct catcattgga aaacgttcct cggggcgaaa actctcaagg atcttaccgc 6960
 tgttgagatc cagttcgatg taaccactc gtgcaccaa ctgatcttca gcatctttaa 7020
 ctttcaccag cgtttctggg tgagcaaaaa caggaaggca aaatgccgca aaaaagggaa 7080
 taagggcgac acggaaatgt tgaatactca tactcttctt ttttcaatat tattgaagca 7140
 tttatcaggg ttattgtctc atgagcggat acatatttga atgtatttag aaaaataaac 7200
 aaataggggt tccgcgcaca ttccccgaa aagtgccacc tgacgcgccc tgtagcggcg 7260
 cattaagcgc ggcggtgtg gtggttacgc gcagcgtgac cgctacactt gccagcgc 7320
 tagcgcgcgc tcctttcgct ttcttccctt cctttctcgc cacgttcgcc ggctttcccc 7380
 gtcagctctt aaatcggggc atccctttag ggttccgatt tagtgcttta cggcacctcg 7440
 accccaaaaa acttgattag ggtgatgggt cacgtagtgg gccatcgccc tgatagacgg 7500
 tttttcgccc ttgacggtg gagtccacgt tctttaatag tggactcttg ttccaaactg 7560
 gaacaacact caaccctatc tcggtctatt ctittgattt ataagggtt ttgccgattt 7620
 cggcctattg gttaaaaaat gagctgattt aacaaaaatt taacgcgaat ttaacaaaa 7680
 tattaacagt ttacaattt 7699

<210> 15
 <211> 7303
 <212> DNA
 <213> Homo sapiens

<400> 15
 cccattcgcc attcaggctg cgcaactggt ggggaagggcg atcgggtgagg gcctcttcgc 60
 tattacgccca gctggcgaaa ggggatgtg ctgcaaggcg attaagttgg gtaacgcccc 120
 gggttttccc agtcacgacg ttgtaaaacg acggccagtg ccaagctgat ctaatcaata 180
 ttggccatta gccatattat tcattgggta tatagcataa atcaatattg gctattggcc 240
 attgcatacg ttgtatccat atcataatat gtacatttat attggctcat gtccaacatt 300
 accgccatgt tgacattgat tattgactag ttattaatag taatcaatta cggggtcatt 360
 agttcatagc ccataatagg agttccggtt tacataactt acggtaaatg gcccgcttg 420
 cgaccgcccc ggcacccccg cccgttgacg tcaatagtga cgtatgttcc catagtaacg 480
 ccaatagggg ctttccattg acgtcaatgg gtggagtatt tacggtaaac tgcccacttg 540
 gcagtacatc aagtgtatca tatgccaagt cggcccccta ttgacgtcaa tgacggtaaa 600
 ttggcccctc agcattatgc ccagtacatg accttacggg agtttcttac ttggcagtac 660
 atctacgtat tagtcatcgc tattaccatg gtgatgagg tttggcagta caccaatggg 720
 cgtggatagc ggtttgactc acggggattt ccaagtctcc accccattga cgtcaatggg 780
 agtttgtttt ggcacaaaaa tcaacgggac ttccaaaaat gtcgtataaa ccccgccccg 840
 ttgacgcaaa ttggcggtag gcgtgtacgg tgggaggtct atataagcag agctcgttta 900
 gtgaaccgtc agaattcaag cttgcggccg cagatctatc gatctgcagg atatcccat 960
 gcacagtatg atcagctcag tggatgtgaa gtcagaagtt cctgtgggccc tggagcccat 1020
 ctcaccttta gacctaaagg cagacctcag gatgatgatg cccgtggtgg accctgttgt 1080
 ccgtgagaag caattgcagc aggaattact tcttatccag cagcagcaac aaatccagaa 1140
 gcagcttctg atagcagagt ttcagaaaac gcatgagaac ttgacacggc agcaccaggc 1200
 tcagcttcag gagcatatca aggaacttct agccataaaa cagcaacaag aactcctaga 1260
 aaaggagcag aaactggagc agcagaggca agaacaggaa gtagagaggc atcgagaga 1320
 acagcagctt cctcctctca gaggcaaaag tagaggacga gaaagggcag tggcaagtac 1380
 agaagtaaa cagaagcttc aagagttcct actgagtaaa tcagcaacga aagacactcc 1440
 aactaatgga aaaaatcatt ccgtgagccg ccatccaag ctctggtaca cggctgcccc 1500
 ccacacatca ttggatcaaa gctctccacc ccttagtgga acatctccat cctacaagta 1560
 cacattacca ggagcacaag atgcaaagga tgatttcccc cttcgaaaaa ctgcctctga 1620
 gcccaacttg aaggtgcggt ccaggttaaa acagaaaagt gcagagagga gaagcagccc 1680
 cttactcagg cggaaggatg gaaatgttgt cacttcattc aagaagcga tgtttgaggt 1740
 gacagaatcc tcagtcagta gcagttctcc aggtctggt cccagttcac caaacaatgg 1800
 gccaaactgga agtgttactg aaaaatgagac ttcggttttg ccccctacc ctcagccga 1860
 gcaaattggtt tcacagcaac gcattctaatt tcatgaagat tccatgaacc tgctaagtct 1920
 ttatacctct cttcttttgc ccaacattac cttggggctt cccgcagtgc catcccagct 1980
 caatgctctg aattcactca aagaaaagca gaagtgtgag acgcagacgc ttaggcaagg 2040
 tgttctctct cctgggcagt atggaggcag caccctggca tcttccagcc accctcatgt 2100
 tacttttagag ggaaagccac ccaacagcag ccaccaggct ctctgcagc atttattatt 2160
 gaaagaacaa atgcgacagc aaaagcttct tgtagctggg ggagttccct tacatcctca 2220
 gtctcccttg gcaacaaaag agagaatttc acctggcatt agaggtacc acaaattgcc 2280

ccgtcacaga ccctgaacc gaaccagtc tgcaccttg cctcagagca cgttggctca 2340
 gctggcatt caacagcaac accagcaatt cttggagaag cagaagcaat accagcagca 2400
 gatccacatg aacaaactgc tttcgaaatc tattgaacaa ctgaagcaac caggcagtc 2460
 ccttgaggaa gcagaggaag agcttcaggg ggaccaggcg atgcaggaag acagagcgcc 2520
 ctctagtggc aacagcacta ggagcgacag cagtgettgt gtggatgaca cactgggaca 2580
 agttggggct gtgaaggtca aggaggaacc agtggacagt gatgaagatg ctcagatcca 2640
 ggaaatggaa tctggggagc aggctgcttt tatgcaacag cctttcctgg aaccacgca 2700
 cacacgtgcg ctctctgtgc gccaaagctcc gctggctgcg gttggcatgg atggattaga 2760
 gaaacaccgt ctctctcca ggactcactc ttcccctgct gcctctgttt tacctcacc 2820
 agcaatggac cgccccctcc agcctggctc tgcaactgga attgcctatg acccctgat 2880
 gctgaaacac cagtgcgctt gtggcaattc caccaccac cctgagcatg ctggacgaat 2940
 acagagtatc tggtcacgac tgcaagaaac tgggctgcta aataaatgtg agcgaattca 3000
 aggtcgaaaa gccagcctgg aggaaataca gcttgctcat tctgaacatc actcactgtt 3060
 gtatggcacc aaccctctgg acggacagaa gctggacccc aggatactcc taggtgagc 3120
 ctctcaaaag ttttttctt cattaccttg tgggtgactt ggggtggaca gtgacacat 3180
 ttggaatgag ctacactcgt ccggtgctgc acgcatggct gttggctgtg tcatcgagct 3240
 ggcttccaaa gtggcctcag gagagctgaa gaatgggttt gctgttgta ggccccctgg 3300
 ccacacgct gaagaatcca cagccatggg gttctgcttt ttaattcag ttgcaattac 3360
 cgccaaatc tgagagacc aactaaatc atgcaagata ttgattgtag atctggatg 3420
 tcaccatgga aacggtacc agcaggcctt ttatgctgac ccagcatcc tgtacattc 3480
 actccatcgc tatgatgaag ggaactttt ccctggcagt ggagcccaa atgaggttcg 3540
 gtttatttct ttagagccc acttttattt gtatcttca ggtaattgca ttgcaggatc 3600
 cggtaccaga ttacaaggac gacgatgaca agtagatccc ggggtggatc cctgtgacc 3660
 ctcccagtg cctctcctgg ccttggagt tgccactcca gtgcccacca gcctgtcct 3720
 aataaaatta agttgcatca tttgtctga ctagggtctc tctataatat tatggggtg 3780
 aggggggtgg tatggagcaa ggggccaag ttgggaagac aacctgtagg gcctgcggg 3840
 tctatcggg aaccaagctg gagtgacgtg gcacaatctt ggctcactgc aatctccgcc 3900
 tctgggttc aagcattct cctgcctcag cctcccagat tgttgggatt ccaggatgc 3960
 atgaccaggc tcagctaatt tttgttttt ttgttagagac ggggtttcac catattggc 4020
 aggtgggtct ccaactccta atctcagtg atctaccac cttggcctcc caaattgctg 4080
 ggattacagg cgtgaaccac tgctccctc cctgtcctc tgattttaa atactatac 4140
 cagcaggagg acgtccagac acagcatagg ctacctgcca tggcccaacc ggtgggacat 4200
 ttgattgtg tgcttggcac tgctcctca tgcgttgggt ccaactcagta gatgcctgt 4260
 gaattgggta cgcggccagc ttctgtggaa tgtgtgctag ttagggtgtg gaaagtc 4320
 aggtcccca gcaggcagaa gtatgcaaag catgcatctc aattagtcag caaccagg 4380
 tggaaaagtc cccaggctcc ccagcaggca gaagtatgca aagcatgcat ctcaattagt 4440
 cagcaaccat agtcccgcc ctaactccgc ccatcccgc ctaactccg cccagttccg 4500
 cccattctcc gcccatggc tgactaattt tttttattha tgcagaggcc gaggcgcct 4560
 cggcctctga gctattccag aagtagtgag gaggttttt tggaggccta ggcttttga 4620
 aaaagctcct cctggaactg aaaaaccaga aagttaattc cctatagtga gtcgtatta 4680
 attcgtaatc atggtcatag ctgtttcctg tgtgaaattg ttatccgctc acaattccac 4740
 acaacatacg agccggaagc ataaagtgt aagcctgggg tgcctaata gtgagctaac 4800
 tcacatfaat tgcgttgccg tcaactgccg cttccagtc gggaaacctg tctgtccagc 4860
 tgcattaatg aatcggccaa cgcgcgggga gaggcgggtt gcgtattggg cgtctctccg 4920
 cttctcgtc cactgactcg ctgcctcgg tctgtcggct gcggcgagcg gtatcagctc 4980
 actcaaaggc ggtaatacgg ttatccacag aatcagggga taacgcagga aagaacatg 5040
 gagcaaaagg ccagcaaaag gccaggaacc gtaaaaaggc cgcgttgctg gcgttttcc 5100
 ataggctccg cccccctgac gagcatcaca aaaatcgacg ctcaagtcag aggtggcgaa 5160
 acccgacagc actataaaga taccaggcgt ttcccctgg aagctccctc gtgcgctc 5220
 ctgttccgac cctgccgctt accggatacc tctccgctt tctccctcg ggaagcgtg 5280
 cgcttctca atgctcagc tgtaggtatc tcagttcggg ttaggtcgtt cgctccaagc 5340
 tgggctgtg gcacgaacc cccgttcagc ccgaccgctg cgccttatcc ggtaactatc 5400
 gtcttgagtc caaccggta agacacgact tatcgccact ggcagcagcc actggtaaca 5460
 ggattagcag agcaggtat gtaggcgggt ctaacagatt ctgaaagtgg tggcctaact 5520
 aggtctacac tagaagaaca gtatttggtg tctcgctct gctgaagcca gttactctg 5580
 gaaaaagagt tggtagctct tgatccggca aacaaaccac cgctggtagc ggtggtttt 5640
 ttgtttgcaa gcagcagatt acgcgagaa aaaaggatc tcaagaagat cctttgatct 5700
 tttctacggg gtctgacgct cagtggaacg aaaactcag ttaagggatt ttggtcatga 5760
 gattatcaaa aaggatctc acctagatcc ttttaatta aaaatgaagt tttaaatcaa 5820
 tctaaagat atatgagtaa acttggctc acagttacca atgcttaac agtggagc 5880
 ctatctcagc gatctgtcta tttcgttcat ccatagttgc ctgactcccc gtcgtgtaga 5940
 taactacgat acgggagggc ttaccatctg gccccagtc tgcaatgata ccgcgagacc 6000

```

cacgctcacc ggctccagat ttatcagcaa taaaccagcc agccggaagg gccgagcgca 6060
gaagtgggtcc tgcaacttta tccgcctcca tccagtctat taattgttgc cgggaagcta 6120
gagtaagtag ttcgccagtt aatagtttgc gcaacgttgt tgccattgct acaggcatcg 6180
tgggtgtcacg ctcgctggtt ggatggctt cttcagctc cggttcccaa cgatcaaggc 6240
gagttacatg atcccccatg ttgtgcaaaa aagcgggttag ctccctcggc cctccgatcg 6300
ttgtcagaag taagttggcc gcagtgttat cactcatggt tatggcagca ctgcataatt 6360
ctcttactgt catgccatcc gtaagatgct tttctgtgac tggtagtac tcaaccaagt 6420
cattctgaga atagtgtatg cggcgaccga gttgctcttg cccggcgtca atacgggata 6480
ataccgcgcc acatagcaga actttaaaag tgctcatcat tggaaaacgt tcttcggggc 6540
gaaaactctc aaggatctta ccgctgttga gatccagttc gatgtaacc actcgtgcac 6600
ccaactgatc ttcagcatct tttactttca ccagcgtttc tgggtgagca aaaacaggaa 6660
ggcaaaatgc cgcaaaaaag ggaataaggg cgacacggaa atgttgaata ctcatactct 6720
tcctttttca atattattga agcatttatac aggttattg tctcatgagc ggatacatat 6780
ttgaatgtat ttagaaaaat aaacaaatag ggtttccgcg cacatttccc cgaaaagtgc 6840
cacctgacgc gccctgtagc ggcgattaa gcgcggcggg tgtggtggtt acgcgcagcg 6900
tgaccgctac acttgccagc gccctagcgc ccgctccttt cgctttcttc ctttcctttc 6960
tcgccacggt cgccggcttt ccccgtaag ctctaaatcg gggcatccct ttagggttcc 7020
gatttagtgc tttacggcac ctcgacccca aaaaacttga ttaggggtgat ggttcacgta 7080
gtgggcatc gccctgatag acggtttttc gccctttgac gttggagtcc acgttcttta 7140
atagtggact cttgttccaa actggaacaa cactcaacc tatctcggtc tattcttttg 7200
atataaagg gattttgccc atttcggcct attggttaa aaatgagctg atttaacaaa 7260
aatttaacgc gaattttaac aaaatattaa acgtttacaa ttt 7303

```

<210> 16
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer used to amplify human DNA

<400> 16
 ccatggaaac ggtaccagc aggc 24

<210> 17
 <211> 23
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer used to amplify human DNA

<400> 17
 cactccatcg ctatgatgaa ggg 23

<210> 18
 <211> 23
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer used to amplify human DNA

<400> 18
 agttcccttc atcatagcga tgg 23

<210> 19
 <211> 20
 <212> DNA
 <213> Artificial Sequence

25/25

<220>

<223> Primer used to amplify human DNA

<400> 19

aatgtacagg atgctgggggt

20

<210> 20

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used to amplify human DNA

<400> 20

cccttgtagc tggaggagtt ccctt

25

<210> 21

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used to amplify human DNA

<400> 21

tgtgtcatcg agctggcttc

20

<210> 22

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used to amplify human DNA

<400> 22

atcttctgca agtggctcca

20

Thr His Ser Ser Pro Ala Ala Ser Val Leu Pro His Pro Ala Met Asp
 610 615 620
 Arg Pro Leu Gln Pro Gly Ser Ala Thr Gly Ile Ala Tyr Asp Pro Leu
 625 630 635 640
 Met Leu Lys His Gln Cys Val Cys Gly Asn Ser Thr Thr His Pro Glu
 645 650 655
 His Ala Gly Arg Ile Gln Ser Ile Trp Ser Arg Leu Gln Glu Thr Gly
 660 665 670
 Leu Leu Asn Lys Cys Glu Arg Ile Gln Gly Arg Lys Ala Ser Leu Glu
 675 680 685
 Glu Ile Gln Leu Val His Ser Glu His His Ser Leu Leu Tyr Gly Thr
 690 695 700
 Asn Pro Leu Asp Gly Gln Lys Leu Asp Pro Arg Ile Leu Leu Gly Asp
 705 710 715 720
 Asp Ser Gln Lys Phe Phe Ser Ser Leu Pro Cys Gly Gly Leu Gly Val
 725 730 735
 Asp Ser Asp Thr Ile Trp Asn Glu Leu His Ser Ser Gly Ala Arg
 740 745 750
 Met Ala Val Gly Cys Val Ile Glu Leu Ala Ser Lys Val Ala Ser Gly
 755 760 765
 Glu Leu Lys Asn Gly Phe Ala Val Val Arg Pro Pro Gly His His Ala
 770 775 780
 Glu Glu Ser Thr Ala Met Gly Phe Cys Phe Phe Asn Ser Val Ala Ile
 785 790 795 800
 Thr Ala Lys Tyr Leu Arg Asp Gln Leu Asn Ile Ser Lys Ile Leu Ile
 805 810 815
 Val Asp Leu Asp Val His His Gly Asn Gly Thr Gln Gln Ala Phe Tyr
 820 825 830
 Ala Asp Pro Ser Ile Leu Tyr Ile Ser Leu His Arg Tyr Asp Glu Gly
 835 840 845
 Asn Phe Phe Pro Gly Ser Gly Ala Pro Asn Glu Val Arg Phe Ile Ser
 850 855 860
 Leu Glu Pro His Phe Tyr Leu Tyr Leu Ser Gly Asn Cys Ile Ala
 865 870 875

<210> 5
 <211> 3054
 <212> DNA
 <213> Homo sapiens

<400> 5
 ggggaagaga ggcacagaca cagataggag aagggcaccg gctggagcca cttgcaggac 60
 tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact ctaagccaga tgggggtggct 120
 ggacgagagc agctcttggc tcagcaaaga atgcacagta tgatcagctc agtggatgtg 180
 aagtcagaag ttctctgtgg cctggagccc atctcacctt tagacctaa gacagacctc 240
 aggatgatga tgcccgtggt ggaccctggt gtccgtgaga agcaattgca gcaggaatta 300
 cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga gtttcagaaa 360
 cagcatgaga acttgacacg gcagcaccag gctcagcttc aggagcatat caaggaactt 420
 ctagccataa aacagcaaca agaactccta gaaaaggagc agaaactgga gcagcagagg 480
 caagaacagg aagtagagag gcatcgcaga gaacagcagc ttctctctct cagaggcaaa 540
 gatagaggac gagaaagggc agtggcaagt acagaagtaa agcagaagct tcaagagttc 600
 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca ttccgtgagc 660
 ccgcatccca agctctggta cacggctgcc caccacacat cattggatca aagctctcca 720
 ccccttagtg gaacatctcc atcctacaag tacacattac caggagcaca agatgcaaag 780
 gatgatttcc cccttcgaaa aactgaatcc tcagtcagta gcagttctcc aggctctggt 840
 cccagttcac caaacaatgg gccaaactgga agtggtactg aaaatgagac ttcgggtttg 900
 ccccttacc ctcatgccga gcaaatgggt tcacagcaac gcatttctaat tcatgaagat 960
 tccatgaacc tgttaagtct ttatacctct ccttctttgc ccaacattac cttggggctt 1020
 cccgagtgcc catcccagct caatgcttcg aattcactca aagaaaagca gaagtgtgag 1080
 acgcagagcg ttaggcaagg tgttcctctg cctgggcagt atggaggcag catccccgca 1140
 tcttcagacc accctcatgt tactttagag ggaagccac ccaacagcag ccaccaggct 1200

ctcctgcagc atttattatt gaaagaacaa atgcgacagc aaaagcttct tgtagctggt 1260.
 ggagttccct tacatcctca gtctcccttg gcaacaaaag agagaatttc acctggcatt 1320
 agaggtaccc acaaattgcc ccgtcacaga ccctgaacc gaaccagtc tgcaccttg 1380
 cctcagagca cgttggctca gctggtcatt caacagcaac accagcaatt ctgggagaag 1440
 cagaagcaat accagcagca gatccacatg aacaaactgc tttcgaaatc tattgaacaa 1500
 ctgaagcaac caggcagtc ccttgaggaa gcagaggaag agcttcaggg ggaccaggcg 1560
 atgcaggaag acagagcgcc ctctagtggc aacagcacta ggagcgacag cagtgccttg 1620
 gtggatgaca cactgggaca agttggggct gtgaaggatc aggaggaacc agtggacagt 1680
 gatgaagatg ctcagatcca ggaaatggaa tctggggagc aggctgcttt tatgcaacag 1740
 cctttcctgg aaccacgca cacacgtgcy ctctctgtgc gccaaagctcc gctggctgcy 1800
 gttggcatgg atggattaga gaaacaccgt ctctctcca ggactcactc tccccctgct 1860
 gcctctgttt tacctcacc agcaatggac cgccccctcc agcctggctc tgcaactgga 1920
 attgcctatg accccttgat gctgaaacac cagtgcgttt gtggcaattc caccaccac 1980
 cctgagatg ctggacgaat acagagtatc tggtcacgac tgcaagaaac tgggctgcta 2040
 aataaatgtg agcgaattca aggtcgaaaa gccagcctgg aggaaataca gcttgttcat 2100
 tctgaacatc actcactgtt gtatggcacc aacccccctg acggacagaa gctggacccc 2160
 aggatactcc taggtgatga ctctcaaaag ttttttctc cattacctg tggtggactt 2220
 ggggtggaca gtgacacct ttggaatgag ctacactcgt ccggtgctgc acgcatggct 2280
 gttggctgtg tcatcgagct ggcttccaaa gtggcctcag gagagctgaa gaatgggttt 2340
 gctggtgtga ggccccctgg ccatcagct gaagaatcca cagccatggg gttctgcttt 2400
 ttttaattcag ttgcaattac cgccaaatac ttgagagacc aactaaatat aagcaagata 2460
 ttgattgtag atctggatgt tcaccatgga aacggtaccc agcaggcctt ttatgctgac 2520
 cccagcatcc tgtacattc actccatgcy tatgatgaag ggaacttttt ccctggcagt 2580
 agagcccaa atgaggttg aacaggcctt ggagaagggt acaatataaa tattgcctgg 2640
 cacagtggcc ttgatcctcc catgggagat gttgagtacc ttgaagcatt caggaccatc 2700
 gtgaagcctg tggccaaaga gtttgatcca gacatggtct tagtatctgc tggatttgat 2760
 gcattggaag gccacacccc tctcttagga gggtaaaa tgacggcaaa atgttttgg 2820
 catttgacga agcaattgat gacattggct gatggacgtg tgggtgtggc tctagaagga 2880
 ggacatgatc tcacagccat ctgtgatgca tcagaagcct gtgtaaagtc ctttctagga 2940
 aatgagctgg agccacttgc agaagatatt ctccacaaa gcccgaaat gatgctggt 3000
 atttctttac agaagatcat tgaaattcaa agtatgtctt taaagttctc ttaa 3054

<210> 6
 <211> 967
 <212> PRT
 <213> Homo sapiens

<400> 6
 Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
 1 5 10 15
 Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
 20 25 30
 Met Met Pro Val Val Asp Pro Val Val Arg Glu Lys Gln Leu Gln Gln
 35 40 45
 Glu Leu Leu Leu Ile Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
 50 55 60
 Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
 65 70 75 80
 Ala Gln Leu Gln Glu His Ile Lys Glu Leu Ala Ile Lys Gln Gln
 85 90 95
 Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
 100 105 110
 Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
 115 120 125
 Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
 130 135 140
 Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
 145 150 155 160
 Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
 165 170 175
 Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Pro Leu
 180 185 190

9/25

Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
 195 200 205
 Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Glu Ser Ser Val Ser Ser
 210 215 220
 Ser Ser Pro Gly Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly
 225 230 235 240
 Ser Val Thr Glu Asn Glu Thr Ser Val Leu Pro Pro Thr Pro His Ala
 245 250 255
 Glu Gln Met Val Ser Gln Gln Arg Ile Leu Ile His Glu Asp Ser Met
 260 265 270
 Asn Leu Leu Ser Leu Tyr Thr Ser Pro Ser Leu Pro Asn Ile Thr Leu
 275 280 285
 Gly Leu Pro Ala Val Pro Ser Gln Leu Asn Ala Ser Asn Ser Leu Lys
 290 295 300
 Glu Lys Gln Lys Cys Glu Thr Gln Thr Leu Arg Gln Gly Val Pro Leu
 305 310 315 320
 Pro Gly Gln Tyr Gly Gly Ser Ile Pro Ala Ser Ser Ser His Pro His
 325 330 335
 Val Thr Leu Glu Gly Lys Pro Pro Asn Ser Ser His Gln Ala Leu Leu
 340 345 350
 Gln His Leu Leu Leu Lys Glu Gln Met Arg Gln Gln Lys Leu Leu Val
 355 360 365
 Ala Gly Gly Val Pro Leu His Pro Gln Ser Pro Leu Ala Thr Lys Glu
 370 375 380
 Arg Ile Ser Pro Gly Ile Arg Gly Thr His Lys Leu Pro Arg His Arg
 385 390 395 400
 Pro Leu Asn Arg Thr Gln Ser Ala Pro Leu Pro Gln Ser Thr Leu Ala
 405 410 415
 Gln Leu Val Ile Gln Gln Gln His Gln Gln Phe Leu Glu Lys Gln Lys
 420 425 430
 Gln Tyr Gln Gln Gln Ile His Met Asn Lys Leu Leu Ser Lys Ser Ile
 435 440 445
 Glu Gln Leu Lys Gln Pro Gly Ser His Leu Glu Glu Ala Glu Glu Glu
 450 455 460
 Leu Gln Gly Asp Gln Ala Met Gln Glu Asp Arg Ala Pro Ser Ser Gly
 465 470 475 480
 Asn Ser Thr Arg Ser Asp Ser Ser Ala Cys Val Asp Asp Thr Leu Gly
 485 490 495
 Gln Val Gly Ala Val Lys Val Lys Glu Glu Pro Val Asp Ser Asp Glu
 500 505 510
 Asp Ala Gln Ile Gln Glu Met Glu Ser Gly Glu Gln Ala Ala Phe Met
 515 520 525
 Gln Gln Pro Phe Leu Glu Pro Thr His Thr Arg Ala Leu Ser Val Arg
 530 535 540
 Gln Ala Pro Leu Ala Ala Val Gly Met Asp Gly Leu Glu Lys His Arg
 545 550 555 560
 Leu Val Ser Arg Thr His Ser Ser Pro Ala Ala Ser Val Leu Pro His
 565 570 575
 Pro Ala Met Asp Arg Pro Leu Gln Pro Gly Ser Ala Thr Gly Ile Ala
 580 585 590
 Tyr Asp Pro Leu Met Leu Lys His Gln Cys Val Cys Gly Asn Ser Thr
 595 600 605
 Thr His Pro Glu His Ala Gly Arg Ile Gln Ser Ile Trp Ser Arg Leu
 610 615 620
 Gln Glu Thr Gly Leu Leu Asn Lys Cys Glu Arg Ile Gln Gly Arg Lys
 625 630 635 640
 Ala Ser Leu Glu Glu Ile Gln Leu Val His Ser Glu His His Ser Leu
 645 650 655
 Leu Tyr Gly Thr Asn Pro Leu Asp Gly Gln Lys Leu Asp Pro Arg Ile
 660 665 670
 Leu Leu Gly Asp Asp Ser Gln Lys Phe Phe Ser Ser Leu Pro Cys Gly
 675 680 685

10/25

Gly Leu Gly Val Asp Ser Asp Thr Ile Trp Asn Glu Leu His Ser Ser
 690 695 700
 Gly Ala Ala Arg Met Ala Val Gly Cys Val Ile Glu Leu Ala Ser Lys
 705 710 715 720
 Val Ala Ser Gly Glu Leu Lys Asn Gly Phe Ala Val Val Arg Pro Pro
 725 730 735
 Gly His His Ala Glu Glu Ser Thr Ala Met Gly Phe Cys Phe Phe Asn
 740 745 750
 Ser Val Ala Ile Thr Ala Lys Tyr Leu Arg Asp Gln Leu Asn Ile Ser
 755 760 765
 Lys Ile Leu Ile Val Asp Leu Asp Val His His Gly Asn Gly Thr Gln
 770 775 780
 Gln Ala Phe Tyr Ala Asp Pro Ser Ile Leu Tyr Ile Ser Leu His Arg
 785 790 795 800
 Tyr Asp Glu Gly Asn Phe Phe Pro Gly Ser Gly Ala Pro Asn Glu Val
 805 810 815
 Gly Thr Gly Leu Gly Glu Gly Tyr Asn Ile Asn Ile Ala Trp Thr Gly
 820 825 830
 Gly Leu Asp Pro Pro Met Gly Asp Val Glu Tyr Leu Glu Ala Phe Arg
 835 840 845
 Thr Ile Val Lys Pro Val Ala Lys Glu Phe Asp Pro Asp Met Val Leu
 850 855 860
 Val Ser Ala Gly Phe Asp Ala Leu Glu Gly His Thr Pro Pro Leu Gly
 865 870 875 880
 Gly Tyr Lys Val Thr Ala Lys Cys Phe Gly His Leu Thr Lys Gln Leu
 885 890 895
 Met Thr Leu Ala Asp Gly Arg Val Val Leu Ala Leu Glu Gly Gly His
 900 905 910
 Asp Leu Thr Ala Ile Cys Asp Ala Ser Glu Ala Cys Val Asn Ala Leu
 915 920 925
 Leu Gly Asn Glu Leu Glu Pro Leu Ala Glu Asp Ile Leu His Gln Ser
 930 935 940
 Pro Asn Met Asn Ala Val Ile Ser Leu Gln Lys Ile Ile Glu Ile Gln
 945 950 955 960
 Ser Met Ser Leu Lys Phe Ser
 965

<210> 7
 <211> 3367
 <212> DNA
 <213> Homo sapiens

<400> 7
 ggggaagaga ggacacagaca cagataggag aagggcaccg gctggagcca cttgcaggac 60
 tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact ctaagccaga tgggggtggct 120
 ggacgagagc agctcttggc tcagcaaga atgcacagta tgatcagctc agtggatgtg 180
 aagtcagaag ttctgtggg cctggagccc atctcacctt tagacctaac gacagacctc 240
 aggatgatga tgcccgtggt ggaccctggt gtccgtgaga agcaattgca gcaggaatta 300
 cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga gtttcagaaa 360
 cagcatgaga acttgacacg gcagcaccag gctcagcttc aggagcatat caaggaactt 420
 ctagccataa aacagcaaca agaactccta gaaaaggagc agaaactgga gcagcagagg 480
 caagaacagg aagtagagag gcatcgcaga gaacagcagc ttcctcctct cagaggcaaa 540
 gatagaggac gagaaagggc agtggcaagt acagaagtaa agcagaagct tcaagagttc 600
 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca ttccgtgagc 660
 cgccatccca agctctggta cacggctgcc caccacacat cattggatca aagctctcca 720
 ccccttagtg gaacatctcc atcctacaag tacacattac caggagcaca agatgcaaa 780
 gatgatttcc cccttcgaaa aactgaatcc tcagtcagta gcagttctcc aggctctggt 840
 cccagttcac caacaatgg gccaaactgga agtggtactg aaaatgagac ttcgggtttg 900
 ccccctacc ctcatgccga gcaaatggtt tcacagcaac gcattctaatt tcatgaagat 960
 tccatgaacc tgctaagtct ttatacctct ccttctttgc ccaacattac cttggggctt 1020
 cccgcagtagc catcccagct caatgcttcg aattcactca aagaaaagca gaagtgtgag 1080

```

acgcagacgc ttaggcaagg tgttcctctg cctgggcagt atggaggcag catccccggca 1140
tcttccagcc accctcatgt tacttttagag ggaagccac ccaacagcag ccaccaggct 1200
ctcctgcagc atttattatt gaaagaacaa atgcgacagc aaaagcttct tgtagctggt 1260
ggagttccct tacatcctca gtctcccttg gcaacaaaag agagaatttc acctggcatt 1320
agaggtaccc acaaattgcc ccgtcacaga ccctgaacc gaaccagtc tgcacctttg 1380
cctcagagca cgttggctca gctggtcatt caacagcaac accagcaatt cttggagaag 1440
cagaagcaat accagcagca gatccacatg aacaaactgc tttcgaaatc tattgaacaa 1500
ctgaagcaac caggcagtc ccttgaggaa gcagaggaag agcttcaggg ggaccaggcg 1560
atgcaggaag acagagcgcc ctctagtggc aacagcacta ggagcgacag cagtgcctgt 1620
gtggatgaca cactgggaca agttggggct gtgaaggcca aggaggaacc agtggacagt 1680
gatgaagatg ctcagatcca ggaaatggaa tctggggagc aggctgcttt tatgcaacag 1740
cctttcctgg aaccacgca cacacgtgcy ctctctgtgc gccaaagctcc gctggctgcy 1800
gttggcatgg atggattaga gaaacaccgt ctgctctca ggactcactc ttcccctgct 1860
gcctctgttt tacctcacc agcaatggac cgccccctcc agcctggctc tgcaactgga 1920
attgcctatg accccttgat gctgaaacac cagtgcgttt gtggcaattc caccacccac 1980
cctgagcatg ctggacgaat acagagtatc tggtcacgac tgcaagaaac tgggctgcta 2040
aataaatgtg agcgaattca aggtcgaaaa gccagcctgg aggaaataca gcttgttcat 2100
tctgaacatc actcactggt gtatggcacc aaccctctgg acggacagaa gctggacccc 2160
aggatactcc taggtgatga ctctcaaaag ttttttctc cattaccttg tgggggactt 2220
gggggtggaca gtgacaccat ttggaatgag ctacactcgt ccggtgctgc acgcatggct 2280
gttggctgtg tcatcgagct ggcttccaaa gtggcctcag gagagctgaa gaatggggtt 2340
gctgttgtga ggccccctgg ccatcacgct gaagaatcca cagccatggg gttctgcttt 2400
ttaaattcag ttgcaattac cgccaaatac ttgagagacc aactaaatat aagcaagata 2460
ttgattgtag atctggatgt tcaccatgga aacgggtaccc agcaggcctt ttatgctgac 2520
cccagcatcc tgtacatttc actccatcgc tatgatgaag ggaacttttt ccctggcagt 2580
ggagcccaaa atgaggttcg gtttatttct ttgagcccc acttttattt gtatctttca 2640
ggtaattgca ttgcatgatt acccctaatt ttcttgtcct ttgctgggtg tttaaattac 2700
acgagattac tgaattgtcc catgggacca agaaccagtg cagaacaagt gcataacca 2760
gagcactggt tgcagggaa ggttgggctg atttgatgtg ttgtttgatg tttatttcaa 2820
gagctcccat gtgcttgttt tctctcttct ttgctttctt ccatttgctc tcttctctgc 2880
ccaccgtggt gtgtctttct cttcccaggt tggacagggc ctgggagaag ggtacaatat 2940
aaatattgcc tggacaggtg gccttgatcc tcccatggga gatggtgagt accttgaagc 3000
atccaggacc atcgtgaagc ctgtggccaa agagtttgat ccagacatgg tcttagtacc 3060
tgctggatgt gatgcattgg aaggccacac ccctctctca ggaggggtaca aagtgcaggc 3120
aaaatgtttt ggtcatttga cgaagcaatt gatgacattg gctgatggac gtgtgggtgt 3180
ggctctagaa ggaggacatg atctcacagc catctgtgat gcacagaag cctgtgtaaa 3240
tgcccttcta ggaaatgagc tggagccact tgcagaagat attctccacc aaagcccgaa 3300
tatgaatgct gttatttctt tacagaagat cattgaaatt caaagtatgt ctttaaagtt 3360
ctcttaa
    
```

```

<210> 8
<211> 835
<212> PRT
<213> Homo sapiens
    
```

```

<400> 8
Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
1          5          10          15
Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
20          25          30
Met Met Pro Val Val Asp Pro Val Val Arg Glu Lys Gln Leu Gln Gln
35          40          45
Glu Leu Leu Leu Ile Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
50          55          60
Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
65          70          75          80
Ala Gln Leu Gln Glu His Ile Lys Glu Leu Leu Ala Ile Lys Gln Gln
85          90          95
Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
100         105         110
Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
115         120         125
    
```

Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
 130 135 140
 Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
 145 150 155 160
 Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
 165 170 175
 Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Pro Leu
 180 185 190
 Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
 195 200 205
 Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Glu Ser Ser Val Ser Ser
 210 215 220
 Ser Ser Pro Gly Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly
 225 230 235 240
 Ser Val Thr Glu Asn Glu Thr Ser Val Leu Pro Pro Thr Pro His Ala
 245 250 255
 Glu Gln Met Val Ser Gln Gln Arg Ile Leu Ile His Glu Asp Ser Met
 260 265 270
 Asn Leu Leu Ser Leu Tyr Thr Ser Pro Ser Leu Pro Asn Ile Thr Leu
 275 280 285
 Gly Leu Pro Ala Val Pro Ser Gln Leu Asn Ala Ser Asn Ser Leu Lys
 290 295 300
 Glu Lys Gln Lys Cys Glu Thr Gln Thr Leu Arg Gln Gly Val Pro Leu
 305 310 315 320
 Pro Gly Gln Tyr Gly Gly Ser Ile Pro Ala Ser Ser Ser His Pro His
 325 330 335
 Val Thr Leu Glu Gly Lys Pro Pro Asn Ser Ser His Gln Ala Leu Leu
 340 345 350
 Gln His Leu Leu Leu Lys Glu Gln Met Arg Gln Gln Lys Leu Leu Val
 355 360 365
 Ala Gly Gly Val Pro Leu His Pro Gln Ser Pro Leu Ala Thr Lys Glu
 370 375 380
 Arg Ile Ser Pro Gly Ile Arg Gly Thr His Lys Leu Pro Arg His Arg
 385 390 395 400
 Pro Leu Asn Arg Thr Gln Ser Ala Pro Leu Pro Gln Ser Thr Leu Ala
 405 410 415
 Gln Leu Val Ile Gln Gln Gln His Gln Gln Phe Leu Glu Lys Gln Lys
 420 425 430
 Gln Tyr Gln Gln Gln Ile His Met Asn Lys Leu Leu Ser Lys Ser Ile
 435 440 445
 Glu Gln Leu Lys Gln Pro Gly Ser His Leu Glu Glu Ala Glu Glu Glu
 450 455 460
 Leu Gln Gly Asp Gln Ala Met Gln Glu Asp Arg Ala Pro Ser Ser Gly
 465 470 475 480
 Asn Ser Thr Arg Ser Asp Ser Ser Ala Cys Val Asp Asp Thr Leu Gly
 485 490 495
 Gln Val Gly Ala Val Lys Val Lys Glu Glu Pro Val Asp Ser Asp Glu
 500 505 510
 Asp Ala Gln Ile Gln Glu Met Glu Ser Gly Glu Gln Ala Ala Phe Met
 515 520 525
 Gln Gln Pro Phe Leu Glu Pro Thr His Thr Arg Ala Leu Ser Val Arg
 530 535 540
 Gln Ala Pro Leu Ala Ala Val Gly Met Asp Gly Leu Glu Lys His Arg
 545 550 555 560
 Leu Val Ser Arg Thr His Ser Ser Pro Ala Ala Ser Val Leu Pro His
 565 570 575
 Pro Ala Met Asp Arg Pro Leu Gln Pro Gly Ser Ala Thr Gly Ile Ala
 580 585 590
 Tyr Asp Pro Leu Met Leu Lys His Gln Cys Val Cys Gly Asn Ser Thr
 595 600 605
 Thr His Pro Glu His Ala Gly Arg Ile Gln Ser Ile Trp Ser Arg Leu
 610 615 620

Gln Glu Thr Gly Leu Leu Asn Lys Cys Glu Arg Ile Gln Gly Arg Lys
 625 630 635 640
 Ala Ser Leu Glu Glu Ile Gln Leu Val His Ser Glu His His Ser Leu
 645 650 655
 Leu Tyr Gly Thr Asn Pro Leu Asp Gly Gln Lys Leu Asp Pro Arg Ile
 660 665 670
 Leu Leu Gly Asp Asp Ser Gln Lys Phe Phe Ser Ser Leu Pro Cys Gly
 675 680 685
 Gly Leu Gly Val Asp Ser Asp Thr Ile Trp Asn Glu Leu His Ser Ser
 690 695 700
 Gly Ala Ala Arg Met Ala Val Gly Cys Val Ile Glu Leu Ala Ser Lys
 705 710 715 720
 Val Ala Ser Gly Glu Leu Lys Asn Gly Phe Ala Val Val Arg Pro Pro
 725 730 735
 Gly His His Ala Glu Glu Ser Thr Ala Met Gly Phe Cys Phe Phe Asn
 740 745 750
 Ser Val Ala Ile Thr Ala Lys Tyr Leu Arg Asp Gln Leu Asn Ile Ser
 755 760 765
 Lys Ile Leu Ile Val Asp Leu Asp Val His His Gly Asn Gly Thr Gln
 770 775 780
 Gln Ala Phe Tyr Ala Asp Pro Ser Ile Leu Tyr Ile Ser Leu His Arg
 785 790 795 800
 Tyr Asp Glu Gly Asn Phe Phe Pro Gly Ser Gly Ala Pro Asn Glu Val
 805 810 815
 Arg Phe Ile Ser Leu Glu Pro His Phe Tyr Leu Tyr Leu Ser Gly Asn
 820 825 830
 Cys Ile Ala
 835

<210> 9
 <211> 1791
 <212> DNA
 <213> Homo sapiens

<400> 9
 gggaagaga ggacagaca cagataggag aagggcaccg gctggagcca cttgcaggac 60
 tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact ctaagccaga tgggggtggt 120
 ggacgagagc agctcttggc tcagcaaaga atgcacagta tgatcagctc agtggatgtg 180
 aagtcaagaag ttctgtggg cctggagccc atctcacctt tagacctaa gacagacctc 240
 aggatgatga tgcccgtggt ggaccctggt gtccgtgaga agcaattgca gcaggaatta 300
 cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga gtttcagaaa 360
 cagcatgaga acttgacacg gcagcaccag gctcagcttc aggagcatat caaggaactt 420
 ctagccataa aacagcaaca agaactccta gaaaaggagc agaaactgga gcagcagagg 480
 caagaacagg aagtagagag gcatcgcaga gaacagcagc ttctctctct cagaggcaaa 540
 gatagaggac gagaaagggc agtggcaagt acagaagtaa agcagaagct tcaagagttc 600
 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca ttccgtgagc 660
 cgccatccca agctctggta cacggctgcc caccacacat cattggatca aagctctcca 720
 ccccttagtg gaacatctcc atcctacaag tacacattac caggagcaca agatgcaaa 780
 gatgatttcc cccttcgaaa aactgaatcc tcagtcagta gcagttctcc aggctctggt 840
 cccagttcac caaacaatgg gccaactgga agtgttactg aaaatgagac ttctggtttt 900
 ccccctacc ctcatgccga gcaaatggtt tcacagcaac gcatttctaat tcatgaagat 960
 tccatgaacc tgctaagtct ttataacctc cttcttttgc ccaacattac cttggggctt 1020
 cccgcagtgc catcccagct caatgcttgc aattactca aagaaaagca gaagtgtgag 1080
 acgcagacgc ttaggcaagg tgttctctg cctgggcagt atggaggcag catcccggca 1140
 tcttccagcc accctcatgt tactttagag ggaaagccac ccaacagcag ccaccaggct 1200
 ctctgcagc atttattatt gaaagaacaa atgcgacagc aaaagcttct tgtagctggt 1260
 ggagttccct tacatctca gtctcccttg gcaacaaaag agagaatttc acctggcatt 1320
 agaggtacc caaattgcc ccgtcacaga cccctgaacc gaaccagtc tgcaccttg 1380
 cctcagagca cgttggctca gctggctcatt caacagcaac accagcaatt cttggagaag 1440
 cagaagcaat accagcagca gatccacatg aacaaactgc tttcgaatc tattgaacaa 1500
 ctgaagcaac caggcagtc ccttgaggaa gcagaggaag agcttcaggg ggaccaggcg 1560

14/25

atgcaggaag acagagcgcc ctctagtgcc aacagcacta ggagcgacag cagtgcctgt 1620
 gtggatgaca cactgggaca agttggggct gtgaagggtca aggaggaacc agtggacagt 1680
 gatgaagatg ctcagatcca ggaatggaa tctggggagc aggctgcttt tatgcaacag 1740
 gtaataggca aagatttagc tccaggattt gtaattaaag tcattatctg a 1791

<210> 10
 <211> 546
 <212> PRT
 <213> Homo sapiens

<400> 10
 Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
 1 5 10 15
 Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
 20 25 30
 Met Met Pro Val Val Asp Pro Val Val Arg Glu Lys Gln Leu Gln Gln
 35 40 45
 Glu Leu Leu Leu Ile Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
 50 55 60
 Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
 65 70 75 80
 Ala Gln Leu Gln Glu His Ile Lys Glu Leu Leu Ala Ile Lys Gln Gln
 85 90 95
 Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
 100 105 110
 Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
 115 120 125
 Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
 130 135 140
 Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
 145 150 155 160
 Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
 165 170 175
 Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Pro Leu
 180 185 190
 Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
 195 200 205
 Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Glu Ser Ser Val Ser Ser
 210 215 220
 Ser Ser Pro Gly Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly
 225 230 235 240
 Ser Val Thr Glu Asn Glu Thr Ser Val Leu Pro Pro Thr Pro His Ala
 245 250 255
 Glu Gln Met Val Ser Gln Gln Arg Ile Leu Ile His Glu Asp Ser Met
 260 265 270
 Asn Leu Leu Ser Leu Tyr Thr Ser Pro Ser Leu Pro Asn Ile Thr Leu
 275 280 285
 Gly Leu Pro Ala Val Pro Ser Gln Leu Asn Ala Ser Asn Ser Leu Lys
 290 295 300
 Glu Lys Gln Lys Cys Glu Thr Gln Thr Leu Arg Gln Gly Val Pro Leu
 305 310 315 320
 Pro Gly Gln Tyr Gly Gly Ser Ile Pro Ala Ser Ser Ser His Pro His
 325 330 335
 Val Thr Leu Glu Gly Lys Pro Pro Asn Ser Ser His Gln Ala Leu Leu
 340 345 350
 Gln His Leu Leu Leu Lys Glu Gln Met Arg Gln Gln Lys Leu Leu Val
 355 360 365
 Ala Gly Gly Val Pro Leu His Pro Gln Ser Pro Leu Ala Thr Lys Glu
 370 375 380
 Arg Ile Ser Pro Gly Ile Arg Gly Thr His Lys Leu Pro Arg His Arg
 385 390 395 400
 Pro Leu Asn Arg Thr Gln Ser Ala Pro Leu Pro Gln Ser Thr Leu Ala

15/25

405 410 415
 Gln Leu Val Ile Gln Gln Gln His Gln Gln Phe Leu Glu Lys Gln Lys
 420 425 430
 Gln Tyr Gln Gln Gln Ile His Met Asn Lys Leu Leu Ser Lys Ser Ile
 435 440 445
 Glu Gln Leu Lys Gln Pro Gly Ser His Leu Glu Glu Ala Glu Glu Glu
 450 455 460
 Leu Gln Gly Asp Gln Ala Met Gln Glu Asp Arg Ala Pro Ser Ser Gly
 465 470 475 480
 Asn Ser Thr Arg Ser Asp Ser Ser Ala Cys Val Asp Asp Thr Leu Gly
 485 490 495
 Gln Val Gly Ala Val Lys Val Lys Glu Glu Pro Val Asp Ser Asp Glu
 500 505 510
 Asp Ala Gln Ile Gln Glu Met Glu Ser Gly Glu Gln Ala Ala Phe Met
 515 520 525
 Gln Gln Val Ile Gly Lys Asp Leu Ala Pro Gly Phe Val Ile Lys Val
 530 535 540
 Ile Ile
 545

<210> 11
 <211> 590
 <212> PRT
 <213> Homo sapiens

<400> 11
 Met His Ser Met Ile Ser Ser Val Asp Val Lys Ser Glu Val Pro Val
 1 5 10 15
 Gly Leu Glu Pro Ile Ser Pro Leu Asp Leu Arg Thr Asp Leu Arg Met
 20 25 30
 Met Met Pro Val Val Asp Pro Val Arg Glu Lys Gln Leu Gln Gln
 35 40 45
 Glu Leu Leu Leu Ile Gln Gln Gln Gln Ile Gln Lys Gln Leu Leu
 50 55 60
 Ile Ala Glu Phe Gln Lys Gln His Glu Asn Leu Thr Arg Gln His Gln
 65 70 75 80
 Ala Gln Leu Gln Glu His Ile Lys Glu Leu Ala Ile Lys Gln Gln
 85 90 95
 Gln Glu Leu Leu Glu Lys Glu Gln Lys Leu Glu Gln Gln Arg Gln Glu
 100 105 110
 Gln Glu Val Glu Arg His Arg Arg Glu Gln Gln Leu Pro Pro Leu Arg
 115 120 125
 Gly Lys Asp Arg Gly Arg Glu Arg Ala Val Ala Ser Thr Glu Val Lys
 130 135 140
 Gln Lys Leu Gln Glu Phe Leu Leu Ser Lys Ser Ala Thr Lys Asp Thr
 145 150 155 160
 Pro Thr Asn Gly Lys Asn His Ser Val Ser Arg His Pro Lys Leu Trp
 165 170 175
 Tyr Thr Ala Ala His His Thr Ser Leu Asp Gln Ser Ser Pro Pro Leu
 180 185 190
 Ser Gly Thr Ser Pro Ser Tyr Lys Tyr Thr Leu Pro Gly Ala Gln Asp
 195 200 205
 Ala Lys Asp Asp Phe Pro Leu Arg Lys Thr Ala Ser Glu Pro Asn Leu
 210 215 220
 Lys Val Arg Ser Arg Leu Lys Gln Lys Val Ala Glu Arg Arg Ser Ser
 225 230 235 240
 Pro Leu Leu Arg Arg Lys Asp Gly Asn Val Val Thr Ser Phe Lys Lys
 245 250 255
 Arg Met Phe Glu Val Thr Glu Ser Ser Val Ser Ser Ser Ser Pro Gly
 260 265 270
 Ser Gly Pro Ser Ser Pro Asn Asn Gly Pro Thr Gly Ser Val Thr Glu

	275					280					285				
Asn	Glu	Thr	Ser	Val	Leu	Pro	Pro	Thr	Pro	His	Ala	Glu	Gln	Met	Val
	290					295					300				
Ser	Gln	Gln	Arg	Ile	Leu	Ile	His	Glu	Asp	Ser	Met	Asn	Leu	Leu	Ser
305					310					315					320
Leu	Tyr	Thr	Ser	Pro	Ser	Leu	Pro	Asn	Ile	Thr	Leu	Gly	Leu	Pro	Ala
				325					330					335	
Val	Pro	Ser	Gln	Leu	Asn	Ala	Ser	Asn	Ser	Leu	Lys	Glu	Lys	Gln	Lys
			340					345					350		
Cys	Glu	Thr	Gln	Thr	Leu	Arg	Gln	Gly	Val	Pro	Leu	Pro	Gly	Gln	Tyr
							360					365			
Gly	Gly	Ser	Ile	Pro	Ala	Ser	Ser	Ser	His	Pro	His	Val	Thr	Leu	Glu
	370						375				380				
Gly	Lys	Pro	Pro	Asn	Ser	Ser	His	Gln	Ala	Leu	Leu	Gln	His	Leu	Leu
385				390						395					400
Leu	Lys	Glu	Gln	Met	Arg	Gln	Gln	Lys	Leu	Leu	Val	Ala	Gly	Gly	Val
				405					410					415	
Pro	Leu	His	Pro	Gln	Ser	Pro	Leu	Ala	Thr	Lys	Glu	Arg	Ile	Ser	Pro
				420				425					430		
Gly	Ile	Arg	Gly	Thr	His	Lys	Leu	Pro	Arg	His	Arg	Pro	Leu	Asn	Arg
	435						440					445			
Thr	Gln	Ser	Ala	Pro	Leu	Pro	Gln	Ser	Thr	Leu	Ala	Gln	Leu	Val	Ile
	450					455					460				
Gln	Gln	Gln	His	Gln	Gln	Phe	Leu	Glu	Lys	Gln	Lys	Gln	Tyr	Gln	Gln
465					470					475					480
Gln	Ile	His	Met	Asn	Lys	Leu	Leu	Ser	Lys	Ser	Ile	Glu	Gln	Leu	Lys
				485					490					495	
Gln	Pro	Gly	Ser	His	Leu	Glu	Glu	Ala	Glu	Glu	Glu	Leu	Gln	Gly	Asp
				500				505					510		
Gln	Ala	Met	Gln	Glu	Asp	Arg	Ala	Pro	Ser	Ser	Gly	Asn	Ser	Thr	Arg
		515					520					525			
Ser	Asp	Ser	Ser	Ala	Cys	Val	Asp	Asp	Thr	Leu	Gly	Gln	Val	Gly	Ala
	530					535					540				
Val	Lys	Val	Lys	Glu	Glu	Pro	Val	Asp	Ser	Asp	Glu	Asp	Ala	Gln	Ile
545					550					555					560
Gln	Glu	Met	Glu	Ser	Gly	Glu	Gln	Ala	Ala	Phe	Met	Gln	Gln	Val	Ile
				565					570					575	
Gly	Lys	Asp	Leu	Ala	Pro	Gly	Phe	Val	Ile	Lys	Val	Ile	Ile		
			580					585					590		

<210> 12
 <211> 1084
 <212> PRT
 <213> Homo sapiens

<400> 12
 Met Ser Ser Gln Ser His Pro Asp Gly Leu Ser Gly Arg Asp Gln Pro
 1 5 10 15
 Val Glu Leu Leu Asn Pro Ala Arg Val Asn His Met Pro Ser Thr Val
 20 25 30
 Asp Val Ala Thr Ala Leu Pro Leu Gln Val Ala Pro Ser Ala Val Pro
 35 40 45
 Met Asp Leu Arg Leu Asp His Gln Phe Ser Leu Pro Val Ala Glu Pro
 50 55 60
 Ala Leu Arg Glu Gln Gln Leu Gln Gln Glu Leu Leu Ala Leu Lys Gln
 65 70 75 80
 Lys Gln Gln Ile Gln Arg Gln Ile Leu Ile Ala Glu Phe Gln Arg Gln
 85 90 95
 His Glu Gln Leu Ser Arg Gln His Glu Ala Gln Leu His Glu His Ile
 100 105 110
 Lys Gln Gln Gln Glu Met Leu Ala Met Lys His Gln Gln Glu Leu Leu

		115					120					125					
Glu	His	Gln	Arg	Lys	Leu	Glu	Arg	His	Arg	Gln	Glu	Gln	Glu	Leu	Glu		
	130					135					140						
Lys	Gln	His	Arg	Glu	Gln	Lys	Leu	Gln	Gln	Leu	Lys	Asn	Lys	Glu	Lys		
145					150					155					160		
Gly	Lys	Glu	Ser	Ala	Val	Ala	Ser	Thr	Glu	Val	Lys	Met	Lys	Leu	Gln		
				165					170					175			
Glu	Phe	Val	Leu	Asn	Lys	Lys	Lys	Ala	Leu	Ala	His	Arg	Asn	Leu	Asn		
			180					185					190				
His	Cys	Ile	Ser	Ser	Asp	Pro	Arg	Tyr	Trp	Tyr	Gly	Lys	Thr	Gln	His		
	195						200					205					
Ser	Ser	Leu	Asp	Gln	Ser	Ser	Pro	Pro	Gln	Ser	Gly	Val	Ser	Thr	Ser		
	210					215						220					
Tyr	Asn	His	Pro	Val	Leu	Gly	Met	Tyr	Asp	Ala	Lys	Asp	Asp	Phe	Pro		
225					230					235					240		
Leu	Arg	Lys	Thr	Ala	Ser	Glu	Pro	Asn	Leu	Lys	Leu	Arg	Ser	Arg	Leu		
				245					250					255			
Lys	Gln	Lys	Val	Ala	Glu	Arg	Arg	Ser	Ser	Pro	Leu	Leu	Arg	Arg	Lys		
			260					265						270			
Asp	Gly	Pro	Val	Val	Thr	Ala	Leu	Lys	Lys	Arg	Pro	Leu	Asp	Val	Thr		
	275						280						285				
Asp	Ser	Ala	Cys	Ser	Ser	Ala	Pro	Gly	Ser	Gly	Pro	Ser	Ser	Pro	Asn		
	290					295						300					
Asn	Ser	Ser	Gly	Ser	Val	Ser	Ala	Glu	Asn	Gly	Ile	Ala	Pro	Ala	Val		
305					310					315					320		
Pro	Ser	Ile	Pro	Ala	Glu	Thr	Ser	Leu	Ala	His	Arg	Leu	Val	Ala	Arg		
				325					330					335			
Glu	Gly	Ser	Ala	Ala	Pro	Leu	Pro	Leu	Tyr	Thr	Ser	Pro	Ser	Leu	Pro		
			340					345						350			
Asn	Ile	Thr	Leu	Gly	Leu	Pro	Ala	Thr	Gly	Pro	Ser	Ala	Gly	Thr	Ala		
	355						360						365				
Gly	Gln	Gln	Asp	Thr	Glu	Arg	Leu	Thr	Leu	Pro	Ala	Leu	Gln	Gln	Arg		
	370					375						380					
Leu	Ser	Leu	Phe	Pro	Gly	Thr	His	Leu	Thr	Pro	Tyr	Leu	Ser	Thr	Ser		
385					390					395					400		
Pro	Leu	Glu	Arg	Asp	Gly	Gly	Ala	Ala	His	Ser	Pro	Leu	Leu	Gln	His		
			405						410					415			
Met	Val	Leu	Leu	Glu	Gln	Pro	Pro	Ala	Gln	Ala	Pro	Leu	Val	Thr	Gly		
			420					425						430			
Leu	Gly	Ala	Leu	Pro	Leu	His	Ala	Gln	Ser	Leu	Val	Gly	Ala	Asp	Arg		
	435						440						445				
Val	Ser	Pro	Ser	Ile	His	Lys	Leu	Arg	Gln	His	Arg	Pro	Leu	Gly	Arg		
	450					455					460						
Thr	Gln	Ser	Ala	Pro	Leu	Pro	Gln	Asn	Ala	Gln	Ala	Leu	Gln	His	Leu		
465					470					475					480		
Val	Ile	Gln	Gln	Gln	His	Gln	Gln	Phe	Leu	Glu	Lys	His	Lys	Gln	Gln		
				485					490					495			
Phe	Gln	Gln	Gln	Gln	Leu	Gln	Met	Asn	Lys	Ile	Ile	Pro	Lys	Pro	Ser		
				500				505					510				
Glu	Pro	Ala	Arg	Gln	Pro	Glu	Ser	His	Pro	Glu	Glu	Thr	Glu	Glu	Glu		
	515						520						525				
Leu	Arg	Glu	His	Gln	Ala	Leu	Leu	Asp	Glu	Pro	Tyr	Leu	Asp	Arg	Leu		
	530					535					540						
Pro	Gly	Gln	Lys	Glu	Ala	His	Ala	Gln	Ala	Gly	Val	Gln	Val	Lys	Gln		
545					550					555					560		
Glu	Pro	Ile	Glu	Ser	Asp	Glu	Glu	Glu	Ala	Glu	Pro	Pro	Arg	Glu	Val		
				565					570					575			
Glu	Pro	Gly	Gln	Arg	Gln	Pro	Ser	Glu	Gln	Glu	Leu	Leu	Phe	Arg	Gln		
				580				585					590				
Gln	Ala	Leu	Leu	Glu	Gln	Gln	Arg	Ile	His	Gln	Leu	Arg	Asn	Tyr			
	595					600						605					
Gln	Ala	Ser	Met	Glu	Ala	Ala	Gly	Ile	Pro	Val	Ser	Phe	Gly	Gly	His		

610	615	620
Arg Pro Leu Ser Arg Ala Gln Ser Ser Pro Ala Ser Ala Thr Phe Pro		
625	630	635
Val Ser Val Gln Glu Pro Pro Thr Lys Pro Arg Phe Thr Thr Gly Leu		
	645	650
Val Tyr Asp Thr Leu Met Leu Lys His Gln Cys Thr Cys Gly Ser Ser		
	660	665
Ser Ser His Pro Glu His Ala Gly Arg Ile Gln Ser Ile Trp Ser Arg		
	675	680
Leu Gln Glu Thr Gly Leu Arg Gly Lys Cys Glu Cys Ile Arg Gly Arg		
	690	695
Lys Ala Thr Leu Glu Glu Leu Gln Thr Val His Ser Glu Ala His Thr		
705	710	715
Leu Leu Tyr Gly Thr Asn Pro Leu Asn Arg Gln Lys Leu Asp Ser Lys		
	725	730
Lys Leu Leu Gly Ser Leu Ala Ser Val Phe Val Arg Leu Pro Cys Gly		
	740	745
Gly Val Gly Val Asp Ser Asp Thr Ile Trp Asn Glu Val His Ser Ala		
	755	760
Gly Ala Ala Arg Leu Ala Val Gly Cys Val Val Glu Leu Val Phe Lys		
	770	775
Val Ala Thr Gly Glu Leu Lys Asn Gly Phe Ala Val Val Arg Pro Pro		
785	790	795
Gly His His Ala Glu Ser Thr Pro Met Gly Phe Cys Tyr Phe Asn		
	805	810
Ser Val Ala Val Ala Ala Lys Leu Leu Gln Gln Arg Leu Ser Val Ser		
	820	825
Lys Ile Leu Ile Val Asp Trp Asp Val His His Gly Asn Gly Thr Gln		
	835	840
Gln Ala Phe Tyr Ser Asp Pro Ser Val Leu Tyr Met Ser Leu His Arg		
	850	855
Tyr Asp Asp Gly Asn Phe Phe Pro Gly Ser Gly Ala Pro Asp Glu Val		
865	870	875
Gly Thr Gly Pro Gly Val Gly Phe Asn Val Asn Met Ala Phe Thr Gly		
	885	890
Gly Leu Asp Pro Pro Met Gly Asp Ala Glu Tyr Leu Ala Ala Phe Arg		
	900	905
Thr Val Val Met Pro Ile Ala Ser Glu Phe Ala Pro Asp Val Val Leu		
	915	920
Val Ser Ser Gly Phe Asp Ala Val Glu Gly His Pro Thr Pro Leu Gly		
	930	935
Gly Tyr Asn Leu Ser Ala Arg Cys Phe Gly Tyr Leu Thr Lys Gln Leu		
	945	950
Met Gly Leu Ala Gly Arg Ile Val Leu Ala Leu Glu Gly Gly His		
	965	970
Asp Leu Thr Ala Ile Cys Asp Ala Ser Glu Ala Cys Val Ser Ala Leu		
	980	985
Leu Gly Asn Glu Leu Asp Pro Leu Pro Glu Lys Val Leu Gln Gln Arg		
	995	1000
Pro Asn Ala Asn Ala Val Arg Ser Met Glu Lys Val Met Glu Ile His		
	1010	1015
Ser Lys Tyr Trp Arg Cys Leu Gln Arg Thr Thr Ser Thr Ala Gly Arg		
1025	1030	1035
Ser Leu Ile Glu Ala Gln Thr Cys Glu Asn Glu Glu Ala Glu Thr Val		
	1045	1050
Thr Ala Met Ala Ser Leu Ser Val Gly Val Lys Pro Ala Glu Lys Arg		
	1060	1065
Pro Asp Glu Glu Pro Met Glu Glu Glu Pro Pro Leu		
	1075	1080

<211> 3550
 <212> DNA
 <213> Homo sapiens

<400> 13
 ggggaagaga ggcacagaca cagataggag aagggcaccg gctggagcca cttgcaggac 60
 tgagggtttt tgcaacaaaa ccctagcagc ctgaagaact ctaagccaga tgggggtggc 120
 ggacgagagc agctcttggc tcagcaaaga atgcacagta tgatcagctc agtggatgtg 180
 aagtcagaag ttctgtggg cctggagccc atctcacctt tagacctaag gacagacctc 240
 aggatgatga tgcccgtggg ggaccctggt gtccgtgaga agcaattgca gcaggaatta 300
 cttcttatcc agcagcagca acaaatccag aagcagcttc tgatagcaga gtttcagaaa 360
 cagcatgaga acttgacacg gcagcaccag gctcagcttc aggagcatat caaggaactt 420
 ctagccataa aacagcaaca agaactccta gaaaaggagc agaaactgga gcagcagagg 480
 caagaacagg aagtagagag gcatcgcaga gaacagcagc ttcctcctct cagaggcaaa 540
 gatagaggac gagaaagggc agtggcaagt acagaagtaa agcagaagct tcaagagttc 600
 ctactgagta aatcagcaac gaaagacact ccaactaatg gaaaaaatca ttccgtgagc 660
 cgccatccca agctctggta cacggctgcc caccacacat cattggatca aagctctcca 720
 cccttagtg gaacatctcc atcctacaag tacacattac caggagcaca agatgcaaa 780
 gatgatttcc cccttcgaaa aactgcctct gagcccaact tgaaggtgcg gtccaggtta 840
 aaacagaaaag tggcagagag gagaagcagc cccttactca gggggaagga tggaaatggt 900
 gtcacttcat tcaagaagcg aatgtttgag gtgacagaat cctcagtcag tagcagttct 960
 ccaggctctg gtcccagttc accaaacaat gggccaactg gaagtgttac tgaaaatgag 1020
 acttcggttt tgccccctac cctcatgcc gagcaaatgg tttcacagca acgcattcta 1080
 attcatgaag attccatgaa cctgctaagt ctttatacct ctccctcttt gcccaacatt 1140
 accttggggc ttcccgcagt gccatcccag ctcaatgctt cgaattcact caaagaaaag 1200
 cagaagtgtg agacgcagac gcttaggcaa ggtgttcctc tgccctgggca gtatggaggc 1260
 agcatcccgg catcttccag ccaccctcat gttactttag agggaaagcc acccaacagc 1320
 agccaccagg ctctcctgca gcatttatta ttgaaagaac aaatgcgaca gcaaaagctt 1380
 cttgtagctg ttggagtcc cttacatcct cagtctccct tggcaacaaa agagagaatt 1440
 tcacctggca ttagaggtac ccacaaattg ccccgtcaca gaccctgaa ccgaaccag 1500
 tctgcacctt tgccctcagag cacgttggct cagctggcca ttcaacagca acaccagcaa 1560
 ttcttgagga agcagaagca ataccagcag cagatccaca tgaacaaact gctttcgaaa 1620
 tctattgaac aactgaagca accaggcagt caccttgagg aagcagagga agagcttcag 1680
 ggggaccagg cgatgcagga agacagagcg ccctctagtg gcaacagcac taggagcgac 1740
 agcagtgcct gtgtggatga cacactggga caagtgggg ctgtgaaggt caaggaggaa 1800
 ccagtggaca gtgatgaaga tgctcagatc caggaatgg aatctgggga gcaggctgct 1860
 tttatgcaac aggtaatagg caaagattta gctccaggat ttgtaattaa agtcattatc 1920
 tgacctttcc tggaaaccac gcacacacgt gcgctctctg tgcgccaagc tccgctggct 1980
 gcggttggca tggatggatt agagaaacac cgctctgct ccaggactca ctcttcccct 2040
 gctgcctctg ttttacctca ccagcaatg gaccgcccc tccagctgg ctctgcaact 2100
 ggaattgcct atgaccctt gatgctgaaa caccagtgcg tttgtggcaa ttccaccacc 2160
 caccctgagc atgctggacg aatacagagt atctggtcac gactgcaaga aactgggctg 2220
 ctaaataaat gtgagcgaat tcaaggtcga aaagccagcc tggaggaaat acagcttgtt 2280
 catttgaac atcactcact gttgtatggc accaaccctc tggacggaca gaagctggac 2340
 cccaggatac tcctaggtga tgactctcaa aagtttttt cctcattacc ttgtggtgga 2400
 cttgggggtg acagtgcac catttggaat gagctacact cgccgggtgc tgcacgcatg 2460
 gctgttggct gtgtcatcga gctggcttcc aaagtggcct caggagagct gaagaatggg 2520
 tttgtctgtg tgaggcccc tggccatcac gctgaagaat ccacagccat ggggttctgc 2580
 ttttttaatt cagttgcaat taccgcaaaa tacttgagag accaactaaa tataagcaag 2640
 atattgattg tagatctgga tgttcaccat ggaacggta cccagcaggc cttttatgct 2700
 gaccccagca tctgtatcat ttcactccat cgctatgatg aagggaaact tttccctggc 2760
 agtggagccc caaatgaggt tcggtttatt tcttttagag cccactttta tttgtatctt 2820
 tcaggtaatt gcattgcatg attaccctta atttctgtg cctttgctgg tgttttaaat 2880
 tacacgagat tactgaattg tccatggga ccaagaacca gtgcagaaca agtgcataac 2940
 ccagagcact gtttgtcagg gaaggttggg ctgatttgat gtgttgtttg atgtttattt 3000
 caagagctcc catgtgcttg ttttctctc ttcttgctt cttccatttg ctctctctc 3060
 tgcccaccgt ggtgtgtctt tctcttccca ggttggaca ggccttggag aagggtaaaa 3120
 tataaatatt gcctggacag gtggccttga tctcccctg ggagatgttg agtaccttga 3180
 agcattcagg accatcgtga agcctgtggc caaagagttt gatccagaca tggctcttagt 3240
 atctgctgga tttgatgcat tgggaaggcca caccctcct ctaggagggt acaaagtgc 3300
 ggcaaaatgt tttggctcatt tgacgaagca attgatgaca tgggctgatg gacgtgtggt 3360
 gttggctcta gaaggaggac atgatctcac agccatctgt gatgcatcag aagcctgtgt 3420

aaatgccctt ctaggaaatg agctggagcc acttgcagaa gatattctcc accaaagccc 3480
 gaatatgaat gctgttattt ctttacagaa gatcattgaa attcaaagta tgtctttaa 3540
 gttctcttaa 3550

<210> 14
 <211> 7699
 <212> DNA
 <213> Homo sapiens

<400> 14
 cccattcgcc attcaggctg cgcaactggt ggggaagggcg atcgggtgagg gcctcttcgc 60
 tattacgccca gctggcgaaa ggggatgtg ctgcaaggcg attaagttgg gtaacgccc 120
 gggttttccc agtcacgacg ttgtaaaacg acggccagtg ccaagctgat ctaatcaata 180
 ttggccatta gccatattat tcattgggta tatagcataa atcaatattg gctattggcc 240
 attgcatacg gcttatccat atcataatat gtacatttat attggctcat gtccaacatt 300
 accgccatgt tgacattgat tattgactag ttattaatag taatcaatta cggggtcatt 360
 agttcatagc ccatatatgg agttccgctg tacataactt acggtaaattg gcccgctgg 420
 cgaccgcccc gcgacccccg cccgttgacg tcaatagtga cgtatgttcc catagtaacg 480
 ccaataggga ctttccattg acgtcaattg gtggagtatt tacggtaaac tgcccattg 540
 gcagtaacat ataggtatca taggccaagt ccgcccccta ttgacgtcaa tgacggtaaa 600
 tggcccgctc agcattatgc ccagtacatg accttacggg agtttctctac ttggcagtac 660
 atctacgtat tagtcatcgc tattaccatg gtgatgaggg tttggcagta caccaatggg 720
 cgtggatagc ggtttgactc acggggatgtt ccaagtctcc accccattga cgtcaatggg 780
 agtttgtttt ggcacaaaaa tcaacggggac ttccaaaaat gtcgtaataa ccccgccccg 840
 ttgacgcaaa tggcggtag gcgtgtacgg tgggaggctc atataagcag agctcgttta 900
 gtgaaccgtc agaattcaag cttgcccggc cagatctatc gatctgcagg atatcaccat 960
 gcacagtatg atcagctcag tggatgtgaa gtcagaagtt cctgtgggccc tggagccat 1020
 ctcaccttta gacctaaagg cagacctcag gatgatgatg cccgtgggtgg accctgttgt 1080
 ccgtgagaag caattgcagc aggaattact tcttatccag cagcagcaac aaatccagaa 1140
 gcagcttctg atagcagagt ttcagaaaca gcatgagaac ttgacacggc agcaccaggc 1200
 tcagcttcag gagcatatca aggaacttct agccataaaa cagcaacaag aactcctaga 1260
 aaaggagcag aaactggagc agcagaggca agaacaggaa gtagagaggc atcgagaga 1320
 acagcagctt cctcctctca gaggcaaaga tagaggacga gaaagggcag tggcaagtac 1380
 agaagtaaa gagaagcttc aagagtctct actgagtaaa tcagcaacga aagacactcc 1440
 aactaatgga aaaaatcatt ccgtgagccg ccatcccaag ctctggtaca cggctgcccc 1500
 ccacacatga ttggatcaaa gctctccacc ccttagtgga acatctccat cctacaagta 1560
 cacattacca ggagcacaag atgcaaagga tgatttccc cttcgaaaaa ctgcctctga 1620
 gcccaacttg aaggtgaggc ccagggtaaa acagaaagtg gcagagagga gaagcagccc 1680
 cttactcagg ccgaaggatg gaaatgttgt cacttcattc aagaagcgaa tgtttgaggt 1740
 gacagaatcg tcagtcagta gcagttctcc aggtctggt cccagttcac caaacaatgg 1800
 gcccaactgga agtgttactg aaaaatgagac ttccggtttg cccctacc ctcagccga 1860
 gcaaatggtt tcacagcaac gcattctaat tcatgaagat tccatgaacc tgetaagtct 1920
 ttatacctct ccttctttgc ccaacattac ctgggggctt cccgcagtg ccatccagct 1980
 caatgcttcg aattcactca aagaaaagca gaagtgtgag acgcagacgc ttaggcaagg 2040
 tgttctctg cctgggcagt atggaggcag catcccggca tcttccagc accctcatgt 2100
 tacttttagg ggaagccac ccaacagcag ccaccaggct ctctgcagc atttattatt 2160
 gaaagaacaa atgcgacagc aaaagcttct tgtagctggt ggagtccct tacatcctca 2220
 gtctcccttg gcaacaaaag agagaatttc acctggcatt agaggtacc acaaatggc 2280
 ccgtcacaga cccctgaacc gaaccagtc tgcaccttg cctcagagca cgttggctca 2340
 gctgctcatt caacagcaac accagcaatt cttggagaag cagaagcaat accagcagca 2400
 gatccacatg aacaaactgc ttctgaaatc tattgaacaa ctgaagcaac caggcagtca 2460
 ccttgaggaa gcagaggaag agcttcaggg ggaccaggcg atgcaggaag acagagcgcc 2520
 ctctagtggc aacagcacta ggagcgacag cagtgcctgt gtggatgaca cactgggaca 2580
 agttggggct gtgaaggtca aggaggaacc agtggacagt gatgaagatg ctcagatcca 2640
 ggaaatggaa tctggggagc aggtgcttt tatgcaacag cctttcctgg aaccacgca 2700
 ccaactgtcg ctctctgtgc gccaagctcc gctggctgcg gttggcatgg atggattaga 2760
 gaaacaccgt ctctcttcca ggactcactc tccccctgct gcctctgttt tacctcacc 2820
 agcaatggac cgccccctcc agcctggctc tgcaactgga attgcctatg accccttgat 2880
 gctgaaacac cagtgcgctt gtggcaattc caccaccac cctgagcatg ctggacgaat 2940
 acagagtatc tggtcacgac tgcaagaaac tgggctgcta aataaatgtg agcgaattca 3000
 aggtcgaaaa gccagcctgg aggaaatata gcttgttcat tctgaacatc actcactgtt 3060
 gtatggcacc aacccccctg acggacagaa gctggacccc aggatactcc taggtgatga 3120

ctctcaaaag ttttttctt cattaccttg tgggtgactt ggggtggaca gtgacaccat 3180
ttggaatgag ctacactcgt ccggtgctgc acgcatggct gttggctgtg tcatcgagct 3240
ggcttcacaa gtggcctcag gagagctgaa gaatggggtt gctgttgatg ggccccctgg 3300
ccatcacgct gaagaatcca cagccatggg gttctgcttt ttaattcag ttgcaattac 3360
cgccaaatac ttgagagacc aactaaatat aagcaagata ttgattgtag atctggatgt 3420
tcaccatgga aacggtaccc agcaggcctt tbatgctgac ccagcatcc tgtacatttc 3480
actccatcgc tatgatgaag ggaacttttt ccctggcagt ggagcccaa atgaggttgg 3540
aacaggcctt ggagaagggg acaatataaa tattgcctgg acagggtggc ttgatcctcc 3600
catggggagat gttgagtacc ttgaagcatt caggaccatc gtgaagcctg tggccaaaga 3660
gtttgatcca gacatggtct tagtatctgc tggatttgat gcattggaag gccacacccc 3720
tcctctagga gggtaaaaag tgacggcaaa atgttttggg catttgacga agcaattgat 3780
gacattggct gatggacgtg tgggtgtggc tctagaagga ggacatgatc tcacagccat 3840
ctgtgatgca tcagaagcct gtgtaaatgc cctctagga aatgagctgg agccattgc 3900
agaagatatt ctccacaaa gccgaatat gaatgctggt atttctttac agaagatcat 3960
tgaattcaa agtatgtctt taaagtctc tggatccggt accagattac aaggacgacg 4020
atgacaagta gatccgggtt ggcacccctg tgaccctcc ccagtgcctc tcctggcctt 4080
ggaagtgtcc actccagtgc ccaccagcct tgtcctaata aaattaagtt gcacattttt 4140
gtctgactag gtgtcctcta taatattatg ggggtggagg ggggtgtag gagcaagggg 4200
cccaagttgg gaagacaacc tgtaggcctt gcegggtcta ttcgggaacc aagctggagt 4260
gcagtggcac aatcttggct cactgcaatc tccgcctcct gggttcaagc gattctcctg 4320
cctcagcctc ccgagtgtgt gggattccag gcattgcatg ccaggctcag ctaatttttg 4380
tttttttggg agagacgggg tttcaccata ttggccaggc tggctccaa ctccataatc 4440
caggtgatct accacacttg gcctcccaa ttgctgggat tacaggcgtg aaccactgct 4500
ccctccctg tccttctgat tttaaaataa ctataccagc aggaggactg ccagacacag 4560
cataggctac ctgcatggc ccaaccggtg ggacatttga gttgcttctg tggcactgtc 4620
ctctcatgag ttgggtccac tcagtagatg cctgttgaat tgggtacgag gccagcttct 4680
gtggaatgtg tgtcagttag ggtgtggaaa gtccccaggc tccccagcag gcagaagtat 4740
gcaaagcatg catctcaatt agtcagcaac caggtgtgga aaagtcccca ggctccccag 4800
caggcaagag tatgcaaaag atgcatctca attagtccag aaccatagtc ccgcccctaa 4860
ctccgcccac cccgccccta actccgcccga gttccgccc tctccgccc catggctgac 4920
taattttttt tatttatgca gaggccgagg ccgcctcggc ctctgagcta ttccagaagt 4980
agtgaggagg ctttttttgg ggcctaggct tttgcaaaaa gctcctcgag gaactgaaaa 5040
accagaaagt taattcccta tagtgagtct tattaatct gtaatcatgg tcatagctgt 5100
ttcctgtgtg aaattgttat ccgctcacia tttccacaaa catacgagcc ggaagcataa 5160
agtgtaaagc ctgggtgccc taatgagtga gctaactcac attaattgag ttgagctcac 5220
tgcccgtttt ccagtcggga aacctgtcgt gccagctgca ttaatgaatc ggccaacgag 5280
cggggagagg cggtttgcgt attgggcgct cttccgctc ctcgctcact gactcgctgc 5340
gctcggctgc tcggctgccc cgagcgggat cagctcactc aaaggcggta atacggttat 5400
ccacagaatc aggggataac gcagaaaaga acatgtgagc aaaaggccag caaaaggcca 5460
ggaaccgtaa aaaggccgag ttgtggcgt ttttccatag gctccgcccc cctgacgagc 5520
atcacaaaaa tcgacgctca agtcagaggt ggcaaaacc gacaggacta taaagatacc 5580
aggcgtttcc cctggaagc tccctcgtgc gctctcctgt tccgacctg ccgcttaccg 5640
gatacctgtc egcctttctc ccttcgggaa cgttggcgt tctcaatgc tcacgctgta 5700
ggtatctcag ttcggtgtag gtogttcgt ccaagctggg ctgtgtgca gaacccccg 5760
ttcagcccga ccgctgcgcc ttatccggtg actatcgtct tgagtccaac ccggtgaagc 5820
acgacttatc gccactggca gcagccactg gtaacaggat tagcagagcg aggtatgtag 5880
gcggtgctac agagtctctg aagtgggtgg ctaactacgg ctacactaga agaacagtat 5940
ttggtatctg cgctctgctg aagccagttt ccttcggaaa aagagttggt agctcttgat 6000
ccggcaaaac aaccaccgct ggtagcggtg gtttttttgt ttgcaagcag cagattacgc 6060
gcagaaaaaa aggatctcaa gaagatcctt tgatcttttc tacggggtct gacgctcagt 6120
ggaacgaaaa ctacagttaa gggatttttg tcatgagatt atcaaaaagg atcttcacct 6180
agatcctttt aaattaaaaa tgaagtttta aatcaatcta aagtataat gagtaaactt 6240
ggtctgacag ttaccaatgc ttaatcagtg aggcacctat ctcagcgatc tgtctatttc 6300
gttcatccat agttgcctga ctcccgtcg ttagataaac tacgatacgg gagggcttac 6360
catctgcccc cagtgcgca atgataccgc gagaccacg ctaccggct ccagatttat 6420
cagcaataaa ccagccagcc ggaagggccg agcgcagaag tggctcctgca actttatccg 6480
ctccatcca gtctattaat tgttgccggg aagctagagt aagtagttcg ccagttaata 6540
gtttgcgcaa cgttgttgcc attgctacag gcactcgtgt gtcacgctcg tegtgtgta 6600
tggtttcatt cagctccggt tcccaacgat caaggcgagt tacatgatec ccatgttgt 6660
gcaaaaaagc ggttagctcc ttcggctctc cgatcgttgt cagaagtaag ttggccgag 6720
tgttatcact catggttatg gcagcactgc ataattctct tactgtcatg ccatccgtaa 6780
gatgcttttc tgtgactggt gactactcaa ccaagtcatt ctgagaatag tgtatgaggc 6840

gaccgagttg	ctcttgcccg	gcgtaatac	gggataatac	cgcgccacat	agcagaactt	6900
taaaagtgct	catcattgga	aaacgttctt	cggggcgaaa	actctcaagg	atcttaccgc	6960
tgttgagatc	cagttcgatg	taaccactc	gtgcaccaa	ctgatcttca	gcatcttta	7020
ctttcaccag	cgtttctggg	tgagcaaaaa	caggaaggca	aaatgocgca	aaaaagggaa	7080
taagggcgac	acggaaatgt	tgaatactca	tactcttctc	ttttcaatat	tattgaagca	7140
tttatcaggg	ttattgtctc	atgagcggat	acatatttga	atgtatttag	aaaaataaac	7200
aaataggggt	tccgcgcaca	tttccccgaa	aagtgccacc	tgacgcgccc	tgtagcggcg	7260
cattaagcgc	ggcgggtgtg	gtggttacgc	gcagcgtgac	cgctacactt	gccagcgcgc	7320
tagcgcgccg	tcctttcgct	ttcttccctt	cctttctcgc	cacgttcgcc	ggctttcccc	7380
gtcaagctct	aaatcggggc	atccctttag	ggttccgatt	tagtgcttta	cggcacctcg	7440
accccaaaaa	acttgattag	ggtgatgggt	cacgtagtgg	gccatcgccc	tgatagacgg	7500
tttttcgccc	tttgacgttg	gagtcacagt	tctttaatag	tggactcttg	ttccaaactg	7560
gaacaacact	caaccctatc	tcggtctatt	cttttgattt	ataagggatt	ttgccgattt	7620
cggcctattg	gttaaaaaat	gagctgattt	aacaaaaatt	taacgcgaat	tttaacaaaa	7680
tattaacgt	ttacaattt					7699

<210> 15
 <211> 7303
 <212> DNA
 <213> Homo sapiens

<400> 15						
cccattcgcg	atlcaggctg	cgcaactggt	gggaagggcg	atcgggtgcg	gcctcttcgc	60
tattacgccca	gctggcgaaa	gggggatgtg	ctgcaaggcg	attaagttgg	gtaacgccc	120
gggttttccc	agtcacgacg	ttgtaaaacg	acggccagtg	ccaagctgat	ctaatacaata	180
ttggccatta	gccatattat	tcattgggta	tatagcataa	atcaatattg	gctattggcc	240
attgcatacg	ttgtatccat	atcataatat	gtacatttat	attggctcat	gtccaacatt	300
accgccatgt	tgacattgat	tattgactag	ttattaatag	taatcaatta	cggggtcatt	360
agttcatagc	ccatataatg	agttccgcgt	tacataactt	acggtaaatg	gcccgcctgg	420
cgaccgccc	gcgacccccg	cccgttgacg	tcaatagtga	cgtatgttcc	catagtaacg	480
ccaataggg	ctttccattg	acgtcaatgg	gtggagtatt	tacggtaaac	tgcccacttg	540
gcagtcacatc	aagtgtatca	tatgccaagt	ccgcccccta	ttgacgtcaa	tgacggtaaa	600
tggcccgcc	agcattatgc	ccagtcacatg	accttacggg	agtttctctac	ttggcagtac	660
atctacgfat	tagtcategc	tattaccatg	gtgatgcggg	tttggcagta	caccaatggg	720
cgtggatagc	ggtttgactc	acggggatth	ccaagtctcc	accccattga	cgccaatggg	780
agtttgtttt	ggcaccaaaa	tcaacgggac	tttccaaaa	gtcgtataaa	ccccgccccg	840
ttgacgcaaa	ttggcggtag	gcgtgtacgg	tgggaggtct	atataagcag	agctcgttta	900
gtgaaccgct	agaattcaag	cttgcggccg	cagatctatc	gatctgcagg	atataccatt	960
gcacagfatg	atcagctcag	tggatgtgaa	gtcagaagtt	cctgtggggc	tggagcccat	1020
ctcaccttta	gacctaagga	cagacctcag	gatgatgatg	cccgtggtgg	accctgttgt	1080
ccgtgagaag	caattgcagc	aggaattact	tcttatccag	cagcagcaac	aaatccagaa	1140
gcagcttctg	atagcagagt	ttcagaaaaca	gcatgagaac	ttgacacggc	agcaccaggc	1200
tcagcttcag	gagcatalca	aggaacttct	agccataaaa	cagcaacaag	aactcctaga	1260
aaaggagcag	aaactggagc	agcagaggca	agaacaggaa	gtagagaggc	atcgcagaga	1320
acagcagctt	cctcctctca	gaggcaaaga	tagaggacga	gaaagggcag	tggcaagtac	1380
agaagtaaa	cagaagcttc	aagagttcct	actgagtaaa	tcagcaacga	aagacactcc	1440
aactaatgga	aaaaatcatt	ccgtgagccc	ccatcccagg	ctctgggtaca	cggctgcccc	1500
ccacacatca	ttggatcaaa	gctctccacc	ccttagtgga	acatctccat	cctacaagta	1560
caattacca	ggagcacaag	atgcaaaagga	tgatttcccc	cttcgaaaaa	ctgcctctga	1620
gcccacttg	aaggtgcggt	ccagggttaa	acagaaagtg	gcagagagga	gaagcagccc	1680
cttactcagg	cggaaggatg	gaaatgtttg	cacttcattc	aagaagcgaa	tgtttgaggt	1740
gacagaatcc	tcagtcagta	gcagttctcc	aggetctggt	cccagttcac	caaaacaatg	1800
gccaactgga	agtgttactg	aaaatgagac	ttcggttttg	ccccctacc	ctcatgccc	1860
gcaaatgggt	tcacagcaac	gcattcta	tcataagat	tccatgaacc	tgctaagtct	1920
ttatacctct	ccttctttgc	ccaacattac	cttggggctt	cccgcagtc	catcccagct	1980
caatgcttcg	aattcactca	aagaaaagca	gaagtgtgag	acgcagacgc	ttaggcaagg	2040
tgttcctctg	cctgggcag	atggaggcag	catcccggca	tcttcagacc	accctcatgt	2100
tactttagag	ggaaagccac	ccaacagcag	ccaccagget	ctcctgcagc	atthattatt	2160
gaaagaacaa	atgcgacagc	aaaagcttct	tgtagctggt	ggagttccct	tacatctca	2220
gtctcccttg	gcaacaaaag	agagaatttc	acctggcatt	agaggtacc	acaaattg	2280

ccgtcacaga cccctgaacc gaaccagtc tgcaccttg cctcagagca cgttggctca 2340
 gctggtcatt caacagcaac accagcaatt cttggagaag cagaagcaat accagcagca 2400
 gatccacatg aacaaactgc tttcgaatc tattgaaca ctgaagcaac caggcagtca 2460
 ccttgaggaa gcagaggaag agcttcagg ggaccaggcg atgcaggaag acagagcgcc 2520
 ctctagtggc aacagcacta ggagcgacag cagtgcctgt gtggatgaca cactgggaca 2580
 agttggggct gtgaaggta aggaggaacc agtggacagt gatgaagatg ctcagatcca 2640
 ggaaatggaa tctgggggagc aggtgcttt tatgcaacag cctttcctgg aaccacagca 2700
 cacacgtgcg ctctctgtgc gccaaactcc gctggctgcg gttggcatgg atggattaga 2760
 gaaacaccgt ctgctctcca ggactcactc ttcccctgct gcctctgttt tacctcacc 2820
 agcaatggac cgccccctcc agcctggctc tgcaactgga attgcctatg accccttgat 2880
 gctgaaacac cagtgcgttt gtggcaatcc caccaccac cctgagcatg ctggacgaat 2940
 acagagtatc tggtcacgac tgcaagaaac tgggctgcta aataaatgtg agcgaattca 3000
 aggtcgaana gccagcctgg aggaataca gcttgttcat tctgaacatc actcactgtt 3060
 gtatggcacc aaccctctgg acggacagaa gctggacccc aggatactcc taggtgatga 3120
 ctctcaaaag ttttttctct cattaccttg tggtgactt ggggtggaca gtgacaccat 3180
 ttggaatgag ctacactcgt ccggtgctgc acgcatggct gttggctgtg tcatcgagct 3240
 ggcttccaaa gtggcctcag gagagctgaa gaatgggttt gctgttgtga ggccccctgg 3300
 ccatcacgct gaagaatcca cagccatggg gttctgcttt ttaattcag ttgcaattac 3360
 cgccaaatac ttgagagacc aactaaatat aagcaagata ttgattgtag atctggatgt 3420
 tcaccatgga aacggtacc agcaggcctt ttatgctgac ccagcatcc tgtacatttc 3480
 actccatcgc tatgatgaag ggaactttt ccctggcagt ggagccccaa atgaggttcg 3540
 gtttatttct ttagagccc acttttatt gtatcttca gtaattgca ttgcaggatc 3600
 cggtaccaga ttacaaggac gacgatgaca agtagatccc ggtggcacc cctgtgacc 3660
 ctcccagtg cctctcctgg ccttggagt ttctgctga ctagggtgcc tctataatat tatgggtgg 3720
 aataaaatta agttgcatca ttttgtctga ctagggtgcc tctataatat tatgggtgg 3780
 aggggggtgg tatggagcaa ggggcccag ttgggaagac aacctgtagg gcttgcgggg 3840
 tctattcggg aaccaagctg gagtgcagtg gcacaatctt ggctcactgc aatctccgcc 3900
 tcttgggttc aagcgattct cctgcctcag cctcccagat tgttgggatt ccaggcatgc 3960
 atgaccaggc tcaagtaatt tttgttttt ttgtagagac ggggtttcac catattggcc 4020
 aggtctgtct ccaactccta atctcaggtg atctaccac cttggcctcc caaatgctg 4080
 ggattacagg cgtgaaccac tgctccctc cctgtcctc tgattttaa ataactatac 4140
 cagcaggagg acgtccagac acagcatagg ctacttgcca tggcccacc ggtgggacat 4200
 ttgagttgct tgcttggcac tgctctctca tgcgttgggt ccactcagta gatgcctgtt 4260
 gaattgggta cgggccagc ttctgtgaa ttgtgtcag ttagggtgtg gaaagtcccc 4320
 aggtcctcca gcaggcagaa gtatgcaaag catgcatctc aattagtcag caaccagggtg 4380
 tggaaaagtc cccaggctcc ccagcaggca gaagtatgca aagcatgcat ctcaattagt 4440
 cagcaacatc agtcccggcc ctaactccgc ccatcccgcc cctaactccg cccagttccg 4500
 cccattctcc gccccatggc tgactaattt tttttattha tgcagaggcc gaggccgct 4560
 cggcctctga gctattccag aagtagtgag gagcttttt tggaggccta ggcttttgca 4620
 aaaagctcct cgaggaactg aaaaaccaga aagttaattc cctatagtga gtcgtattaa 4680
 attcgtaatc atggtcatag ctgtttcctg tgtgaaattg ttatccgctc acaattccac 4740
 acaacatac agccggaagc ataaagtgtg aagcctgggg tgcctaata gaagtgtaac 4800
 tcacattaat tgcgttgccg tcaactgccc ctttccagtc gggaaacctg tctgccaagc 4860
 tgcattaatg aatcggccaa cgcgcgggga gagcggttt gcgtattggg cgctcttccg 4920
 ctctcctcgt cactgactcg ctgcgctcgg tgcgtcggct gcggcgagcg gtatcagctc 4980
 actcaaaggg ggtaatagg ttatccacag aatcaggggg taacgcagga aagaacatgt 5040
 gagcaaaagg ccagcaaaag gccaggaacc gtaaaaaggc cgcgttgcct gcgtttttcc 5100
 ataggctccg cccccctgac gagcatcaca aaaatcgac ctcaagtcag aggtggcgaa 5160
 acccgacagg actataaaga taccaggcgt ttcccctgg aagctccctc gtgcgctctc 5220
 ctgttccgac cctgcccgtt accggatacc tgtccgctt tctcctctcg ggaagcgtgg 5280
 cgctttctca atgctcacgc ttaggtatc tcagttcggg taggtcgtt cgctccaagc 5340
 tgggctgtgt gcacgaacce cccgttcagc ccgaccgctg cgccttatcc ggtaactatc 5400
 gtcttgagtc caaccggta agacacgact tctgcactc ggcagcagcc actggtaaca 5460
 ggattagcag agcagggtat gtaggcggtg ctacagagtt cttgaagtgg tggcctaact 5520
 acggctacac tagaagaaca gtatttggta tctgcgctct gctgaagcca gttacctctg 5580
 gaaaaagagt tggtagctct tgatccggca aacaaaccac cgctggtagc ggtggttttt 5640
 ttgtttgcaa gcagcagatt acgpcagaa aaaaggatc tcaagaagat cctttgatct 5700
 tttctacggg gtctgacgtc cagtggaac aaaactcag ttaagggatt ttggctatga 5760
 gattatcaaa aagatcttc acctagatcc ttttaaatta aaaatgaagt tttaaatcaa 5820
 tctaaagtat atatgagtaa acttggctc acagttacca atgcttaact agtgaggcac 5880
 ctatctcagc gatctgtcta tttcgttcat ccatagttgc ctgactcccc gtcgtgtaga 5940
 taactacgat acgggagggc ttaccatctg gccccagtc tgcaatgata ccgcgagacc 6000

```

cacgctcacc ggctccagat ttatcagcaa taaaccagcc agccggaagg gccgagcgca 6060
gaagtgggcc tgcaacttta tccgcctcca tccagtctat taattggtgc cgggaagcta 6120
gagtaagtag ttccgaggtt aatagtttgc gcaacgttgt tgccattgct acaggcatcg 6180
tggtgtcacg ctcgctggtt ggtatggctt cattcagctc cggttcccaa cgatcaaggc 6240
gagttacatg atcccccatg ttgtgcaaaa aagcgggttag ctcttcgggt cctccgatcg 6300
ttgtcagaag taagttggcc gcagtgttat cactcatggt tatggcagca ctgcataatt 6360
ctcttactgt catgccatcc gtaagatgct tttctgtgac tggtgagtac tcaaccaagt 6420
cattctgaga atagtgtatg cggcgaccga gttgctcttg cccggcgta atacgggata 6480
ataccgccc acatagcaga actttaaaag tgctcatcat tggaaaacgt tcttcggggc 6540
gaaaactctc aaggatctta ccgctgttga gatccagttc gatgtaacc actcgtgcac 6600
ccaactgatc ttcagcatct tttactttca ccagcgtttc tgggtgagca aaaacaggaa 6660
ggcaaaatgc cgcaaaaaag ggaataaggg cgacacggaa atggtgaata ctcatactct 6720
tcctttttca atattattga agcattttat agggttattg tctcatgagc ggatacatat 6780
ttgaatgtat ttagaaaaaat aaacaaatag gggttccgcg cacatttccc cgaaaagtgc 6840
cacctgacgc gccctgtagc ggcgcattaa gcgcggcggg tgtggtggtt acgcgcagcg 6900
tgaccgctac acttgccagc gccctagcgc ccgctccttt cgctttcttc ccttccttcc 6960
tcgccacggt cgccggcttt ccccgtaag ctctaaatcg gggcatccct ttagggttcc 7020
gatttagtgc tttacggcac ctcgacccca aaaaacttga ttagggtgat ggttcacgta 7080
gtgggcatc gccctgatag acggtttttc gccctttgac gttggagtcc acgttcttta 7140
atagtggact cttgttccaa actggaacaa cactcaacc tatctcggtc tattcttttg 7200
atattataag gattttgccg atttcggcct attggttaaa aatgagctg atttaacaaa 7260
aatttaacgc gaattttaac aaaatattaa acgtttacia ttt 7303
    
```

```

<210> 16
<211> 24
<212> DNA
<213> Artificial Sequence
    
```

```

<220>
<223> Primer used to amplify human DNA
    
```

```

<400> 16
ccatggaaac ggtaccagc aggc 24
    
```

```

<210> 17
<211> 23
<212> DNA
<213> Artificial Sequence
    
```

```

<220>
<223> Primer used to amplify human DNA
    
```

```

<400> 17
cactccatcg ctatgatgaa ggg 23
    
```

```

<210> 18
<211> 23
<212> DNA
<213> Artificial Sequence
    
```

```

<220>
<223> Primer used to amplify human DNA
    
```

```

<400> 18
agttcccttc atcatagcga tgg 23
    
```

```

<210> 19
<211> 20
<212> DNA
<213> Artificial Sequence
    
```

25/25

<220>

<223> Primer used to amplify human DNA

<400> 19

aatgtacagg atgctgggggt

20

<210> 20

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used to amplify human DNA

<400> 20

cccttgtagc tggaggagtt ccctt

25

<210> 21

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used to amplify human DNA

<400> 21

tgtgtcatcg agctggcttc

20

<210> 22

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used to amplify human DNA

<400> 22

atcttctgca agtggctcca

20

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
27 December 2002 (27.12.2002)

PCT

(10) International Publication Number
WO 02/102984 A3

- (51) International Patent Classification⁷: C12N 9/78, 9/00, 9/14, 1/20, 15/00, C07H 21/04
- (74) Agents: BROOK, David, E. et al.; Hamilton, Brook, Smith & Reynolds, P.C., 530 Virginia Road, P.O. Box 9133, Concord, MA 01742-9133 (US).
- (21) International Application Number: PCT/US02/19051
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (22) International Filing Date: 14 June 2002 (14.06.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/298,173 14 June 2001 (14.06.2001) US
60/311,686 10 August 2001 (10.08.2001) US
60/316,995 4 September 2001 (04.09.2001) US
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant (*for all designated States except US*): SLOAN-KETTERING INSTITUTE FOR CANCER RESEARCH [US/US]; 1275 York Avenue, New York, NY 10021 (US).
- Published:
— *with international search report*
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): RICHON, Victoria [US/US]; 160 Theodore Fremd Street, #A11, Rye, NY 10580 (US). ZHOU, Xianbo [CN/US]; 43 Bradley Street, Dobbs Ferry, NY 10522 (US). RIFKIND, Richard, A. [US/US]; 425 East 58th Street, #48A, New York, NY 10022 (US). MARKS, Paul, A. [US/US]; 7 Rossiter Road, Washington, CT 06793 (US).
- (88) Date of publication of the international search report:
13 November 2003
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 02/102984 A3

(54) Title: HDAC9 POLYPEPTIDES AND POLYNUCLEOTIDES AND USES THEREOF

(57) Abstract: The present invention features substantially pure HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), an HDRP(Δ NLS) polypeptides, and isolated nucleic acid molecules encoding those polypeptides. The present invention also features vectors containing HDAC9, HDAC9a, HDAC9(Δ NLS), HDAC9a(Δ NLS), and HDRP(Δ NLS) nucleic acid sequences, and cells containing those vectors.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/19054

<p>A. CLASSIFICATION OF SUBJECT MATTER IPC(7) : C12N 9/78, 9/00, 9/14, 1/20, 15/00; C07H 21/04 US CL : 435/227, 183, 195, 252.3, 320.1; 536/23.2 According to International Patent Classification (IPC) or to both national classification and IPC</p>														
<p>B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 435/227, 183, 195, 252.3, 320.1; 536/23.2 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) STN AND WEST. Sequence search in Swissprot, EST, N-GeneSeq, PIR_71, SPTREMBL & issued US patents.</p>														
<p>C. DOCUMENTS CONSIDERED TO BE RELEVANT</p> <table border="1"> <thead> <tr> <th>Category *</th> <th>Citation of document, with indication, where appropriate, of the relevant passages</th> <th>Relevant to claim No.</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>NAGASE et al. Prediction of Coding Sequences of Unidentified Human Genes. XI. The Complete Sequences of 100 New cDNA Clones from Brain Which Code for Large Proteins in Vitro. DNA Research November 1998, Vol 5, pages 277-286. See Table 1, Accession No. AB018287 is 58.8% similar to DNA sequence of SEQ ID NO : 1, claim 4 (g).</td> <td>4</td> </tr> <tr> <td>A, P</td> <td>ZHOU et al. Cloning and Characterization of a histone deacetylase, HDAC9. PNAS, 11 September 2001, Vol. 98, No. 19, pages 10572-10577.</td> <td>1-9, 29</td> </tr> <tr> <td>A</td> <td>WANG et al. HDAC4, a Human Histone Deacetylase Related to Yeast HDA1, Is a Transcriptional Corepressor. Molecular and Cellular Biology, November 1999, Vol. 19, No. 11, pages 7816-7827.</td> <td>1-9, 29</td> </tr> </tbody> </table>			Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	X	NAGASE et al. Prediction of Coding Sequences of Unidentified Human Genes. XI. The Complete Sequences of 100 New cDNA Clones from Brain Which Code for Large Proteins in Vitro. DNA Research November 1998, Vol 5, pages 277-286. See Table 1, Accession No. AB018287 is 58.8% similar to DNA sequence of SEQ ID NO : 1, claim 4 (g).	4	A, P	ZHOU et al. Cloning and Characterization of a histone deacetylase, HDAC9. PNAS, 11 September 2001, Vol. 98, No. 19, pages 10572-10577.	1-9, 29	A	WANG et al. HDAC4, a Human Histone Deacetylase Related to Yeast HDA1, Is a Transcriptional Corepressor. Molecular and Cellular Biology, November 1999, Vol. 19, No. 11, pages 7816-7827.	1-9, 29
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.												
X	NAGASE et al. Prediction of Coding Sequences of Unidentified Human Genes. XI. The Complete Sequences of 100 New cDNA Clones from Brain Which Code for Large Proteins in Vitro. DNA Research November 1998, Vol 5, pages 277-286. See Table 1, Accession No. AB018287 is 58.8% similar to DNA sequence of SEQ ID NO : 1, claim 4 (g).	4												
A, P	ZHOU et al. Cloning and Characterization of a histone deacetylase, HDAC9. PNAS, 11 September 2001, Vol. 98, No. 19, pages 10572-10577.	1-9, 29												
A	WANG et al. HDAC4, a Human Histone Deacetylase Related to Yeast HDA1, Is a Transcriptional Corepressor. Molecular and Cellular Biology, November 1999, Vol. 19, No. 11, pages 7816-7827.	1-9, 29												
<input type="checkbox"/> Further documents are listed in the continuation of Box C.		<input type="checkbox"/> See patent family annex.												
<p>* Special categories of cited documents:</p> <table border="1"> <tbody> <tr> <td>"A" document defining the general state of the art which is not considered to be of particular relevance</td> <td>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</td> </tr> <tr> <td>"E" earlier application or patent published on or after the international filing date</td> <td>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</td> </tr> <tr> <td>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</td> <td>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</td> </tr> <tr> <td>"O" document referring to an oral disclosure, use, exhibition or other means</td> <td>"&" document member of the same patent family</td> </tr> <tr> <td>"P" document published prior to the international filing date but later than the priority date claimed</td> <td></td> </tr> </tbody> </table>			"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family	"P" document published prior to the international filing date but later than the priority date claimed			
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention													
"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone													
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art													
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family													
"P" document published prior to the international filing date but later than the priority date claimed														
Date of the actual completion of the international search 30 October 2002 (30.10.2002)		Date of mailing of the international search report 13 MAR 2003												
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703)305-3230		Authorized officer Tekchand Saitha Telephone No. (703) 308-0196												

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/190 51

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

- 1. Claim Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

- 2. Claim Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

- 3. Claim Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:
Please See Continuation Sheet

- 1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
- 2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
- 3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

- 4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-9 & 29 (SEQ ID NOS : 1 & 2)

- Remark on Protest The additional search fees were accompanied by the applicant's protest.
 No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/19051

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In order for all inventions to be examined, the appropriate additional examination fees must be paid.

Group I, claim(s) 1-9, 29, drawn to isolated nucleic acid, the encoded protein and protein composition.

Group II, claim(s) 10, drawn to antibody.

Group III, claim(s) 11-13, drawn to a method of identifying a compound - modulate DNA expression.

Group IV, claim(s) 14-19, 33, drawn to a method of identifying a compound that modulate enzymatic activity.

Group V, claim(s) 20-25, 34, drawn to a method of identifying a compound that modulate transcriptional repression activity of the polypeptide.

Group VI, claim(s) 26-27, drawn to a method of identifying a compound that modulate expression of a nucleic acid molecule.

Group VII, claim(s) 28, drawn to a method of identifying a polypeptide that interacts with a polypeptide of claim 1 in a two-hybrid system.

Group VIII, claim(s) 30-32, drawn to a method of diagnosing a cell proliferation disease.

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In order for more than one species to be examined, the appropriate additional examination fees must be paid. The species are as follows:

1. SEQ ID NO : 1 and 2 [HDAC9].
2. SEQ ID NO : 3 and 4 [HDAC9a].
3. SEQ ID NO : 5 and 6 [HDAC9- Δ NLS].
4. SEQ ID NO : 7 and 8 [HDAC9a- Δ NLS].
5. SEQ ID NO : 9 and 10 [HDRP- Δ NLS].

The claims are deemed to correspond to the species listed above in the following manner:

Each of the claims listed in groups I-VIII correspond to each of the 5 species which are structurally distinct.

The following claim(s) are generic: 1-5.

The inventions listed as Groups I-VIII do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: Group I has a special technical feature of the nucleotide sequence encoding a specific histone deacetylase which Groups II-VIII do not share; Group II has a special technical feature of the antibody to a specific histone deacetylase which Groups I & III-VIII do not share; Groups III-VIII employ nucleic acid or polypeptide in various method of identifying compounds or polypeptides for distinct uses. Further, in view of 37 CFR 1.475 (b), when claims corresponding to different categories of inventions are present then only (3) applies and additional methods of use are deemed to lack unity.

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: The various species correspond to nucleic acid and polypeptide sequences which are structurally and in activity distinct from each other, therefore lack the same or corresponding special technical feature.